INDEX OF AUTHORS' NAMES.

ABSTRACTS. 1905. Parts I. & II.

(Marked A., i and A., ii respectively); and Transactions, 1905 (marked T.); and Proceedings, 1905 (marked P.).

COMPILED BY MARGARET D. DOUGAL.

A

Abbati, Gino, and Luigi de Bernardinis, hydrophthalic acids: two new hydrophthalic anhydrides. I., A., i, 599.

Abderhalden, Emil, proteid chemistry, A., i, 496. proteolysis and proteid synthesis in

the animal organism, A., ii, 334. the importance of the digestion of proteids for their assimilation, A., ii, 334.

Abderhalden, Emil, and James Bryan Herrick, composition of conglutin from lupin seeds, A., i, 846.

Abderhalden, Emil, and Fritz Pregl, a non-dialysable proteid-like constituent of human urine, A., ii, 843.

Abderhalden, Emil, and Béla Reinbold, monoamino-acids from the edestin of sunflower seeds, A., i, 620.

action of pancreatic juice of edestin from cotton seeds, A., ii, 838.

Abderhalden, Emil, and Peter Rona, the composition of the proteid of Aspergillus niger, A., i, 954.

the value of the cleavage products of casein in the animal organism, A., ii, 467.

behaviour of glycyl-l-tyrosine in the dog's organism after subcutaneous injection, A., ii, 839.

Abderhalden, Emil, and Otto Rostoski, monoamino-acids of edestin from cotton seeds and their behaviour with gastric juice, A., i, 619.

with gastric juice, A., i, 619. the Bence-Jones proteid, A., i, 954. Abderhalden, Emil, and Franz Samuely, composition of gliadin from wheat, A., i, 620.

behaviour of cystine, dialanylcystine, and dileucylcystine in the organism of the dog, A., ii, 839.

LXXXVIII. ii.

Abderhalden, Emil, and Franz Samuely, assimilation of proteid in animals, A., ii, 840.

Abderhalden, Emil, and Alfred Schittenhelm, excretion of leucine and tyrosine in a case of cystinuria, A., ii, 741.
 Abderhalden, Emil, and Yutaka Teruu-

chi, composition of proteid from pine seeds, A., i, 846.

Abderhalden, Emil. See also Emil Fischer.

Abegg, Richard [Wilhelm Heinrich], theory of valency, A., ii, 155. the eighth group of the periodic system, A., ii, 380.

periodic classification of the elements, A., ii, 514.

Abegg, Richard, and Ferdinand Willy Hinrichsen, conception of valency, A., ii 155

Abegg, Richard, and H. Pick, effect of silver nitrate on the solubility of silver nitrite, A., ii, 586.

Abegg, Richard, and James Frederick Spencer, thallium oxalates, A., i, 853.

Abegg, Richard. See also James Frederick Spencer.

Abel, (Sir) Frederick Augustus, obituary notice of, T., 564.

Aceña, R. de la, action of hydrogen bromide or hydrogen chloride on triacetin; new halogen derivatives of triacetin, A., i, 7.

Ackermann, D., nuclei of birds' red corpuscles, A., ii, 98.

Ackermann, Edwin, refractometric analysis of beer, A., ii, 486.

Ackermann, Edwin, and Albert Steinmann, estimation of alcohol in beers by means of the Zeiss immersion refractometer, A., ii, 557.

Acland, Theodore Dyke, hours of sleep in public schools, A., ii, 541.

Acree, Salomon Farby, acetyl derivatives of phenylurazole, A., i, 160. pinacone-pinacolin rearrangement, A.,

i, 216.

Adametz, Leopold, and T. Chszaszez, formation of volatile alkaloids in sterilised milk by Bacillus nobilis; occurrence of such compounds in Emmenthaler cheese, A., ii, 273.

Adamoff, Wera, physiology of glycogen, A., ii, 181.

Adams, E. P., absence of helium from

carnotite, A., ii, 329.

Adams, G. E. See Homer Jay Wheeler. Adams, Paul, light petroleum, vaselin oil, and vaselin, A., i, 253.

Ernest, Adeney, Walterchemical attending the changes aërobic bacterial fermentation of simple organic substances. I. Carbamide, asparagine, albumose, and Rochelle salt, A., ii, 340.

photographs of spark spectra. Ultra violet spark spectra of platinum and chromium, A., ii, 493.

Adler, J. See Alexandre Desgrez.

Adler, Oskar, and Rudolf Adler, precipitability of carbohydrates in urine by lead acetate, A., ii, 843.

Adler, Rudolf, and Oskar Adler, precipitation of lævulose from urine by lead acetate, A., ii, 337.

reactions of carbohydrates, A., ii, 360.

Adler, Rudolf. See also Oskar Adler. Administration der Minen von Buchsweiler, preparation of sodium ferrocyanide from calcium ferrocyanide, A., i, 123.

Acuer, E. See Paul Köthner.

Agamennone, Giovanni. See Federico Giolitti.

Ageewa, M., reversible isomeric process taking place between γ-phenylpropylene and s-phenylmethylethylene [a-phenylpropylene] on heating with anhydrous alkali hydroxides, A., i, 776.

Aggazzotti, Alberto, action of oxygen on the sickness produced by rarefaction of the air; experiments on an orang-outang, A., ii, 835.

simultaneous action of oxygen and carbon dioxide on the sickness produced by rarefaction of the air; experiments on an orang-outang, A., ii, 835.

experiments on a man breathing carbon dioxide and oxygen together under a barometric pressure of 122 mm., corresponding with an altitude of 14,582 metres, A., ii, 835.

Ahlers, Wilhelm, acetylhydrocotarnineacetic acid, A., i, 785.

Ahrens, Felix Benjamin, 4-methylpyridine, A., i, 232.

hydroxysparteine, A., i, 917.

Ahrens, Felix Benjamin, and Adolf Stapler, Grignard's reaction with dihaloids, A., i, 423, 868.

Ahrle, Hermann. See Adalbert Kolb.

Aichel, O. See L. Weiss.

Aktien-Gesellschaft für Anilin-Fabrikation, glycollic acid derivatives of pyrogallol and its alkyl ethers, A., i, 135.

dyes of the cyanine series, A., i, 149. preparation of bromolecithin, A., i,

preparation of indophenols, A., i, 468.

naphthaphenazines, A., i, 552.
nitration of aromatic arylsulphonamides, A., i, 639.
preparation of 1-phenyl- and -p-tolyl-

naphthylamine-8-sulphonic acid, A., i, 717.

preparation of α -phenyl- and -p-tolylnaphthylamine-6- and -7-sulphonic acids, A., i, 770.

phenyl ether-o-carboxylic [aryloxybenzoic] acids, A., i, 780.

yellow sulphur dye, A., i, 913.

indophenols containing the sulphaminogroup, A., i, 934.

Alagna, Ezio. See Efisio Mameli. Alber, E., 7-aminoquinaldine [7-amino-

2-methylquinoline], A., i, 235. Alberda van Ekenstein, William, and Jan Johannes Blanksma, hydrazones derived from o-, m-, and p-nitrophenylhydrazines, A., i, 474.

Albert, Friedrich. See Emil Knoevenagel.

Albert, Kurt. See Otto Ruff.

Albert, Robert. See Philipp Malkomesius.

Alcock, Nathaniel Henry. See Otto Loewi.

Aldrich, Thomas Bailey, adrenaline [epinephrine], the active principle of the suprarenal glands, A., i, 955.

Alexander, A. D. See Leonard Bairstow.

Alexander, Paul, caoutchouc nitrosite and its use for the analysis of crude caoutchoucs and caoutchouc products. I., A., i, 223.

inversion of ψ -ionone and its derivatives, A., i, 355.

Alexander, Theodor, condensation of aminoacetone with benzaldehyde, A.,

Alexandroff, D., detection of pyrrolidine-2-carboxylic acid, A., ii, 869.

Alexéeff, D. W., dimethylmethylene-CH₂ C:CMe₂, A., i, 639. trimethylene,

Alix, Just. See Isidore Bay.

Allain Lecanu, [Jacques François Louis] Jules, action of phenylhydrazine on alkyl bromides and iodides, A., i,

Allen, H. S. See (Lord) Blythswood. Allen, Richard W. See Marcus Seymour Pembrev.

Allihn, Felix, Bunsen burner with sieve attachment, A., ii, 81.

Almagia, Marco, and Gustav Embden, excretion of sugar after administration of alanine in dogs without a pancreas, A., ii, 842.

Aloy, Jules [François], and Aristide Frébault, pierie acid and 4:6-dinitro-2aminophenol (picramic acid), A., i,

Aloy, Jules, and F. Laprade, a reagent

for phenols, A., ii, 616.

Aloy, Jules, and Pierre Charles Rabaut, reduction of nitro-derivatives with sodium hyposulphite, A., i, 517.

Alsberg, Carl Luca, and Otto Folin,

metabolism in cystinuria, A., ii, 544.

Altan, A., Psidium Guajava (djamboe) leaves, A., ii, 192.

Alvarez, Eugenio Pinerua, diphenylamine as reagent for nitrites, nitrates, chlorates, and its use when mixed with resorcinol and \$\beta\cdot\naphthol, A., ii, 352.

new reagent for potassium, A., ii, 355.

new general colour reagent of the polyphenols, their isomerides, and higher organic compounds, A., ii, 359.

new iodised compound of osmium, A., ii, 423.

reaction of rhodium, A., ii, 485.

colour reactions of pyruvic acid with α- and β-naphthols in sulphuric acid solution, A., ii, 487.

new reagent for aconitine, A., ii, 491. Alway, Frederick Jacob, and Walter D. Bonner, transformation of azoxybenzaldehyde, A., i, 676.

Alway, Frederick Jacob, and Ross A.

Gortner, two aromatic nitroso-compounds [m-dinitrosobenzene and mnitronitrosobenzene], A., i, 516.

Amberg, Richard, theory of the de-position of metals from rapidly moving electrolytes, A., ii, 7.

chemical properties and combining weight of palladium, A., ii, 832.

Amberger, Conrad. See Carl Paal. Amenomiya, T., terpinene nitrosite, Λ .,

i, 603. constitution of terpinene, A., i, 802.

Ammann, Louis. See Léon Lindet.

Amos, (Miss) Cornelia Bonté Sheldon, effects of ligature of one ureter, A., ii,

Amosoff, W. See Nic. M. Kijner.

Ampola, Gaspare, denitrification of soil. III., A., ii, 194.

Ampola, Gaspare, and Francesco Scurti, tobacco oil; chemical and physical properties and composition, A., ii, 214.

Anderlini, Francesco. See Raffaelo Nasini.

A. C.See Sören Peter Andersen, Lauritz Sörensen.

Anderson, Hugh Kerr, action of drugs on the paralysed iris, A., ii, 546.

Anderson, William Carrick, the formation of magnesia from magnesium carbonate by heat, and the effect of temperature on the properties of the product, T., 257; P., 11.

André, Gustave, development of organic matter in seeds during maturation,

A., ii, 50.

transformations of nitrogenous substances in seeds during maturation, A., ii, 604.

simultaneous variations of organic acids in some oleaginous plants, A., ii, 605.

Andreasch, Rudolf, and Arthur Zipser, substituted rhodanic acids and their aldehyde condensation products. III., A., i, 930.

Andrew, George William. See William Arthur Bone.

Andrew, I. A. See Harry Ward Foote.

Andrews, Albert Edward. See Wyndham Rowland Dunstan.

Andrews, Launcelot Winchester, use of chromates of barium and of silver in the estimation of sulphates and chlorides, A., ii, 115.

Andrlik, Karl, estimation of the harmful nitrogen in the beet and in the products of sugar factories, A., ii, 616.

Andrlík, Karl, Vladimir Staněk, and B. Mysik, comparative experiments on

the manuring of beet, A., ii, 550.

Andrlik, Karl, and J. Urban, influence of the [harmful] nitrogen on the purity of the syrup, A., ii, 617.

Angeli, Angelo, and Francesco Angelico. new reactions of nitroxyl (dihydroxyammonia), A. ii, 385.

Angeli, Angelo, and Vincenzo Castellana, a reaction of secondary amines, A., i, 491.

Angeli, Angelo, and Giuseppe Maragliano, nitration of amines, A., i, 873.

Angelico, Francesco, transformations of the nitrosopyrroles, A., i, 659. amines and diazopyrroles, A., i, 938.

Angelico, Francesco. See also Angelo Angeli.

Angelo, Antonino d'. See Vincenzo Castellana.

Angelucci, Ottorino, constitution of the group, N2O2, of pernitroso-compounds derived from oximes, A., i, 801.

new laboratory apparatus, A., ii, 694. Ankersmit, J. S. See Fritz Ullmann.

Annoni, Angelo, preparation of barium cacodylate, A., i, 758.

Anschütz, Richard, [acetyl-lactonitrile; acetylsalicylphenetididel; correction, A., i, 267.

Anschütz, Richard, [and Ferdinand Haas, methyl itaconate, A., i, 259.

Antoni, Wilhelm. See Eduard Buchner. Antonoff, G. N., compounds of haloid salts of metals with hydroxylamine, A., ii, 709.

Antony, Ubaldo, and Giuseppe Magri, liquid hydrogen sulphide as a solvent, A., ii, 446.

Apitzsch, Hermann, action of carbon disulphide and potassium hydroxide II., A., i, 810. on ketones.

Arbenz, Emil. See Emil Erlenmeyer, jun. Arbusof, Alexander, esters of phosphorous acid, A., i, 316.

Archbutt, Leonard, the action of slightly alkaline waters on iron, A., ii, 590.

Archibald, Ebenezer Henry. See Howard Turner Barnes and Bertram Dillon Steele.

Armes, Henry Percy. See Julius Berend Cohen.

Armstrong, Edward Frankland, and Stephen Lewis Courtauld, formation of isodynamic glucosides with reference to the theory of isomeric change and the selective action of enzymes; preparation of B-methylglucoside, A., i, 746.

Armstrong, Henry Edward, the mechanics of fire, A., ii, 448.

Armstrong, Henry Edward, and William Robertson, the significance of optical properties as connoting structure; camphorquinone-hydrazonesoximes—diazo-derivatives; a contribution to the theory of the origin of colour and to the chemistry of nitrogen, T., 1272; P., 180; discussion, P., 180

Arnaud, Francis William Frederick. See Cevil Howard Cribb.

Arnd, Thankmar. See Heinrich Biltz. Arndt, Kurt, metallic calcium, A., ii,

Arnold, Alfred. See Emil Erlenmeyer, jun. Arnold, Carl, behaviour of carbonates and hydroxides towards saturated solutions of potassium and ammonium carbonates, A., ii, 356.

Arnot, Robert. See Emil Knoevenagel. Aron, Hans, influence of alkalis on the

growth of bone, A., ii, 100.

Arrhenius, Svante August, and Thor-vald Madsen, toxins and anti-toxins; diphtheria poison, A., ii, 50.

Arth, Georges [Marie Florent], estimation of "coke" and "volatile matter" in

coal, A., ii, 202.

Artmann, Paul, introduction of iodine into tolylcarbamides, A., i, 878.

Artus. See Jacques Cavalier.

Arzberger, H., new hydrogen snlphide, carbon dioxide, or hydrogen generating apparatus, A., ii, 21.

Ashbrook, Donald S., electrolytic separations possible with a rotating anode, A., ii, 64.

Ashley, R. Harman, oxidation of sulphites by iodine in alkaline solution, A., ii, 351.

estimation of sulphites by iodine, A., ii, 609.

Aso, Keijiro, further observations on oxydases, A., ii, 346. Asō, Kcijirō. See also Oscar Loew.

Astre, Charles, and G. Bécamel, compound of pyramidone with mercuric chloride, A., i, 835.

Astre, Charles, and Jules Ville, compound of antipyrine with mercuric oxide, A., i, 670.

Astruc, A., piperazine glycerophosphates, A., i, 382.

piperazine monomethylarsonate, A., i, 671.

Astruc, A., and J. Delorme, mineral waters of Fumade, A., ii, 727.

Astruc, A., and Gaston Pégurier, estimation of pyramidone, A., ii, 778.

Aten, A.H. W., the system pyridine and methyl iodide, A., ii, 237.

See also Hendrik Aten, A. H. W.Willem Bakhuis Roozeboom.

Atkinson, Ernest Francis Joseph, and Jocelyn Field Thorpe, an intramolecular change leading to the formation of naphthalene derivatives, P., 305; discussion, P., 306.

Aubel, Edmond [Marie Lambert] van, decomposition of iodoform by the action of oxygen and light rays, A., i, 1.

'Auchy, George, the sodium hydroxide method of estimating molybdenum in steel, A., ii, 861.

Auer, John. See S. J. Meltzer.

Aterbach, Friedrich, formaldehyde and formate formation, A., i, 740.

relation between the logarithmic temperature constant and heat evolution, A., ii, 571.

Auerbach, Friedrich, and Hermann Barschall, formaldehyde. I. Formaldehyde in aqueous solution, A., i, 859.

Auger, Victor, thioformic acid, A., i, 14. acetyl-lactic [α-acetoxypropionic] acid, A., i, 320.

Auld, S. M., and Arthur Hantzsch, compounds of ketones and aldehydes with mercuric oxide, A., i, 742.

supposed isomerism of tetramethylammonium iodide mercuricyanide, A., i, 747.

Austin, L. See Ludwig Holborn.

Austin, Percy Corlett. See Alfred Senier.
Autenrieth, Wilhelm [Ludwig], and
René Bernheim, ethylsulphone derivatives of p-phenetidine and their
pharmacological importance, A., i, 47.

Autenrieth, Wilhelm, [with Carl Pretzell], the five isomeric acids, C₄H₆O₂,

A., i, 629.

Auwers, Karl [Friedrich], benzoyl derivatives of salicylamide, A., i, 894.

Auwers, Karl, [and, in part, M. Hessenland], conversion of hydro-aromatic alcohols into benzene derivatives, A., i, 434.

Auwers, Karl, and Gustav Keil, cyclic ketones from chloroform and phenols,

A., i, 445.

Auwers, Karl, and Th. von Markovits, vic-m-xylenol and tetramethyldipheno-quinone, A., i, 219.

Auwers, Karl, and E. Rietz, condensation of ψ-phenols with phenols, A., i, 887.

Avery, Samuel, changes of colour caused by the action of certain rays on glass, A., ii, 589.

Axhausen, Walter. See Emil Fischer. Ayrignac, J. See Alexandre Desgrez.

Azzarello, E., action of diazomethane on ethylene and diallyl, A., i, 867.

action of hydroxylamine and α-benzylhydroxylamine on ethyl hydroxytrimethylcomenate, Λ., i, 916. pyrazoline ketones, Α., i, 941.

B.

Babb, J. E., an improved gas apparatus, A., ii, 348.

Babel, Alexander, action of morphine and its derivatives, A., ii, 339.

Bahorovský, G., the behaviour of magnesium anodes, A., ii, 671.

Bach, Alexis, catalase, A., i, 623.

Backer, H. J., action of pure [absolute] nitric acid on benzenesulphomethylamide, A., i, 766.

Bacon, Raymond Foss, reactions of sodium benzhydrol, A., i, 203.

Bacon, Roger, presentation to the Society, by Mr. Oscar Guttmann, of bronze medal struck in honour of, in 1818, P., 83.

Bacovescu, A., and $Am\acute{e}$ **Pictet**, isostrychnine, A., i, 815.

Baczyński, Wl., and Stefan von Niementowski, dihydroxyaeridone and its derivatives, A., i, 927.

Bade, Fritz. See Émil Erlenmeyer, jun.
Badische Anilin- & Soda-Fabrik, [4-phenoxy-2-aminobenzenesulphonic acid], A., i, 127.

ω-sulphomethylanthranilic acid, A., i, 130.

[a new purpurinsulphonic acid], A., i, 146.

halogen derivatives of fluoran, A., i, 149.

[chloroindanthrene], A., i, 158.

[o-hydroxyazo-derivatives of α-naphthylamine], A., i, 250.

[azo-dyes from alphylsulphonaminonaphthol derivatives], A., i, 250. [azo-dyes from nitro-m-diamines], A.,

i, 251.
ω-sulphomethyl derivatives of aromatic

amines, A., i, 340, 769. condensation product from anthranilic

acid and formaldehyde, A., i, 437. preparation of nitriles, A., i, 438.

preparation (of ω -cyanomethylanthranilic acid, A., i, 645.

[a new aminodihydroxyanthraquinone-sulphonic acid], A., i, 654.

preparation of stable, dry hyposulphites, A., ii, 814.

Baer, Julius, and Adam Loeb, liver autolysis, A., ii, 734.

Bärlocher, M. See Joh. Howitz.

Baeyer, [Johann Friedrich Wilhelm]
Adolf von, dibenzylideneacetone
and triphenylmethane. VII., A.,
i, 281.

Grignard's reaction, A., i, 766.

Baeyer, Adolf von, [in part with Richard Hallensleben], dibenzylideneacetone and triphenylmethane. VIII., A., i, 358.

Bahadur, Rana, influence of various ratios of phosphoric acid to nitrogen on the growth of barley, A., ii, 348.

Baikoff, Alexander L., contact phenomena in the flame under the influence of solids, A., ii, 379.

Bailey, E. Monroe. See A. L. Winton. Bainbridge, Francis Arthur, the lymphflow from the pancreas, A., ii, 100.

Bainbridge, Francis Arthur, and Henry Hallett Dale, contractile mechanism of the gall-bladder, A., ii, 842.

Bairstow, Leonard, and A. D. Alexander, explosions of mixtures of coal gas and air in a closed vessel, A., ii, **8**15.

Baker, Julian Levett, and William Douglas Dick, detection and estimation of small quantities of maltose in the presence of dextrose, A., ii, 290.

Bakker, Gerrit, thickness and tension of the capillary layer, A., ii, 304.

Baldoni, Alessandro, biological importance of iron, A., ii, 46. poisons applied to the outer surface of the mammalian heart, A., ii, 338.

Baleau, Hermann. See Charles Edward Ham.

Balke, Clarence W., double fluorides of tantalum, A., ii, 719.

Balke, Clarence W. See also Edgar Fahs Smith.

Ball, William Craven, complex nitrites of bismuth, T., 761; P., 129; discussion, P., 130.

Bally, Oscar, syntheses in the anthracene series, and new dyes, A., i, 237.

Baly, Edward Charles Cyril, and John Norman Collie, the ultra-violet absorption spectra of aromatic compounds. Part I. Benzene and certain monosubstituted derivatives, T., 1332; P.,

Baly, Edward Charles Cyril, and Cecil Henry Desch, the ultra-violet absorption spectra of certain enol-keto-tautomerides. Part II., T., 766; P., 84; discussion, P., 85.

Baly, Edward Charles Cyril, and (Miss) Elinor Katharine Ewbank, the ultra-violet absorption spectra of aromatic compounds. Part II. The phenols, T. 1347; P., 203.

the ultra-violet absorption spectra of aromatic compounds. Part III. Disubstituted derivatives of benzene, T., 1355; P., 210.

Bamberg, R. See Reinhold von Walther. Bamberger, Max, and Anton Landsiedl, chemistry of celery (Apium graveolens), A., ii, 52.

chemistry of the uccleroderms, A., ii, 852.

Bancels, Larguier des, influence of electrolytes on the mutual precipitation of colloids of opposite electrical sign, A., ii, 513.

pancreatic juice rendered active under the combined influence of colloids and electrolytes, A., ii, 643.

Wilder Dwight, Bancroft, indirect analyses in multi-component systems, A., ii, 685.

Bang, Ivar, preparation of taurocholic acid, A., i, 750. precipitins, A., i, 956. are proteolytic and rennetic ferments

identical? A., ii, 100. Barbier, Henri. See Auguste Lumière.

Barbier, Philippe, and Georges Léser, preparation of dimethylacrylic acid, A., i, 628.

conversion of cinnamaldehyde into cinnamyl alcohol, A., i, 653.

Barbier, Philippe, and Paul Sisley,

unsymmetrical safranines, A., i, 840.

Barbieri, Giuseppe, alkalimetric estimation of iodine, A., ii, 350.

titration of nitrous acid with quadrivalent cerium, A., ii, 553. Barbieri, Giuseppe, and Filippo Calzo-

lari, cobaltic [fluoride], A., ii, 393.

Barbieri, Giuseppe. See also Giuseppe Plancher.

Barbieri, N. Alberto, protagon, A., i, 621. Barboni, I. See Angiolo Funaro.

Barcroft, Joseph, modification of Bohr's gas receiver, A., ii, 551.

Barcroft, Joseph, and Thomas Grigor Brodie, gaseous metabolism of the kidney, A., ii, 99, 737.

Bardach, Bruno, simulation of traces of albumin by substances which interfere with the ferrocyanide test, especially in liquids requiring clarification, A., ii, 128.

Bardin, Jean. See Alphonse Seyewetz. Barge, Rudolf, and Léon Givaudan, separation of toluene-o- and -p-sulphonamides, A., i, 124.

Bargellini, Guido, tolylnaphthalimides and naphthylnaphthalimides, A., i, 210.

Bargellini, Guido. See also Franz Sachs. Barger, George, association in mixed solvents, T., 1042; P., 204.

Barger, George, and Arthur James Ewins, application of the microscopic method of molecular weight determination to solvents of high boiling point, T., 1756; P., 250.

Barger, George, and Hooper Albert Dickinson Jowett, the synthesis of substances allied to epinephrine, T., 967; P., 205.

Barlow, Percival Smith, the osmotic pressure of sugar solutions in mixtures of alcohol and water, P., 242.

osmotic experiments on mixtures of alcohol and water, A., ii, 507.

Barlow, William E., a globulin occurring in the chestnut, A., i, 397.

Barmwater, [Peter Heinrich] Ferdinand, gasometric estimation of metallic iron in Ferrum redactum, A., ii, 654.

Barnard, Edith E. See Julius Stieglitz.

Barnes, Howard Turner, Ebenezer Henry Archibald, and Douglas Mc-Intosh, molecular weight determinations by means of platinum therinometers, A., ii, 238.

Barnes, James, spectrum of magnesium, A., ii, 389.

Barnett, Robert E., magnalium and other light alloys, A., ii, 636.

Baroni, E., testing glass vessels as to neutrality, A., ii, 198.
Baroni, E., and G. B. Guidi, testing

Baroni, E., and G. B. Guidi, testing effervescing sodium tartrate, so-called "effervescing citrate of magnesia," A., ii, 355.

Barrett, William Fletcher, W. Brown, and Robert Abbott Hadfield, physical properties of an extensive series of alloys of iron. IV. Thermal conductivity. V. Micro-structure, A., ii, 503.

Barrowcliff, Marmaduke. See Frederick Belding Power.

Barschall, Hermann. See Friedrich Auerbach.

Barsilowsky, Jacob N., reaction of potassium ferricyanide with aromatic polyamines, A., i, 549.

Bartal, A. von, preparation and purification of carbon tetrabromide, A., ii, 450.

new fractionating tap, A., ii, 631. action of sulphur on carbon tetrabromide, A., ii, 704.

Bartelt, Eberhardt. See Wilhelm Vaubel.

Barth, Georg, beer analysis by means of the refractometer, A., ii, 660.

Barthe, [Joseph Paul] Léonce, purification of pyridine, A., i, 546.

Bartlett, K. See Hans Schönewald.

Bartling, Richard, condensation of isodialuric acid with thiocarbamide, A., i, 420.

Bartow, Edward, and A. W. Sellards, preparation and nitration of m-ethyltoluene, A., i, 424.

Barvíř, Heinrich L., [hornblende from Bohemia], A., ii, 176.

Basch, E. E., decomposition of barium nitrate by heat, A., ii, 87.

use of barium carbonate for the purification of water, A., ii, 515.

Basci, S. See Paul Pfeiffer.

Baskerville, Charles, thorium, A., ii, 395.

purification of praseodymium, A., ii, 458.

Baskerville, Charles, and L. B. Lockhart, action of radium emanations on minerals and gems, A., ii, 622.

phosphorescence of zinc sulphide through the influence of condensed gases obtained by heating rare-earth minerals, A., ii, 624.

Baskerville, Charles, and Fritz Zerban, inactive thorium, A., ii, 95.

Bassett, Harry Preston. See Harry Clary Jones.

Bassett, Henry, jun. See Antoine Guntz.

Batěk, Alexander, separation of thorium and the cerite earths by normal sodium sulphite, A., ii, 461.

Batelli, Angelo, and Annibale Stefanini, nature of osmotic pressure, A., ii, 629.

Battelli, Fr., and (Mlle.)L. Stern, mode of action of philocatalase, A., i, 623.

philocatalase and anti-catalase in animal tissues, A., ii, 406.

the substance which renders active the philocatalase in animal tissues, A., ii, 644.

Baud, E., compounds of aluminium chloride with carbonyl chloride, A., ii, 525.

Baudran, G., action of calcium permanganate on alkaloids, A., ii, 107.

action of calcium permanganate on tetanic and diphtheritic toxins and on tuberculin, A., ii, 407.

chemical oxydases, A., ii, 632.

Bauer, *Hugo*, action of organo-magnesium compounds on phthalic anhydride, A., i, 210.

action of organo-magnesium compounds on doubly unsaturated ketones, A., i, 278.

nature of the carbon double linking, A., i, 729.

apparatus for determining the melting point of asphalt, A., ii, 863.

Bauer, Hugo. See also Arthur Hantzsch.

Bauer, Leo. See Robert Gnehm.

Bauer, O. See E. Heyn.

Baum, Erich, [formation of furoyl derivatives by means of pyromucic chloride], A., i, 149.

apparatus for extracting liquids with chloroform, A., ii, 57.

Baum, Erich. See also Franz Feist. Baumann, Eugen. See Ernst Dorn.

Baumann, Luc., Georges Thesmar, and Jos. Frossard, formaldehyde sodium hydrogen hyposulphite, A., i, 260.

Baur, Emil, and Gerardus Leonardus Voerman, iron and chromium nitrides, A., ii, 715.

Baxandall, F. E. See (Sir) Joseph Norman Lockyer.

Baxter, Gregory Paul, revision of the atomic weight of iodine, A., ii, 81, 579.

Baxter, Gregory Paul, and Harry Louis Frevert, titration of ferrous iron with permanganate in presence of hydrochloric acid, A., ii, 653.

Baxter, Gregory Paul, and Roger Castle Griffin, estimation of phosphoric acid by means of ammonium phosphomolybdate. II., A., ii, 857.

Baxter, Grégory Paul, and Charles H. Hickey, pure nitrogen from nitrous and nitric oxides and ammonia, A., ii, §14.

Baxter, Gregory Paul, and Murray Arnold Hines, revision of the atomic weight of cadmium; analysis of cadmium chloride, A., ii, 321.

Baxter, Gregory Paul, and Joaquin E. Zanetti, estimation of oxalic acid by permanganate in presence of hydrochloric acid, A., ii, 490.

Bay, Isidore, action of diphenylamine on nitric acid, A., i, 340.

Bay, Isidore, and Just Alix, evolution of carbon in fuels, A., ii, 246.

Bayer & Co., Friedrich. See Farbenfabriken vorm. Friedrich Bayer & Co.

Bayliss, William Maddock, the kinetics of tryptic action, A., ii, 267.

Bayliss, William Maddock, and Ernest Henry Starling, relation of enterokinase to trypsin, A., ii, 273.

Bazlen. Max, hyposulphurous acid, A., ii, 240.

Béard, estimation of vanadium, A., ii, 288.

Bécamel, G. See Charles Astre.

Bechhold, [Jacob] Heinrich, theory of colloids, A., ii, 511.

formation of structures in jellies, A., ii, 513.

Beck, Heinrich. See Martin Freund. Beck, Karl. See Ernst Beckmann.

Becker, Georg, estimation of parachymosis and time laws of human rennin ferment, A., ii, 732.

Becker, George Ferdinand, and Arthur Louis Day, the linear force of growing crystals, A., ii, 807.

Becker, W., and Julius Meyer, atomic weight of silicon, A., ii, 246.

Beckmann, Ernst [Otto], modifications of the thermometer used in the determination of molecular weights and for the measurement of small differences of temperature, A., ii, 300.

determination of molecular weights in boiling concentrated sulphuric acid, A., ii, 676.

vapour current method for the determination of molecular weights at high temperatures, A., ii, 676.

lecture experiment for the demonstration of solid solutions, A., ii, 694. estimation of higher alcohols in spirits, A., ii, 768.

Beckmann, Ernst, [with Karl Beck and Hans Schlegel], uses of metallic calcium, A., i, 335.

Beckurts, Heinrich [August], action of bromine on strychnine, A., i, 918.

Becquerel, [Antoine] Henri, radioactivation by means of uranium, A., ii, 567.

some properties of the α-rays of radium, A., ii, 665.

Becquerel, Paul, action of ethyl ether and chloroform on dry seeds, A., ii, 474.

action of liquid air on the life of seeds, A., ii, 604.

Bedford, M. Hume, columbates, A., ii, 831.

Beebe, S. P., chemistry of malignant growths. III. Nucleo-histon as a constituent of tumours, A., ii, 408.

Beebe, S. P., and B. H. Buxton, production of fat from proteid by Bacillus pyocyaneus, A., ii, 108. new apparatus, A., ii, 514.

Beebe, S. P., and Philip Shaffer, chemistry of malignant growths. IV. The pentose-content of tumours, A., ii, 742.

Beekman, Johannes Willem. See Arnold Frederik Holleman.

Beers, William Herbert. See Percy Goldthwait Stiles.

Beger, Carl. Sec August Morgen.

Béhal, Auguste, and Marc Tiffeneau, some phenolic ethers containing the ψ-allyl chain R CMe:CH₂, A., i, 883.

Behre, Paul. See Wilhelm Biltz.
Behrend, [Anton Friedrich] Robert, [birotation of dextrose], A., i, 173.

Behrend, Robert, Eberhard Meyer, and Franz Rusche, condensation products from glycoluril and formaldehyde, A., i, 419.

Behrens, Johann. See August Michaelis.

Behrens, Theodor Heinrich, action of organic acids on metals of the cerium

and yttrium groups, A., i, 167.

Beilby, George Thomas, phosphorescence caused by the beta and gamma rays of radium. Parts I. and II., A., ii, 293.

Beilby, George Thomas, and H. N. Beilby, influence of phase changes on the tenacity of ductile metals at the ordinary temperature and at the boiling point of liquid air, A., ii, 803.

Bein, W. See J. Domke.

Beisswenger, Alfred. See Hugo Kauffmann.

Beitzke and Carl Neuberg, anti-ferments, A., ii, 336.

Bell, James M., free energy and heat capacity, A., ii, 434. dineric equilibria, A., ii, 684.

Bell, James M., and Joseph Ellis Trevor, fundamental functions of one-component ideal-constituent gases, A., ii, 374.

Bellars, Albert Ernest. See Robert Selby Morrell.

Bellenoux, E. S., calcium nitrate in agriculture, A., ii, 478.

Bellier, J., detection of foreign oils in nut oil, A., ii, 292.

new method of milk analysis, A., ii, 618.

Belloc, G., osmosis through silica tubes, A., ii, 443.

Belloni, E. See G. Biscaro.

Bellucci, Italo, compound thiocyanates of palladium, A., i, 122. hexaĥydrexyplatinic acid, A., ii, 327.

[platinum compounds], A., ii, 832. Bellucci, Italo, and E. Clavari, higher oxide of nickel, A., ii, 823.

Bellucci, Italo, and Nicola Parravano, stannates, A., ii, 40.

new series of isomorphous salts, A., ii, 395.

Bellucci, Italo, and Domenico Venditori. Roussin's salts [nitrosulphides of iron], A., ii, 253.

nitrosulphides of iron, A., ii, 253.

Belton, Frank G., existence of a definite lead potassium sulphate, A., ii, 457.

Bement, Alburto, improved Orsat apparatus, A., ii, 855.

Bemmelen, Jakob Maarten van, products of weathering of silicates in clay, volcanic, and laterite soils respectively, A., ii, 89.

absorption of water by clay, A., ii, 90. metastannic and metazirconic acids, A., ii, 461.

Bender, Carl, estimation of sulphur in coal by Eschka's process, A., ii, 281.

Bender, Friedrich. See Hans Reitter. Bendix, Ernst. See Alfred Schittenhelm.

Benedicks, Carl [Axel Fredrik], colloidal solutions, A., ii, 689.

Benedict, Francis Gano, and Charlotte R. Manning, estimation of water in foods and physiological preparations, A., ii, 349.

Benedict, Stanley R., detection of acetates, cyanides, and lithium, A., ii,

ions and cardiac rhythm, A., ii, 330. detection of nickel [in presence of cobalt], A., ii, 861.

Benedict, Stanley R., and John Ferguson Snell, detection of the more common acids, A., ii, 609.

Bengen, F., and Gunnar Haane, the gastric mucous membrane and gastric juice of the pig, A., ii, 266.

Bennett, Hugh Garner. See Julius Berend Cohen.

Benrath, Alfred, oxidising action of ferric chloride in sunlight, A., i,

action of concentrated weak acids on metallic chlorides, A., i, 734.

action of weak acids on metallic chlorides, A., ii, 705.

Benrath, Alfred, and Fritz Sachs, formation of hydrochloric acid in the stomach, A., ii, 731.

Bensemann, R., analysis of saltpetre, A., ii, 481, 555.

Benzian, Rudolf, monocalcium silicate, A., ii, 523.

Berblinger, Hans. See Roland Scholl. Berent, Alexander von. See Carl Adam Bischoff.

Berg, Armand, reaction of aldehydic

sugars, A., i, 21.

Berg, W. N., and Henry Clapp Sherman, estimation of ammonia in milk A., ii, 351.

Bergell, Peter, and Paul Friedrich Richter, chemical constitution and diuretic action in the purine group, A., ii, 744.

Bergema, F. See Johan Frederik Eijkman.

Berger, H. W. See George Augustus Hulett.

Bergfeld, Ludwig. See Friedrich Krafft. Bergmann, Ed. See Max Busch.

Berju, Georg, and Wladislaus Kosinenko, estimation of calcium oxide in burnt lime; solubility of calcium carbonate in solutions of ammonium nitrate, A., ii, 62.

Berl, Ernst, use of arsenic oxide in the catalysis of sulphur trioxide, A., ii, 315.

Berl, Ernst. See also Georg Lunge and Alfred Werner.

Bermbach, P., precipitins and antiprecipitins, A., ii, 407. anti-precipitins, A., ii, 730.

Bernard, $C\bar{h}$, assimilation outside the organism, A., ii, 275.

Bernardinis, Luigi de. See Gino Abbati.

Bernhart, Karl. See Wilhelm Koenigs.

Bernheim, René. See Wilhelm Auten-

Bernini, Arciero, influence of temperature on the electrical conductivity of lithium, A., ii, 222.

specific heats and latent heats of fusion of potassium and sodium, A., ii,

Bernoulli, August L., optical reflection constants and electromotive condition of chromium, A., ii, 1.

Bernthsen, August, formula of hyposulphurous acid, A., ii, 240.

Berstein, Isaak, Carlo Fraschina, and Stanislaus von Kostanecki, fisetin derivatives containing less oxygen, A., i, 606.

Berté, Enrico, saponification number and dry residue of oil of lemon, A., ii, 126.

indirect estimation of aldehydes in oil of lemon, A., ii, 656.

Berthelot, Marcellin [Pierre Eugène], changes effected by time on hydrocarbon substances of organic origin, A., i, 169, 501.

chemical effects of light; action of hydrochloric acid on platinum and

gold, A., ii, 3.

emanations and radiations, A., ii, 3. employment of alternating currents in chemistry and the theory of the reactions which they determine, A., ii, 7.

limits of sensitiveness of odours and emanations, A., ii, 20.

desiccation of plants and vegetable tissues; period of maturation not reversible; final equilibrium in average atmospheric conditions, A., ii, 50, 413.

absolute desiccation of plants and vegetable substances; period of artificial desiccation; reversibility by atmospheric moisture, A., ii, 51.

desiccation of plants; period of vitality; humectation by liquid water; reversibility imperfect, A., ii, 51.

some thermochemical rules relating to the possibility and prognostication of reactions, A., ii, 76.

Berthelot, Marcellin [Pierre Eugène], changes in the dimensions and volume of vegetable organs and tissues under the influence of desiccation, A., ii,

metals found in the archæological excavations in Egypt, A., ii, 164.

use of the hot and cold tube in the study of chemical reactions, A., ii, 308, 810.

vessels of fused silica-their use in chemistry; permeability of vessels of fused silica, A., ii, 316, 386, 810. chemical combination, A., ii, 378.

permeability of glass vessels, A., ii,

443, 810.

calorimetric methods, especially referring to the determination of the heat of combustion of organic compounds, A., ii, 504.

insoluble alkaline compounds formed by humic substances and their rôle in vegetable physiology and agriculture, A., ii, 759.

control experiments [over long periods of time], A., ii, 805.

Berthelot, Marcellin, and Gaudechon, thermochemical investigation strychnine and brucine, A., ii, 301, 441.

Berti, Pio, potassium bromide as indicator when using Fehling's solution, A., ii, 57.

solutions of sugar and inorganic salts in dialysis, A., ii, 682.

asparagine substances [amino-acids in molasses], A., ii, 759.

Bertiaux, L. See Auguste Hollard. Bertocchi, C., composition of Milan milk, A., ii, 477.

Bertolo, Pasquale, decomposition products of a derivative of artemisin (1:4dimethyl-8-naphthol and propionic acid), A., i, 224.

Bertolo, Pasquale, and G. Ranfaldi, two dehydropinacones of artemisin (artemisone and isoartemisone), A., i, 897.

Bertram, H., oxidation by the urine, A., ii, 468.

Bertram, H. See also Arthur Binz. Bertram, W., action of aniline on anhydrocarboxylic acids, A., i, 465.

Bertrand, Gabriel [Émile], a new sugar from mountain-ash berries, A., i, 21. synthesis and chemical nature of sorbieritol, A., i, 21.

adrenaline, A., i, 106.

coffee seeds without caffeine, A., ii, 648.

Bertrand, Gabriel, and Jean Lecarme, state of matter in the neighbourhood of the critical point, A., ii, 627.

Bertrond, Ew., action of potassium hydroxide on a mixture of phenylacetylene and methylcyclohexanone, A., i, 775.

action of potassium hydroxide on a mixture of phenylacetylene and acetophenone, A., i, 775.

Berzelius, Jöns Jacob (Freiherr) von, presentation of engraving of, to the Society by Professor Retzius, P., 83.

Best, Alfred. See Charles Edward Coates.

Besthorn, Emil, and J. Ibele, a new class

of quinoline dyes. II., A., i, 612.

Bethe, Albrecht, action of acids and alkalis on the staining reactions of animal tissues, A., ii, 468.

Bettels, J. See Josef König.

Betti, Mario, gas holder with constant outflow, A., ii, 310.

Betti, Mario, and Curio Manio Mundici, B-hydroxynaphthaldehyde, A., i, 213.

Bettink, Hendrik Wefers, detection of morphine in cases of poisoning, A., ii, 546.

Bettoni, V. See Mario Giacomo Levi. **Beulaygue**, L., evolution of the weight and the organic matters of leaves during necrobiosis in white light, A., ii, 51.

Bevan, Edward John. See Charles Frederick Cross.

Bevan, P. V., physical properties of sodium vapour, A., ii, 819.

Beyerinck, Martinus Willem, and A. van Delden, bacteria which are active in the maceration of flax, A., ii, 749.

Beythien, Adolf, a case of bacterial deposition of iron in a water supply, A., ii, 473.

[volumetric] estimation of boric acid, A., ii, 765.

Beythien, Adolf, and Paul Bohrisch, composition of lemon juice, A., ii,

Biach, Otto, regularities in homologous series, A., ii, 75.

Bial, Manfred, conjugated glycuronic acids in bile, A., ii, 643.

Biberfeld, Joh., studies in diuresis. The situation in the kidney where foreign substances are excreted, A., ii,

Biddle, Henry C., derivatives of formhydroxamic acid and the possible existence of esters of fulminic acid, A., i, 180.

Bidet, Félix, chemical equilibrium of the system: ammonia and primary isoamylamine hydrochloride, A., i, 686.

Bierry, H., animal lactase, A., ii, 406.

Bierry, H., and E. F. Terroine, maltase of pancreatic juice, A., ii, 643.

Biesenbach, Theodor. SeeRichard Stoermer.

Bigelow, Willard Dell, and Herbert C. Gore, ripening of peaches, A., ii, 756.

Biilmann, Einar, preparation of thioacids and disulpho-acids, A., i, 625.

Bilinski, Josef, estimation of sugar in urine, A., ii, 289.
Billet, J. See Maurice Doyon.

Billeter, Otto C., action of silver cyanate IV. Methaneon acyl chlorides. sulphonylcarbimide, A., i, 560.

formation of anhydrides of sulphonic acids by the action of sulphonic chlorides on silver cyanate, A., i, 584.

Billeter, Otto C., and Henri Rivier, [and, in part, Al. Maret], persubstituted dithiobiurets, A., i, 49.

Billitz, Géza, the composition of Lombardy milk, A., ii, 361.

Billitzer, Jean, theory of electrocapillary phenomena. III., A., ii, 225. theory of colloids. II., A., ii, 305.

the conception of valency, A., ii,

Billström, J. See Johan Erik Johansson. Billy, M., preparation of hyposulphites, A., ii, 318.

Bilsen, Eduard. See Carl Adam Bischoff.

Biltz, [Johann] Heinrich, oxidising chlorination of o-hydroxybenzaldehyde and of p-hydroxybenzaldehyde, A., i, 66.

action of acetylene on solutions of mercuric chloride, A., i, 165. 9:10-diphenylphenanthrene,

188.

hydroxydiphenyltriazine and hydroxydiphenyldihydrotriazine, A., i, 491. apparatus for generation of hydrogen sulphide, &c., A., ii, 651.

Biltz, Heinrich, [with Thankmar Arnd and Carl Stellbaum], action of semicarbazide on benzil, benzoin, and allied substances, A., i, 673.

Biltz, Heinrich, and Ernst Küppers. preparation of di-iodoacetylene, A., i, 1.

Biltz, Heinrich, and Otto Mumm, action of acetylene on solutions of mercuric chloride; trichloromercuriacetaldehyde, A., i, 2.

Biltz, Heinrich, and Carl Stellbaum, preparation of cuminoin and cuminil, A., i, 653.

Biltz, [Eugen] Wilhelm, [theory of dyeingj, A., i, 224. protective action of salt on solutions

of proteids, A., i, 251.

Biltz, Wilhelm, and Paul Behre, theory of dyeing. III. State of affinity of

some sulphur dyes, A., ii, 808.
Biltz, Wilhelm, and Willi Gahl, ultramicroscopical observations. Separation of sulphur from thiosulphuric acid and of selenium from selenious acid, A., ii, 24.

decomposition of ammonium nitrite in aqueous solution and analogous

changes, A., ii, 585.

Biltz, Wilhelm, H. Much, and Carl Siebert, adsorption theory of the neutralisation of toxins and related phenomena, A., i, 495.

Biltz, Wilhelm, and Kurt Utescher, theory of dyeing. II. Quantitative experiments on the formation of inorganic analogues of the substantive dyes, A., ii, 807.

Biltz, Wilhelm, and Ernst Wilke-Dörfurt, pentasulphides of rubidium

and cæsium, A., ii, 162.

Binet du Jassonneix, Armand, reduction of manganese oxides by amorphous boron; preparation of a new manganese boride, A., ii, 90.

reduction of thorium oxide by amorphous boron and preparation of two thorium borides, A., ii, 597.

Binz, Arthur [Heinrich], sodium hyposulphite, A., ii, 318.

action of sodium polysulphide on sodium hyposulphite, A., ii, 521.

Binz, Arthur, and H. Bertram, evaluation of sodium hyposulphite, A., ii, 282. Arthur. See also Hermann Binz,

Pauly.

Biron, Eugen von, stannichlorides of the types M2'SnCl6 and M"SnCl6. II., A., ii, 40.

Biscaro, G., and E. Belloni, new constituent of milk. I., A., i, 671. orotic acid. II., A., i, 672.

Bischoff, Carl Adam, Grignard's reaction with dihaloids, A., i, 589.

Bischoff, Carl Adam, [and, in part, with Alexander von Berent, Leiba Fränkel, Andreas Jasinsky, Theodor Lanin, Władimir Mironenko, Wassilij Peschudow, Israel Stein, Nasar Tobilewitsch, Saul Trozki, Eugen Winokurow, and Hellmuth Wulffius], formation of chains. LXIII. and LXIV. Reactions of di-a-monobromobutyryldiarylethylenediamines and of di-amonobromoisobutyryldiarylethylenediamines, A., i, 86.

Bischoff, Carl Adam, [and, in part Eduard Bilsen, Simon von Meystowicz, Julius Päpke, Julius Radik, Dominik Rossi, Ludwig Schubetski, Teletoff, and HellmuthJohannWulffius], formation of chains. LXV. Reactions of di-a-bromoisovaleryldiarylethylenediamines, A., i, 157.

Bischoff, Carl Adam, [and, in part, with Emil Frölich, Iwan Jakowlew, Wulf Kissin, Wladimir Mazaraki, Jan Milewski, and Lasar Pildon], formation of chains. LX. Reactions of the benzylanilide of a-bromopropionic acid and of di-α-monobromopropionyldiphenylethylenediamine, A., i, 84.

Bischoff, Carl Adam, [with Benjamin Matz and Gabriel von Wodzinsky], LXI. Reactions formation of chains. with di-a-propionylditolylethylenedi-

amine, A., i, 85.

Bischoff, Carl Adam, [with Michael Schtschegolew and Boris Soloweitschik], formation of chains. LXII. Reactions of di-a-bromopropionyldinaphthylethylenediamine, A., i,

Bistrzycki, [Carl Anton] Augustin, and Eugen Reintke, elimination of carbon monoxide from tertiary acids with concentrated sulphuric acid. II., A., i, 285.

Bjerrum, Niels, elimination of diffusion potential between two dilute aqueous solutions by the insertion of a concentrated solution of potassium chloride, **A**., ii. 793.

Blacher, Carl Johann, and U. Koerber, estimation of combined sulphuric acid

[in waters], A., ii, 552.

Black, Otis Fisher. See Henry Barker Hill.

Blackman, F. Frost, and Gabrielle L. C. Matthaei, vegetable assimilation and respiration. IV. Carbon dioxide assimilation and leaf temperature, A., ii, 750.

Blackman, Philip, new method of determining molecular weights, T., 1474; P., 228, 304.

molecular conductivity of water, P., 237.

Blaise, Edmond Emile, quadrivalent oxygen, A., i, 111, 255.

migration of ethylenic linking in alkyl

allyl ketones, A., i, 118.

Blaise, Edmond Emile, and Alfred Pierre Courtot, direct fixation of organo-magnesium derivatives on the ethylenic linking of unsaturated esters, A., i, 257. aldehydo-acids, A., i, 562.

Blaise, Edmond Emile, and Alfred Pierre Courtot, molecular transpositions and migration of carboxyl group in the dehydration of certain hydroxyacids, A., i, 853.

Blaise, Edmond Emile, and Armand Luttringer, migration of the ethylenic linking in unsaturated openchain acids, A., i, 168.

characterisation of lactones by means of hydrazine, A., i, 329.

α-alkylhydracrylic acids, A., i, 505. α-alkylacrylic acids, A., i, 626.

Blake, George Stanfield. See Wyndham Rowland Dunstan.

Blake, William P., iodobromite in Arizona, A., ii, 262.

Blakey, W. See Barker North.

Blanc, G. A., radioactivity of mineral springs, A., ii, 2211

radioactive constituents of the deposits of Echaillon and Salins Moutiers, A., ii, 786.

Blanc, Gustave [Louis], synthesis of \$\beta\$dimethyladipic acid, A., i, 15.

the reduction of the anhydrides of dibasic acids, A., i, 115.

ββ-dimethylbutyrolactone, A., i, 631.

synthesis of dibasic acids. I. and II., A., i, 680, 681.

Blanc, Gustave. See also Louis Bouveault and Albin Haller.

Blanchard, Arthur Alphonzo, decomposition of ammonium nitrite, A., ii, 237.

Blanck, Edwin, black soils of Legienen, Rössel, in East Prussia, A., ii, 54.

Blank, Hugo, chlorination of fatty acids, A., i, 405.

Blanksma, Jan Johannes, trinitroveratrole, A., i, 277.

intrainolecular oxidation of a thiol (SH) group joined to a benzene nucleus by a nitro-group in the ortho-position, A., i, 425.

nitration and reduction of s-dinitro-

phenetolc, A., i, 431. replacement of atoms or groups of atoms by hydrogen in aromatic compounds during reduction, A., i, 761.

Blanksma, Jan Johannes. See also William Alberda van Ekenstein.

Blasdale, Walter Charles. See Jacobus Henricus van't Hoff.

Blau, Edmund, p-hydroxymethyldeoxybenzoins, A., i, 905.

Blau, J., tridecyl alcohol, A., i, 166.

Bleisch, C., and P. Regensburger, estimation of extract in malt, A., ii, 660.

Bloch, *Eugène*, electric conductivity of phosphorus emanation and of freshly prepared gases, A., ii, 72.

prepared gases, A., ii, 72.

Bloch, Siegfried. See Heinrich Wieland.

Blom, Axel, and Josef Tambor, 3-methoxycoumaranoue, A., i, 916.

Blondel, Maurice, platinum compounds, A., ii, 720.

Blount, Bertram, electric furnaces for laboratory use, A., ii, 238.

Bloxam, William Popplewell, our present knowledge of the chemistry of indigo, T., 974.

Blum, L., alkaline reaction of strontium and calcium carbonates, A., ii, 163.

detection of small quantities of barium and strontium, A., ii, 204.

estimation of manganese as sulphide in ores containing barium, A., ii, 206.

detection of ferrous oxide in presence of ferric oxide, A., ii, 206.

detection of stannous tin, A., ii, 209. Blume, G., and H. Klöffler, simple preparation of pure ethylaniline from commercial ethylaniline, A., i, 875.

Blume, Richard. See August Michaelis. Blumenthal, Franz, assimilation limits of sugars, A., ii, 333.

Blythswood, (Lord), and H. S. Allen, Dewar's method of producing high vacua, A., ii, 694.

Bock, Johannes, the action of cobalt-, rhodium-, and chromium-ammonium compounds on the animal organism, A., ii, 49.

Bock, Karl. See Paul Duden. Boddaert, R. J. See Arthur Fischer.

Bode, Konrad. See Max Scholtz. Boden, H. See Wilhelm Windisch.

Bodenstein, [Ernst August] Max, and Friedrich Ohlmer, heterogeneous catalytic reactions. III. Catalytic influence of silica on the reaction $2\mathrm{CO} + \mathrm{O}_2 = 2\mathrm{CO}_2$, A., ii, 692. Bodenstein, Max, and Wilhelm Pohl,

Bodenstein, Max, and Wilhelm Pohl, measurements of equilibrium in the contact process of preparing sulphur trioxide, A., ii, 581.

Bodländer, Guido, and Kasimir S. Idaszewski, electrolytic behaviour of copper sulphide, A., ii, 390.

Bodländer, Gwido, and Richard Lucas, causticising [of potassium carbonate], A., ii, 634.

Bodong, Andreas, hirudin, A., ii, 339.

Bodroux, F., mode of formation of monosubstituted urethane derivatives, A., i, 427.

action of chloroacetates on magnesium haloid derivatives of aniline, A., i, 585. Bodroux, F., action of ethyl chloroacetate on the magnesium halogen compound of o-toluidine, A., i, 643.

Böck, Friedrich, anthragallolamide [2-amino-1:3-dihydroxyanthraquinone], A., i, 531.

Böcker, Erich. See Walther Borsche and Otto Wallach.

Böckh, Hugo and Koloman Emszt, janosite, a new hydrated normal ferric sulphate, A., ii, 536.

Bödtker, Eyvind, cystinuria, A., ii, 741. Böhm, Egon, fluorides of the heavy metals, A., ii, 249.

Böhme, A., action of camphor on the frog's heart poisoned with chloral hydrate, A., ii, 410.

Böhme, E., preservation and action of the nitrogen of urine, A., ii, 477.

Boehringer & Söhne, C. F., 8-amino-

paraxanthine and its derivatives, A., i, 230.

8-aminotheophylline and its alkyl and aryl derivatives, A., i, 230.

Boericke, F., electromotive behaviour of bromine and the anodic potential in the electrolysis of neutral solutions of potassium bromide, A., ii, 222.

Boeseken, Jacob, Friedel and Crafts' reaction, A., i, 268, 424.

Friedel and Crafts' reaction. Formation of dichlorodiphenylmethane by the action of carbon tetrachloride on benzene, A., i, 423.

Friedel and Crafts' reaction. Action of sulphur or sulphur chlorides on benzene in presence of aluminium chloride, A., i, 583.

Bogdan, Stefan. See Philippe A. Guye. Bogel, Hans. See Conrad Willgerodt. Bogert, Marston Taylor, and Victor John Chambers, synthesis of 5-nitro-4-ketodihydroquinazolines from 6nitro-2-aminobenzoic acid, 6-nitro-2acetylaminobenzoic acid, and from the corresponding nitroacetylanthranil,

A., i, 612.

Bogert, Marston Taylor, and Arthur Wayland Dox, condensation of ethyl succinylsuccinate with guanidine; derivative of 1:3:6:8-naphthatetrazine, a new heterocycloid, A., i, 841.

condensation of ethyl succinylsuccinate with acetamidine; 4:9-dihydroxy-2:7-dimethyl-5:10-dihydro-1:3:6:8naphthatetrazine, A., i, 949.

Bogert, Marston Taylor, and Alfred Hoffman, some acyl derivatives of homoanthranilonitrile [3-amino-ptoluonitrile] and the 4-keto-7-methyldihydroquinazolines prepared therefrom, A., i, 891.

Bogert, Marston Taylor, and Harvey Ambrose Seil, synthesis of 5-nitro-4keto-2-methyldihydroquinazolines

6-nitroacetylanthranil and

primary amines, A., i, 945.

Bogert, Marston Taylor, and S. H. Steiner, synthesis of 7-nitro-4-keto-2alkyldihydroquinazolines from 4-nitroacetylanthranilic acid and from 4nitroacetylanthranil, A., i, 945.

Bogert, Marston Taylor, and Ralph Garrigue Wright, nitro-derivatives of

fluorescein, A., i, 896.

Bogojawlensky, Alex. D., relation of the specific heats of crystalline substances to temperature, A., ii, 799. Bogojawlensky, Alex. D., and J.

Narbutt, esterification experiments,

A., i, 854.

Bogorodsky, Alexis, electrical conductivity of potassium and sodium nitrates and of fused mixtures of the two nitrates together and with other salts, A., ii, 669.

electrolysis of the fused nitrates of potassium, sodium, and lithium, A., ii, 705.

relation of lead iodide to water and oxygen, A., ii, 711.

Boguski, Jossif Juri von, solubility of sulphur in benzyl chloride and some properties of these solutions, A., ii,

Bohr, Christian, absorption-coefficients of blood and blood-plasma for gases, A., ii, 729.

Bohr, Christian, and Vilh. Maar, influence of ozone on the lungs, A., ii, 329.

Bohrisch, Paul. See Adolf Beythien. Boisbaudran, Paul Émil (dit François)

Lecog de, the element Zo, A., ii, 89. **Bois Reymond**, R. du, condition of water in the tissues, A., ii, 100.

Bokorny, Thomas, the reactions of living cells to very dilute solutions of various substances, A., ii, 476.

reactions of living cells to dilute solutions of heavy metallic salts, A., ii, 752.

Bolle, Jules, and Philippe A. Guye, surface tensions of some organic liquids, A., ii, 233.

Bollenbach, Hermann. See Dittrich.

Bolton, Werner von, tantalum; its preparation and properties, A., ii, 258.

hardness of hammered tantalum, A., ii, 718.

Boltwood, Bertram Borden, origin of radium, A., ii, 295.

Boltwood, Bertram Borden, production of radium from uranium, A., ii, 663. the ultimate disintegration products of the radioactive elements, A., ii,

Boltwood, Bertram Borden. See also Ernest Rutherford.

Bondi, Erich. See Rudolf Wegscheider. Bone, William Arthur, and George William Andrew, the combustion of acetylene, T., 1232; P., 220.

one, William Arthur, and Henry Llewellyn Smith, the thermal decomposition of formaldehyde acetaldehyde, T., 910; P., 171.

Bonjean, Edmond, hydrogen peroxide in the nascent state; bactericidal action on microbes in water, A., ii, 190.

Bonner, Walter D. See Frederick Jacob Alway.

Bonnet, Frederic, jun., colorimetric method for the detection and estimation

of formaldehyde, A., ii, 488. Bordas, Fréd., and Touplain, rapid method for the analysis of milk, A., ii, 490.

Bordier, H., demonstration of n-rays, A., ii, 6.

Borgo, Alessandro. See GirolamoMazzara.

Borgström, Leonard H., meteorites of Hvittis and Marjalahti, A., ii,

separation of iron from nickel and cobalt by aid of formic acid, A., ii. 557.

the Shelburne meteorite, A., ii, 726.

Bork, Iwan, action of potassium hydroxide on a mixture of phenylacetylene with methyl ethyl ketone: synthesis of phenylacetylenylmethylethylcarbinol, A., i, 774.

action of potassium hydroxide on a mixture of phenylacetylene methyl isopropyl ketone: synthesis of phenylacetylenylmethylisopropyl-

carbinol, A., i, 774.

Bornstein, Karl, sulphur and phosphorus metabolism on an abundant proteid diet, A., ii, 99.

Borsche. Walther [Georg Rudolf], [relations between quinonehydrand p-hydroxyazo-compounds], A., i, 161.

new reaction of semicarbazones. III. Preparation of the hydrazides of aromatic substituted carbamic acids

from semicarbazide, A., i, 305.

Borsche, Walther, and Erich Böcker, constitution of aromatic purpuric acids. VI. The purpurate reaction with 2:6-dinftrophenols, A., i, 51.

Borsche, Walther, and G. Gahrtz, constitution of the aromatic purpuric acids. VII. Ethyl 3:5-dinitrosalicylate and potassium cyanide, A., i,

Borsche, Walther, and W. Lange, cyclohexanesulphonic acid, A., i, 765.

Borsche, Walther, and K. A. Ockinga, relation between quinonehydrazones and p-hydroxyazo-compounds. New class of hydroxyazo-compounds, A., i, 719.

Bose, Emil, heats of mixture of acids, A., ii, 801.

Bose, Margrete, anodic decomposition during the electrolysis of certain thallium, bismuth, and silver salts, A., ii, 299.

Bošnjaković, S., new gas-evolution apparatus, A., ii, 20.

Bosworth, Alfred W. See Burt Laws Hartwell.

Bouchonnet, A., azelaic acid derivatives, A., i, 566.

Bouchonnet, A.See also Camille Chabrié.

Boudouard, Octave, influence of water vapour on the reduction of the oxides of iron by mixtures of carbon monoxide and carbon dioxide, A., ii, 91.

influence of water vapour on the reduction of carbon dioxide by carbon, A., ii, 633.

Bougault, J., action of iodine and yellow oxide of mercury on acids containing an ethylenic linking; separation of isomerides, A., i, 9.

detection of sodium salts [by means of potassium pyroantimoniate], ii, 421.

Boullanger, E., and L. Massol, action of ammonium salts on the nitrification of sodium nitrite by the nitric ferment, A., ii, 547.

Boulouch, R., phosphorus subiodide and the rôle of this substance in the allotropic transformation of phosphorus, A., ii, 633.

Boulud. See Raphael Lépine. Bourcet, Paul, detection of antipyrine in dimethylaminoantipyrine [amidopyrine], A., ii, 561.

Bourion, François. See Camille Matignon. Bourquelot, Emile [Elie], and EmileDanjou, sambunigrin, a new cyanogenetic glucoside obtained from the leaves of Sambucus nigra, A., i, 912; ii, 605.

Bourquelot, Émile, and Henri Hérissey, aucubin, the glucoside of Aucuba japonica, A., i, 364.

Bourquelot, Émile, and Henri Hérissey, presence of trehalase in Fungi, A., ii, 113.

source and composition of the essential oil of Herb Bennett root: a new glucoside and enzyme, A., ii, 345.

Bousfield, William Robert, the purification of water by continuous fractional distillation, T., 740.

ionic sizes in relation to the conductivity of electrolytes, A., ii, 369.

Bousfield, William Robert, and Thomas Martin Lowry, electrical conductivity and other properties of sodium hydroxide in aqueous solution as elucidating the mechanism of conduction, A., ii, 135, 298.

Bouveault, Louis, modes of formation and preparation of aliphatic aldehydes and a general synthetical method for the preparation of aldehydes, A., i, 116.

Bouveault, Louis, and Gustave Blanc, hydrogenation of esters of unsaturated acids, A., i, 11.

hydrogenation of esters of acids with an acetal function, A., i, 12.

reduction of esters of hydroxy- and ketonic acids, A., i, 13.

camphene, camphenylone, isoborneol, and camphor, A., i, 222.

Bouveault, Louis, and René Locquin, preparation of α-ketonic acids and esters from α-oximino-esters. Part V., A., i, 10.

preparation of α -substituted β -ketonic acids and of ketones of the aliphatic series, A., i, 18.

preparation of α-diketone mono-oximes of the type R·CO·CR':N·OH, A., i, 19.

general method for the preparation of

α-diketones, A., i, 20.
reduction of α-oximino-esters; synthesis of homologues of glycine and their esters, A., i, 32.

new synthesis of racemic leucine, A., i, 33.

preparation, use, and recovery of semicarbazide, A., i, 178.

action of sodium on aliphatic esters, A., i, 560.

derivatives of butyroin and hexonoin, A., i, 572.

synthesis of a new leucine, A., i, 636. **Bouveault**, Louis, and Andre **Wahl**, the non-existence of two stereoisomerides of ethyl αβ-dioximinobutyrate, A., i, 257.

preparation of αβ-diketobutyric esters, A., i, 409.

reactions of diketobutyric esters, A., i, 410.

Bouveault, Louis, and André Wahl, preparation of ethyl nitrosoacetoacetate, A., i, 506.

isonitrosomethyliso-oxazolone, A., i, 612.

Bowack, Douglas Anderson, and Arthur Lapworth, hydrizino-halides derived from oxalic acid, T., 1854; P., 257.

Bowen, Wilbur Pardon. See George Oswin Higley.

Boycott, Arthur Edwin, gaseous metabolism of rabbits' small intestine, A., ii, 540.

Boycott, Arthur Edwin, and John Scott Haldane, effects of high external temperature on the body temperature, respiration, and circulation in man, A., ii, 729.

Boycott, Arthur Edwin. See also John Fawcett.

Boyd, David Runciman, and John Edmund Pitman, note on the Zeisel reaction in the case of di-ortho-substituted phenolic ethers, T., 1255; P., 221.

Bradley, Harold C. See Lafayette Benedict Mendel.

Bradley, Walter Parke, Arthur Wesley Browne, and C. F. Hale, effect of mechanical vibration on carbon dioxide near the critical temperature, A., ii, 75.

Braehmer, Fritz. See Franz Fischer. Bragg, William Henry, absorption of α-rays and the classification of the α-rays from radium, A., ii, 4.

a-particles of radium, A., ii, 791.

Bragg, William Henry, and R. Kleeman, ionisation curves of radium, A., ii, 5.

Brame, John Samuel Strafford, the action of acetylene on aqueous and hydrochloric acid solutions of mercuric chloride, T., 427; P., 119.

Brand, Joseph, rapid method for the detection of traces of zinc in worts, beer, wine, &c., A., ii, 653.

Brand, Kivrt, preparation of β-arylhydroxylamines by the electrochemical reduction of aromatic nitro-compounds, A., i, 770.

A., i, 770.

Brat, H., [physiological] action of barium chloride and of barutine, A., ii, 846

Brau and Denier, preparation of cholera toxin, A., ii, 747.

Braun, Hans J. See Arthur Rosenheim.

Braun, Julius von, a-naphthoyltetrahydroquinoline, A., i, 236. separation of conium alkaloids, A., i,

811.

Braun, Julius von, and Carl Müller, new method for the conversion of primary diamines into chlorinated amines and into dichlorides, A., i,

synthesis of hexamethylenediamine and heptamethylenediamine from

piperidine, A., i, 636.

Braun, Julius von, and Adolf Steindorff, 2-methyldihydroindole, A., i,

tetrahydroquinoline conversion of into 2-methyldihydroindole, A., i,

ε-halogen derivatives of amylamine, A., i, 206.

synthesis of chroman, A., i, 294.

derivatives of the pentamethylene series, A., i, 341.

preparation of the decomposition products (containing halogens) from piperidine, A., i, 596.

γ-coniceine. I., A., i, 812.

synthesis of hexamethyleneiminethe cyclic homologue of piperidine, A., i, 826.

Braun, Karl, a substance which inhibits the fat-splitting action of the seed of Abrus precatorius, A., ii, 113.

estimation of moisture and free alkali in soaps, A., ii, 427.

estimation of glycerol in lyes, A., ii, 616.

Braune, Hjalmar, rapid estimation of nitrogen in steel or iron, A., ii,

influence of nitrogen on iron and steel, A., ii, 638.

Brauns, D. H., quercitrin, A., i, 74.

Bray, W. C., use of the differential equation in calculating the results of kinetic measurements; the reaction between arsenic acid and potassium iodide near the equilibrium, A., ii, 690.

Bredig, Georg, and Friedrich Epstein, rate of chemical auto-heating (adiabatic reaction kinetics), A., ii, 75.

Bredig, Georg, and W. Fraenkel, a new case of catalysis by hydrogen ions, A., ii, 692.

Bredig, Georg, and Ernst Wilke, periodic contact catalysis. II., A., ii, 151.

Breger, Marie, and Stanislaus von Kostanecki, a second synthesis of apigenin, A., i, 366.

Breteau, Pierre, hydrides of phenanthrene, A., i, 338.

Breuil, Pierre, special constituent obtained in the tempering of an aluminium bronze, A., ii, 252.

Breyer, Hans. See Paul Grützner.

LXXXVIII. 11.

Brieger, Ludwig, and M. Krause, spear poison of the Cameroons, A., ii, 411.

Briggs, John Frederick. See Charles Frederick Cross.

Brill, Otto, use of the micro-balance in analysis, A., ii, 198.

dissociation of the carbonates of the alkaline earths and of magnesium carbonate, A., ii, 522.

Brislee, Francis Joseph, potential of the hydrogen-oxygen cell, A., ii, 133.

Francis Joseph. See also Brislee, Robert Luther.

Bristol, Howard Stanley. See Henry Lord Wheeler.

Brochet, André [Victor], and Joseph Petit, influence of the nature of the anode on the electrolytic oxidation of potassium ferrocyanide, A., i, 38. electrolytic preparation of barium

platinocyanide, A., i, 39.

electrolysis by alternating currents, A., ii, 7, 227, 672, 673. action of potassium cyanide solution

on various metals, A., ii, 27.

action of potassium cyanide on metallic electrodes, A., ii, 27.

theory of the dissolution of metals in potassium cyanide solution under the influence of an alternating current, A., ii, 28.

electrolysis of organic acids by means of an alternating current, A., ii, 227. electrolytic solution of platinum in sulphuric acid, A., ii, 260.

Brodie, Thomas Grigor. See Joseph Barcroft.

Brocksmit, T. C. N., lead malate and barium citrate, A., ii, 868.

Brönsted, J. N., reduction of mercurous chloride by silver, A., ii, 133.

Bronson, Howard L., effect of high temperatures on the rate of decay of the active deposit from radium, A., ii, 567.

Brown, Adrian John, the influences regulating the reproductive functions of Saccharomyces cerevisiæ, T., 1395; P., 225.

Brown, Adrian John, and Edmund Theodore Millar, the liberation of tyrosine during tryptic proteolysis. A preliminary communication, P., 286.

SeeBrown, Bailey Edgar. KennethCameron and Schreiner.

Brown, Horace T., and Fergusson Escombe, variations in the amount of carbon dioxide in the air of Kew during the years 1898-1901, A., ii, 815.

Brown, Horace T., and Fergusson Escombe, physiological processes of green leaves, with special reference to the interchange of energy between the leaf and its surroundings, A., ii,

new method for the determination of atmospheric carbon dioxide, based on the rate of its absorption by a free surface of a solution of an alkali hydroxide, A., ii, 858.

Brown, James, interaction of hydrochloric acid and potassium permanganate in the presence of ferric chloride, A., ii, 166.

Brown, James Campbell, the latent heat of evaporation of benzene and some other compounds, T., 265; P., 75. a precise method of estimating the

organic nitrogen in potable waters,

T., 1051; P., 208.

Brown, Orville H., permeability of the membrane of Fundulus eggs, A., ii, 727.

Brown, Orville H., and Charles Claude Guthrie, intravenous injection of bonemarrow extracts, A., ii, 745.

Brown, Orville H., and Charles Hugh Neilson, influence of alkaloids and alkaloidal salts on catalysis, A., ii, 447. Brown, Orville H. See also Charles

Hugh Neilson. Brown, W. See William Fletcher

Barrett. Brown, William D., potassium per-

carbonate, A., ii, 818. Browne, Arthur Wesley, synthesis of hydronitric acid [azoimide], A., ii, 449.

Wesley. Browne, Arthur See also Walter Parke Bradley.

Browning, Carl H. See Robert Muir. Brückner, Camillo, reduction of sulphates, A., ii, 516.

Brühl, Julius Wilhelm, cinnamylidenecamphor and its reduction products, A., i, 293.

development of spectro-chemistry, A., ii, 781.

Brühl, Julius Wilhelm, and Heinrich Schröder, the desmotropic form of substances of the ethyl acetoacetate type in the homogeneous state and dissolved in neutral media, P., 164; discussion, P., 164; A., i, 506.

sodium acetoacetate and the formation of analogous salts in solution, A., i,

formation of salts in solution, especially in the case of substances exhibiting tautomerism (pseudo-acids, pseudobases), A., i, 407; ii, 70, 235.

Brugnatelli, Luigi, new mineral from the asbestos mines of the Lanterna Valley, A., ii, 173.

titanolivine from Val Malenco, Lombardy, A., ii, 176.

Brugsch, Theodor, proteid decomposition and acidosis in extreme hunger, A., ii, 404.

Bruhat, J., and H. Dubois, perborates, A., ii, 246.

Brunck, Otto, action of sodium hyposulphite on metallic salts. II., A.,

estimation of sulphur in coal, A., ii,

Brunel, Léon, new additive compounds of tetrahydrobenzene, A., i, 123, 340.

thymomenthol [hexahydrothymol] and its derivatives, A., i, 197.

preparation of cyclohexene from cyclohexanol, A., i, 268.

ethers and esters of cyclohexanol, A., i, 274.

menthone derived from hexahydrothymol, A., i, 363.

derivatives of cyclohexane, A., i,

Bruner, Ludwik, and Stanislaw Tolloczko, velocity of dissolution of solid substances, A., ii, 806.

Bruni, Giuseppe, copper and niekel salts of some amino-acids, A., i, 263. racemism, A., ii, 69.

Bruni, Giuseppe, and F. Finzi, racemism, A., ii, 2.

Bruni, Giuseppe, and Antonio Manuelli, hydrolytic decomposition in nonaqueous solutions, A., ii, 689.

Bruni, Giuseppe, and B. Sala, dissociation of nitro-derivatives in certain solvents. III., A., ii, 146.

Bruni, Giuseppe, and Ercole Tornani, picrates and other additive products of unsaturated compounds, A., i, 269.

Bruni, Giuseppe, and Arturo Trovanelli, solid solutions and isomorphism, A., ii, 153.

Brunner, Arnold. See Emil Fischer. Brunner, Erich, rate of solution of zinc, A., ii, 235.

reaction velocity and free energy, A., ii, 236.

theory of the velocity of solution of arsenious oxide, A., ii, 386.

reactions which take place in several stages, A., ii, 511.

Brunner, Heinrich, action of an ammoniacal solution of silver oxide on salicylic acid and salicylaldehyde, A.,

Brunner, Karl, transformation of indolinones into alkyleneindolines, A., i, 468.

lecture experiments [decomposition of carbon dioxide by magnesium], A., ii, 381.

Bruns, Daniel, products of the condensation of opianic acid, A., i, 353.

tarconine methiodide and its relations to cotarnine and hydrocotarnine, A., i, 370.

Brust, Eduard. See August Michaelis. Bruyn, Balthasar Rutger de, mechanism of the reaction by which γ-hydroxyacids are converted into lactones, A., ii, 805.

Bruyn, Cornelis Adriaan Lobry de. obituary notice of, T., 570.

Bruyn, Cornelis Adriaan Lobry de, and Sijbe Tijmstra, jun., mechanism of the synthesis of salicylic acid, A., i, 209.

mechanism of ether formation from alkyl haloid (or halogendinitrobenzene) and sodium alkyloxide, A., ii, 150.

Bucci, G. See Federico Giolitti.

Buchanan, Florence, an electrical response to excitation in Desmodium gyrans, A., ii, 752.

Buchanan, John Young, a method of determining the specific gravity of soluble salts by displacement in their own mother liquor, and its application in the case of the alkali halides, P., 122.

Hans Theodor, action of Bucherer, sulphites on aromatic amino- and hydroxy-compounds. II., A., i, 48. nitriles of hydroxy- and amino-carboxylic acids, A., i, 59.

preparation of nitriles, A., i, 438.

Bucherer, Hans Theodor, and A. Stohmann, action of sulphites on aromatic amino- and hydroxy-compounds. III. Preparation of arylated \(\beta\)-naphthylamines and of $\beta\beta'$ -dinaphthylamines, A., i, 585.

Buchler & Co. See Chininfabrik Braunschweig.

Buchner, Eduard, and Wilhelm Antoni, further researches on cell-free fermentation, A., ii, 473.

Buchner, Eduard, and Richard von der Heide, enantiomorphism of the cyclopropanecarboxylic acids, A., i, 780.

Buchner, Eduard, and Jakob Meisenheimer, chemical reactions occurring during alcoholic fermentation, A., ii, 274.

Buchner, Eduard, and Wilhelm Wedemann, brominated cyclopropanedicarboxylic acids, A., i, 439.

Buchner, Georg, assay of beeswax, A., ii, 126.

Buck, Christian. See Otto Fischer.

Bülow, [Theodor] Carl [Heinrich], ethyl 1-camphyl-2:5-dimethylpyrrole-3:4dicarboxylate and its derivatives, A., i, 231.

Bülow, Carl, and Ivo Deiglmayr, ethylacetylacetone and its condensation products with polyvalent phenols, A., i, 149.

Bulow, Carl, and Max Deseniss, formation of 2-acetyl-1:3-diketohydrindene by the interaction of phthalylchloride and acetylacetone, A., i, 42.

Bülow, Carl, and August Ganghofer, dimethyl mesoxalate phenylhydrazone and its derivatives, A., i, 90.

Bülow, Carl, Gustav Riess, and Constantin Sautermeister, condensation products of semicarbazide and ethyl diacetylsuccinate, A., i, 660.

Bülow, Carl, and Constantin Sautermeister, three position isomeric hydroxyl derivatives of resacctein, A., i, 150.

Bülow, Carl, [with Erwin Siebert], coumarin derivatives from ethyl o-carboxy-phthalyl- and -benzylacetoacetates, A., i, 294.

ethyl phthalylacetoacetate, A., i, 529. Bünz, R., cholesterol esters in the brain. A., ii, 841.

Bünzly, Hans, and Herman Decker. oxidation of \$\beta\beta\text{-dinaphthol, A., i,} 884.

Bünzly, Hans. See also Herman Decker. Buff, Max. See Theodor Zincke.

Bugge, Günther. See Ferdinand Henrich.

Bukovansky, Josef. See Johann Vañha.

Bullock, William, opsonic content of blood serum in health and in lupus, A., ii, 844.

Bunte, Hans [Hugo Christian], salts and substances for incandescent lighting, A., ii, 88.

Bunzl, Felix. See Otto Diels.

Buraczewski, Józef, and Leon Marchlewski, colouring matter of blood. III., A., i, 399.

Burdett, Miss Frances. See Kennedy Joseph Previté Orton.

Burger, O. See Julius Sand.

Burgess, Charles Hutchens, and Alfred **Holt**, jun., some physical characters of the sodium borates, with a new and rapid method for the determination of melting points, A., ii, 162.

Burgess, Charles Hutchens. See also

David Leonard Chapman.

Burián, Richard, oxidations with calcium permanganate; reply to Kutscher and Seemann, A., i, 725.

oxidation of nucleic acid with calcium permanganate; oxidation and synthetic formation of uric acid in extracts of ox liver; the source of endogenous purine in man and manimals, A., ii, 271.

uric acid, A., ii, 335.

Burke, W. E. See Stewart Woodford Young.

Burr, Anton, saponification of fat by ammonia in the Röse-Gottlieb method of estimating fat in milk, A., ii, 559.

estimation of fat in butter by Gottlieb's method, A., ii, 774.

Burrows, Harry. See William Augustus Tilden.

Burton-Opitz, Russell, changes in the viscosity of the blood produced by alcohol, A., ii, 98.

changes in viscosity of blood during

narcosis, A., ii, 540. Busch, E. See R. Heerde.

Busch, Max [Gustav Reinhold], endoiminotriazoles, A., i, 307.

gravimetric estimation of nitric acid, A., ii, 282.

estimation of nitric acid in water, A., ii, 418.

Busch, Max, and Ed. Bergmann, oaminoazo-dyes, A., i, 308.

Busch, Max, and Arthur Rinck, products of the action of magnesium organic compounds on alkylidene bases, A., i, 519.

Busch, Max, and Wilh. Wolbring, action of diazonium compounds on malonic acid, A., i, 493.

Butjagin, P. W., chemical changes produced in flesh by Fungi, A., ii, 101.

Buxton, \underline{B} . H. See S. P. Beebe.

Byers, Horace Greeley, and Ebenezer Emmet Reid, perchromic acid and the perchromates, A., ii, 37.

Byk, Alfred, possibility of resolving racemic compounds by circularly polarised light; the primary production of optically active substances, A., ii, 70.

relations between power of absorption of radiant energy and chemical character, A., ii, 566.

C.

Cady, Hamilton P., concentration cells in liquid ammonia, A., ii, 569.

Cailler, C., thermal conductivity of crystalline bismuth, A., ii, 10.

Cain, John Cannell, the diazo-reaction in the diphenyl series. Part II. Ethoxybenzidine, T., 5.

rate of decomposition of diazonium salts, A., i, 724.

constitution of ammonium salts, A., i, 747.

Cain, John Cannell, and George Marshall Norman, the action of water on diazosalts, P., 206, 308.

Caldarella, A. See Francesco Carlo Palazzo.

Caldwell, Robert John, hydrolysis of sucrose by d- and l-camphor-\$-sulphonic acids, A., i, 22.

Calzolari, Filippo. See Giuseppe Barbieri.

William, iron in mother's Camerer, milk, A., ii, 183. urea in human urine, A., ii, 186.

Cameron, Adam. See James Colquhoun Irvine.

Cameron, Alexander T., variations in the crystallisation of potassium hydrogen succinate due to the presence of other metallic compounds in the solution, A., i, 259.

constitution of complex salts. I. Derivatives of the sesquioxides, A., ii, 529.

Cameron, Frank Kenneth, comparison of the organic matter in different soil types, A., ii, 346. Cameron, Frank Kenneth, and Bailey

Edgar Brown, solubility of calcium sulphate in solutions of other salts, A., ii, 388.

Cameron, Frank Kenneth, and Atherton Seidell, action of water on the phosphates of calcium, A., ii, 33.

Campbell, Edward DeMille. See Alfred Holmes White.

Campbell, Norman R., radiation from ordinary materials, A., ii, 296.

radioactivity and chemical change, A., ii, 296.

Cannon, Walter Bradford, the passage of food stuffs from the stomach and through the small intestine, A., ii,

movements of the alimentary canal after section of nerves, A., ii, 179.

Cantoni, Carlo. See Max Le Blanc and Guido Pellizzari.

Cantoni, H., and J. Chautems, separation of arsenic, A., ii, 480.

Cantoni, H., and D. Diotalevi, solubility of metallic succinates in water, A., i, Cantoni, H., and G. Goguelia, decomposition of alkaline earth carbonates by alkali chlorides in presence of water, A., ii, 87.

Cantoni, H., and J. Passamanik, decomposition of zinc carbonate by solutions of alkali chlorides, A., ii, 586.

Cantoni, H., and (Mlle.) Zachoder, solubility of the tartrates of the alkaline earths in water, A., i, 14.

solubility of certain metallic tartrates

in water, A., i, 633.

Capellmann, R. See Arthur Heffter.
Carapelle, Eduardo. See Francesco Carlo
Palazzo.

Caravaggi, A. See Giuseppe Plancher. Cari-Mantrand, Maxime, influence of invert sugar on the estimation of crystallisable sugar with reference to the yield of refined sugar, A., ii, 657.

Carlton, Henry A. See Charles Loring

Jackson.

Carpini, C., variation of the resistance of bismuth in a feeble magnetic field, A., ii, 72.

Carrara, Giacomo, and L. D'Agostini, electromotive force between metals and solutions of their salts in water and methyl alcohol, A., ii, 370.

Carrasco, Oreste. See Giuseppe Plancher. Carré, Paul, decomposition of o-nitrobenzyl alcohol under the influence of aqueous and of alcoholic sodium hydroxide, A., i, 307.

esterification of polyhydric alcohols by phosphoric and phosphorous acids,

A., i, 814.

decomposition of m- and p-nitrobenzyl alcohols under the influence of aqueous and of alcoholic sodium hydroxide, A., i, 889.

Carroll, Charles G. See Harry Clary Jones.

Carson, Charles Macdonald. See William Robert Lang.

Carveth, Hector Russell, and B. E. Curry, electrolytic chromium, A., ii, 460.

Carveth, Hector Russell, and Wm. Roy Mott, electrolytic chromium. I., A., ii, 394.

Casardi, E. See Giorgio Errera.

Caspari, Wilhelm, fat in milk, A., ii, 101. vegetarianism, A., ii, 840.

Castellana, Vincenzo, transformation of pyrroles into derivatives of pyrazole, A., i, 941.

detection of nitrogen in organic substances, A., ii, 201.

detection of certain acids [boric and volatile organic], A., ii, 420.

Castellana, Vincenzo, and Antonino d'Angelo, diazoindoles, A., i, 940.

Castellana, Vincenzo. See also Angelo
Angeli and Alberto Peratoner.

Catel, J. See Alfred Guyot.

Catford, J. P. See Robert Charles Cowley.

Cathcart, Edward Provan, formation of inactive arginine, A., i, 461.

inactive arginine, A., ii, 267.

proteolytic products of the splenic enzyme acting in an alkaline medium, A., ii, 404.

Cavalier, Jacques, and Artus, estimation of ammonia in potable waters, A., ii, 609.

Caven, Robert Martin, complex ammonium antimonious halides, P., 187.

Cernovodeanu, (Mlle.) P., and Victor Henri, physicochemical study of hæmolysis, A., ii, 465.

Cervi, Guido, volumetric estimation of lead, A., ii, 63.

Cesáro, Giuseppe, crystals of s-tetrachloroisopropylformal, A., i, 570.

Chablay, E., action of metalammonium compounds on halogen derivatives of methane, A., i, 502.

action of metalammonium compound on alcohols; general method for the preparation of alkyloxides, A., i, 502.

action of metalammonium compounds on polyatomic alcohols, A., i, 502.

Chabrié, [Pierre] Camille, and A. Bouchonnet, indium and rubidium fluorides, A., ii, 165.

Chace, Ed. MacKay, detection of saccharin in wine, A., ii, 292.

Chadwick, Samuel, John Edwin Ramsbottom, and David Leonard Chapman, the action of ultra-violet light on moist and dried mixtures of carbon monoxide and oxygen, P., 287.

Chambers, Victor John. See Marston

Taylor Bogert.

Chanoz, M., effect of membranes in liquid chains, A., ii, 626.

Chapman, Alfred Chaston [Arthur William Henry], palladium-hydrogen as a reducing agent in quantitative analysis, A., ii, 58.

Chapman, Alfred Chaston, and Herbert Drake Law, reducing action of hydro-

gen, A., ii, 695.

Chapman, David Leonard, and Charles Hutchens Burgess, cause of the period of chemical induction in the union of hydrogen and chlorine, A., ii, 236.

chlorine, A., ii, 697.

Chapman, David Leonard, and Alfred Holt, jun., the synthesis of formaldehyde, T., 916; P., 171.

Chapman, David Leonard. See also Samuel Chadwick.

Chapman, H. G., pancreatic secretion, A., ii, 838.

Chappel, E. J. See William Arthur Harrison Naylor.

Chapus, analysis of an intestinal gravel, A., ii, 272.

Charabot, Eugène [Trophime], and Alexandre Hébert, consumption of odoriferous substances in etiolated plants, A., ii, 276.

consumption of odoriferous products during the maturation of the flower, A., ii, 850.

Charabot, Eugène, and G. Laloue, formation and distribution of the essential oil of an annual plant, A., ii, 112. successive distributions of estragole

and terpenic compounds among the different organs of an annual plant, A., ii, 549.

Charitschkoff, K. W., use of light petroleum and alcohol for the separation of oleic acid from stearic and other solid fatty acids, A., i, 405. origin of naphtha, A., ii, 43.

Charpentier, P. G., Sterigmatocystis nigra and oxalic acid, A., ii, 749.

Charters, S. Barclay, the aluminium rectifier, A., ii, 225.

Chattaway, Frederick Daniel, nitrogen halogen derivatives of the sulphonamides, T., 145; P., 7.

nitrogen halogen derivatives of the aliphatic diamines, T., 381; P., 61.

a contribution to the chemistry of obenzoic sulphinide, T., 1882; P.,

Chattaway, Frederick Daniel, and William Henry Lewis, the action of hypobromous acid on piperazine, T., 951; P., 183.

Chautems, J. See H. Cantoni.

Chauvenet. See William Oechsner de Coninck.

Chavanne, G., isopyromucie acid, A., i, 77.

Chavanne, G. See also Robert Lespieau and Henri Moissan.

Chella, Silvio, apparatus for measuring the absolute coefficient of internal friction of gases, A., ii, 629.

Chemische Fabrik auf Aktien (vorm. E. Schering), oxidation of isoborneol to camphor, A., i, 362.

methyleneoxyuvitic acid, A., i, 703. preparation of camphor, A., i, 709.

Chemische Fabrik von Friedr. Heyden, derivatives of indoxylic acid, A., i. 647.

Chemische Fabrik vorm. Sandoz, [sulphonic acids of benzaldehyde], A., i, 141.

Chemische Fabrik vorm. Weiler-Ter-Meer, azo-compounds from sulphonic acids of α-amino-β-naphthol, A., i,

vellow sulphur dye from nitro-amethylbenziminazole, A., i, 552.

See Henri Vittenet.

Chevrotier, J. See Auguste Lumière. Chikashigé, Masumi, oxymercuric perchlorates and the action of alcohol on mercury perchlorates, T., 822; P.

Chilesotti, Alberto, two complex salts of molybdenum, A., i, 177.

Chilesotti, Alberto, and A. Rozzi, elec trolytic estimation of molybdenum, A., ii, 484.

Chininfabrik Braunschweig; Buchler & Co., alkine esters of hydroxy-acids, A., i, 367.

Chittenden, Russell Henry, physiological economy in nutrition, A., ii, 179.

Cholin, N., oxidation of indigo by potassium permanganate, A., i, 350.

Chonin, G., new heptane: βδ-dimethylpentane, A., i, 729. Chrétien, H. See J. Tribot.

Chrétien, Paul, compounds of hydroferrocyanic and sulphuric sulpho-substitution in complex cyanides; hydroxyferrocyanides, A., i,

Christensen, A. C., dibronio-additive compounds of the cinchona alkaloids, A., i, 226.

estimation of metallic iron in Ferrum redactum, A., ii, 654.

Christoff, A., absorption of carbon dioxide by aqueous salt solutions and binary liquid mixtures, A., ii,

Christomanos, Anastasios Karl, solubility of phosphorus in ether and benzene, A., ii, 449. Chszaszez, T. See Leopold Adametz.

Chwolles. Abraham. See Werner

Esch. Ciamician, Giacomo Luigi, the develop-ment of the chemistry of pyrrole in

the last quarter-century, A., i, 80. Ciamician, Giacomo Luigi, and Paul G. Silber, chemical action of light.

VIII. and IX., A., i, 335, 414. Masaniello. Cingolani, See CelsoUlpiani.

Ciusa, Roberto. See Gaetano Minunni. Claisen, Ludwig, mechanism of the ethyl acetoacetate syntheses, A., i, 258.

Claisen, Ludwig, [and, in part, Reinhard Feyerabend, Rudolf Schulze, and Richard Gärtner], syntheses with sodamide, A., i, 286.

Clapp, Samuel Hopkins. See Treat Baldwin Johnson and Henry Lord

Wheeler.

Clark, George Herbert, amylolytic action of urine, A., ii, 540.

Clarke, B. May, determination of some heats of mixture, A., ii, 303.

Clarke, Frank Wigglesworth, action of silver nitrate and thallous nitrate on certain natural silicates, A., ii, 707.

Clarke, Frank Wigglesworth, and George Steiger, californite, A., ii, 725.

Clarke, Latham, preparation of certain amines, A., i, 427.

Clarke, Latham. See also Charles Loring Jackson.

Clarke, (Miss) Rosalind. See Alfred Senier.

Claus, Richard, and Gustav Embden, pancreas and glycolysis, A., ii, 179, 404. Clausen, H., fruit tree manures, A., ii, 478.

specific action of phosphoric acid on oat plants grown in black moor soil, A., ii, 607.

Claussner, Paul, Thiele's xylene-oxidation and terephthalaldehyde-green, A., i, 791.

Clavari, E. See Italo Bellucci.

Clayton, Arthur. See Gilbert Thomas Morgan.

Clément, E., action of formic acid on tremors, A., ii, 408.

Closson, Oliver E. See Lafayette Benedict Mendel and Frank Pell Underhill.
Clowes, Ernest Seabury. See John Charles
Olsen.

Clowes, George Henry Alexander, the theory of indicators and its bearing on the analysis of physiological solutions by means of volumetric methods, A., ii, 56.

Clowes, George Henry Alexander, and W. S. Frisbie, potassium and calcium in mouse tumours, A., ii, 743.

Coates, Charles Edward, and Alfred Best, hydrocarbons in Louisiana petroleum. II., A., ii, 833.

Coates, Joseph Edward. See Kennedy Joseph Previté Orton.

Cobb, Percy W., action of pepsin, A., ii, 466.

carbohydrate metabolism in partially departmented dogs, A., ii, 540.

Cochran, C. B., estimation of fat in [milk, condensed milk, and malted] infant and invalid foods, A., ii, 618.
 Coehn, Alfred, liquid crystals, A., ii, 14.

Coffetti, Giulio, and Fritz Foerster, cathode potentials necessary for the electrolytic deposition of certain metals from solutions of their sulphates, A., ii, 796.

Coffignier, Ch., African cooals, A., i. 224.
Cohen, Ernst [Julius], Edward Collins,
and Th. Strengers, so-called explosive
antimony. 11., A., ii, 170.

Cohen, Ernst, and E. Goldschmidt, physico-chemical researches on tin.

VI., A., ii, 168.

Cohen, Ernst, and Th. Strengers, socalled explosive antimony. III., A.,

ii. 532.

Cohen, Julius Berend, and Henry Percy Armes, the relation of position isomerism to optical activity. IV. The rotation of the menthyl esters of the isomeric nitrobenzoic acids, T., 1190; P., 218.

Cohen, Julius Berend, and Hugh Garner Bennett, studies in chlorination. The chlorination of the isomeric chloronitrobenzenes, T., 320; P., 80.

Cohen, Julius Berend, Harry Medforth Dawson, and Percy Field Crosland, studies in chlorination. II. The action of chlorine on boiling toluene. Preliminary notice, T., 1034; P., 211.
Cohen, Julius Berend, and Percival

Cohen, Julius Berend, and Percival Hartley, studies in chlorination. III. The progressive chlorination of benzene in presence of the aluminium-mercury couple, T., 1360; P., 223.

Cohen, Julius Berend, and Douglas McCandlish, the mechanism of the hydrogen sulphide reduction of nitrocompounds, T., 1257; P., 222.

Cohen, Julius Berend, and Israel Hyman Zortman, the relation of position isomerism to optical activity. Part V. The rotation of the menthyl esters of the isomeric dibromobenzoic acids, P., 306.

Cohen, Wilhelm. See Paul Jannasch.

Cohn. See Lassar-Cohn.

Cohn, Max. See Alexander Ellinger.
Cohn Michael preparation of crystallised

Cohn, Michael, preparation of crystallised proteids, A., i, 103.

Cohnheim, Otto, carbohydrate combustion. III., A., ii, 267.

proteid-katabolism, A., ii, 839.

Colani, A., preparation of binary metallic compounds by means of aluminium powder, A., ii, 525.

Collie, John Norman, syntheses by means of the silent electric discharge, T., 1540; P., 201; discussion, P., 202.

Collie, John Norman. See also Edward Charles Cyril Baly.

Collingwood, Bertram James, estimation of chloroform vapour by a tonometric method, A., ii, 121.

absorption of chloroform in later stages of anæsthesia, A., ii, 408.

Collingwood, Bertram James. See also Augustus Désiré Waller.

Collins, Edward. See Ernst Cohen. Colman, James. See Siegmund Gabriel. Colombano, Amedeo. See Giuseppe Oddo. Colonna, Ettore, metallic formates and acetates, A., i, 852.

Colson, [Jules] Albert, the complexity of dissolved sulphates, A., ii, 34.

existence of a normal green chromic sulphate, A., ii, 94.

cryoscopy of the sulphates, A., ii, 255. application of Watt's principle to the dissociation of the carbonates of lead and silver, A., ii, 304.

a variable velocity reaction of green chromic sulphate, A., ii, 460.

a chromium sulphate in which the acid is in two states of combination, A., ii, 592.

variations of basicity in chromium salts, A., ii, 639.

Comanducci, Ezio, and R. Lobello, action of ethyl isosuccinate on aniline, ptoluidine, and p-aminophenol, A., i,

Conduché, A., a new reaction of aldehydes, and the isomerism of their oximes, A., i, 288.

Cone, Lee Holt. See Moses Gomberg. Coninck. See Oechsner de Coninck.

Conrad, Max, iminobarbiturie and barbituric acids, A., i, 751.

Conrad, Max, and A. Zart, iminodialkylmalonylalkyl- and iminodialkylmalonylphenyl-carbamides, A., i, 752.

cyanodialkylacetylcarbamides and the amides of substituted malonic and cyanoacetic acids, A., i, 754.

Consortium für Elektrochemische Industrie, preparation of acetylene tetrachloride, A., i, 110.

Consortium für Elektrochemische Industrie & Erich Müller, electrolytic preparation of persulphates, A., ii, 83.

Coote, Arthur Herbert. See William Richard Eaton Hodgkinson.

Copaux, H., physical properties of pure cobalt and pure nickel, A., ii, 254.

Coppet, Louis Casimir de, molecular depression of the freezing point of water produced by some very concentrated saline solutions, A., ii, 10.

Coriat, Isidor H., production of choline from lecithin and brain tissue, A., ii, 47.

Corlette, Cyril E., starch digestion in infants, A., ii, 466.

Cormimbouf, H., estimation of oxide of iron in pyrolusites, A., ii, 286. detection of bromine in the presence

of much iodine, A., ii, 416.

Cornu, F., zeophyllite from Radzein, Bohemia, A., ii, 465.

Costachescu, N. See Petrus Poni.

Coste, Maurice, electrical conductivity of selenium, A., ii, 794.

Courémenos, A. See Albin Haller.

Courtauld, Stephen Lewis. See Edward Frankland Armstrong.

Courtet, H., salts from the region of Lake Chad, A., ii, 173.

Courtot, Alfred Pierre. See Edmond Émile Blaise.

Cousens, R. Lewis, a radioactive substance discovered in the Transvaal and experiments connected therewith, A., ii, 787.

Couturier, François, and Léon Meunier, action of magnesium amalgam on acetone, A., i, 326.

Couturier, François, and G. Vignon β-ketonic aldehydes, A., 570.

Cowley, Robert Charles, and J. P. Catford, estimation of arsenic, A., ii,

Crampton, Charles Albert, and Frank Darius Simons, detection of palm oil when used as a colouring matter in oils and fats, A., ii, 362.

Craveri, Mario. See Franz Sachs.

Craw, J. A., physical chemistry of the toxin-antitoxin reaction, with special reference to the neutralisation of lysin by antilysin, A., ii, 747.
Crestani, G. See T. Gnesotto.
Cribb, Cecil Howard, and

Francis William Frederick Arnaud, the action of slightly alkaline waters on iron, A., ii, 589.

Cristofoletti, U. See Alexander Tschirch. Crofton, William Mervyn, antibacterial sera, A., ii, 747.

Crofutt, Edward Francis. See Yandell Henderson.

Croner, Fritz, detection of traces of manganese in presence of iron in well waters, A., ii, 611.

Cronheim, Walter, nutritive value of proteid decomposition products. A., ii, 99.

Cronheim, Walter, and E. Giesecke, pond feeding experiments at Hellendorf and Geeste in 1903, A., ii, 649.

Crookes. Samuel Irwin. See George Young.

Crookes, (Sir) William, kes, (Sir) William, ultra-violet spectrum of gadolinium, A., ii, 250. europium and its ultra-violet spectrum, A., ii, 392.

phosphorescent spectra of $S\delta$ and europium, A., ii, 783.

Crosland, Percy Field.See Julius Berend Cohen.

Cross, Charles Frederick, and Edward John Bevan, constitution of cellulose, A., i, 119.

Cross, Charles Frederick, Edward John Bevan, and John Frederick Briggs, aceto-sulphates of cellulose, A., i, 512, 862.

Cross, Charles Frederick, Edward John Bevan, and John Traquair, acetyl derivatives of starch and cellulose, A., i,

Crossley, Arthur William, and (Miss) Nora Renouf, synthesis of 1:1-dimethylhexahydrobenzene and of 1:1-dimethyl- Δ^3 -tetrahydrobenzene. T., 1487; P., 209. the supposed identity of dihydro-

laurolene and of dihydroisolaurolene with 1:1-dimethylhexahydrobenzene, P., 303.

Cruser, Frederick van Dykc. See Edmund Howd Miller.

Curry, B. E. See Hector Russell Carveth. Curtis, and Paul Lemoult, affinity of colouring matters for conjunctive tissues, A., ii, 600.

Curtiss, Richard Sydney, preparation of ethyl mesoxalate, A., i, 507.

Cushny, Arthur Robertson, and A. Roy Peebles, action of optical isomerides. II. Hyoscines, A., ii, 545.

Cusmano, Guido. See Giuscppe Oddo. Cuthbertson, Clive, refractive indices of

the elements, A., ii, 129, 293. Cuthbertson, Clive, and Edmund Brydges Rudhall Prideaux, refractive index of gaseous fluorine, A., ii, 781.

Czernecki, Wincenty, creatine creatinine in the organism, A., ii, 467.

D.

Dadourian, H. M., radioactivity of underground air, Λ., ii, 132.

D'Agostini, L. See Giacomo Carrara. Dahmer, Georg. See Friedrich Wilhelm Küster.

Dakin, Henry Drysdale, the synthesis of substances allied to advenaline, P.,

fractional hydrolysis of optically active esters by lipase, II., A., i, 556.

Dakin, Henry Drysdale, physiological action of synthetical substances allied to adrenaline, A., ii, 410.

Dakin. HenryDrysdale. See also Albrecht Kossel.

Dale, Henry Hallett, physiological action of chrysotoxin, A., ii, 545.

Dale, Henry Hallett. See also Francis Arthur Bainbridge.

Damond, E. See \overline{Paul} Freundler.

Danjou, Emile. See Emile Bourquelot.

Danne, J., a new radium mineral, A., ii,

Danneel, Heinrich, ionic velocities, A., ii, 499.

Danneel, Heinrich, and Lorenz Stockem, position of the alkali and alkalineearth metals in the electrochemical series at high temperatures, A., ii,

Danzfuss, Wilhelm. See August Michaelis.

Darbishire, Francis Vernon, and Jocelyn Field Thorpe, note on the formation of β-methylglutaconic acid and of αβ-dimethylglutaconic acid, T., 1714; P., 239.

Darzens, Georges, hydrogenation of aromatic ketones by means of reduced nickel; new method of synthesising aromatic hydrocarbons, A., i, 66.

general method of synthesising aldehydes by means of the substituted glycidic acids, A., i, 116.

new method of synthesising saturated ketones by catalytic reduction, A., i, 172.

Daube, Adolf, ethylidenephthalide, A., i, 210.

Dauwe, Ferdinand, absorption of ferments by colloids, A., i, 623.

Daval, L. See Gustave Patein.

Davidson, Emil, the decomposition of potassium chlorate by hydrochloric acid a reaction of the first order, A., ii, 584.

Davidson, Emil. See also Adalbert Kolb.

Davies, Llewellyn John. See James Scott Rowland.

Davies, Thomas Huws. See John Joseph Sudborough.

Davis, Bergen, and C. W. Edwards, chemical combination of oxygen and hydrogen under the action of radium rays, A., ii, 448.

Davis, Oliver Charles Minty, the action of nitrogen sulphide on organic substances. Part III., T., 1831; P., 258.

Davison, Alice L, electrolytic estimation of cadmium with the use of a rotating anode, A., ii, 859.

Dawson, Harry Medforth. See Julius Berend Cohen.

Day, Arthur Louis. See George Ferdinand Becker.

Debierne, André, gases produced by actinium, A., ii, 623.

Decker, Herman, [with Hans Bünzly, Theodor von Fellenberg, Oskar Klauser, and Waslaw Wislockil, relationships of doubly-linked carbon to nitrogen, oxygen, and sulphur, A., i, 667.

Decker, Herman, [with Stephani Gadomska and Max Girard], ammonium compounds. XIX. Nitration of quaternary cycloammonium nitrates, A., i, 469.

Decker, Herman, [with Stephani Gadomska, Fani Sandberg, and Andreas Stavrolopoulos], ammonium XVIII. Formation pounds. and decomposition of quaternary ammonium compounds of the inert bases, A., i, 374.

Decker, Herman, and Otto Koch, papa-

verinium bases, III., A., i, 472.

Decker, Herman, and Percy Remfry, quinoline derivatives. I. 5-Quinaldine derivatives, A., i, 828.

Decker, Herman, and Boris Solonina,

nitrosophenol dyes. III., A., i, 197. Decker, Herman. See also Hans Bünzly. Decker, O. See Carl Friedheim.

Dehn, William M., primary arsines, A., i, 184.

estimation of chlorine in urine, A., ii, 350.

Dehnel, Erich. See Karl Reinking. Deibel, W. See Hartwig Franzen. Deiglmayr, Ivo. See Carl Bülow.

Dejust, Henri, action of carbon monoxide on silver oxide; detection of traces of the gas in the atmosphere, A., ii,

Dekhuyzen, M. C., osmotic pressure of blood and urine in fishes, A., ii, 836.

Delaud. See Emile Nicolas.

Delden, A. van. See Martinus Willem Beyerinck.

Delorme, J. See A. Astruc. Demoussy, Em., vegetation in atmospheres rich in carbon dioxide, A., ii, 111.

Dempwolff, C., migration of the ions in methyl alcohol as solvent, A., ii, 9.

Denier. See Brau.

Denigès, Georges, localisation of arsenic,
A., ii, 745.

Denison, Robert Beckett, equilibrium between magnesium and sulphates, A., ii, 456.

Denk, Bruno. See Arthur Stähler.

Dennstedt, Max [Eugen Hermann], simplified elementary analysis; a quick method, A., ii, 202.

simplified elementary analysis and its technical application, A., ii, 651.

Dennstedt, Max, and F. Hassler, estima-. tion of sulphur in pyrites, A., ii, 761.

Derrien, Eugène. See Jules Ville. Desch, CecilHenry. SeeEdward

Charles Cyril Baly. Deseniss, Max. See Carl Bülow.

Desfontaines, Marcel. See AlbinHaller.

Desgrez, Alexandre, and J. Adler, acid dyscrasia, A., ii, 102.

Desgrez, Alexandre, and J. Ayrignac, elimination of sulphur and phosphorus, demineralisation of the organism, and size of the molecule elaborated in skin diseases, A., ii, 104.

Desgrez, Alexandre, and (Mile.) Bl. Guende, acid dyscrasia, A., ii, 406.

Gaston. See Desplantes, **M**atignon.

Desvergnes, Loys, composition of an ancient English gunpowder, A., ii, 317.

Detscheff, Theodor. See Alfred Werner. Deussen, Ernst, hydrogen fluoride. I. and II., A., ii, 311.

solubility of ferric oxide in hydrofluoric acid, A., ii, 459.

estimation of ferric oxide in presence of much alumina, A., ii, 484.

Deventer, Charles Marius van, explanation of the action of strong sulphuric acid on metals, A., ii, 383.

free iodine in alkaline solutions, A., ii, 417.

Dewar, (Sir) James, the thermo-electric junction as a means of determining the lowest temperatures, A., ii, 799.

studies with the liquid hydrogen and I. Specific heats. air calorimeters. II. Latent heats, A., ii, 801.

Dewar, (Sir) James, and Robert Abbott Hadfield, effect of liquid air temperatures on the mechanical and other properties of iron and its alloys, A., ii, 229.

Dhéré, Charles, ultra-violet absorption spectra of the purines, A., ii, 783.

Dick, William Douglas. See Julian Levett Baker.

Dickson, Samuel, estimation of oxygen in copper, A., ii, 479.

Dieckmann, Walter, a-chloroglutacoualdehyde [β-chloropenta-Δαγ-dieneα-ol-ε-al], A., i, 411.

a-amino-derivatives of adipic acid, B-methyladipic acid, and pimelic

acid, A., i, 417.

Dieckmann, Walter, J. Hoppe, and Richard Stein, interaction of phenylcarbimide with 1:3-dicarbonyl compounds, A., i, 135.

Dieckmann, Walter, and Heinrich Kämmerer, behaviour of hydrogen cyanide towards phenylcarbimide, A.,

i, 874.

- Dieckmann, Walter, and Ludwig Platz, chloromalonaldehyde $[\beta$ -chloro- $\Delta\beta$ propene-γ-ol-α-al], A., i, 117, 171. a new method of formation of oso
 - tetrazones, A., i, 953.
- Diels, Otto, cyanuric acid derivatives, A., i, 331.
- Diels, Otto, and Felix Bunzl, attempts to synthesise fluorene derivatives, A., i, 431.
- Diels, Otto, and Hans Heintzel, condensation of some esters with ethyl carbamate and with ethyl aminoacetate, A., i, 174.
- Diels, Otto, and Rudolf van der Leeden, condensation of isonitrosoketones with aldoximes; formation of oxadiazines. I., A., i, 946.
- Diels, Otto, and Georg Plaut, use of oximino-ethers in condensations, A., i, 509.

Diem, E. See Carl Friedheim.

Dienel, Hans, a-anthramine and a-anthrol, A., i, 767.

Dienert, F., action of magnesium and of magnesia on microbes, A., ii, 190.

Dietrich, Th., lime requirements of Hessian soils, A., ii, 114.

Dietrich, Th., and Felix Mach, beet molasses of various origin A., ii, 55.

Dietz, Rudolf. See Franz Mylius. Dijk, G. van, determination of the electrochemical equivalent of silver, A., ii, 137.

effect caused by heating the cathode of the silver voltameter to redness on the value of the electrochemical equivalent, A., ii, 625.

Dilthey, Alfred. See Emil Fischer.

Dimroth, Otto, new syntheses of diazoamino-derivatives. 1V.,

desmotropic compounds, A., i, 383. action of diazo-compounds on primary aliphatic amines, A., i, 618.

Dimroth, Otto, [with Ernst Eberhardt and Eugen Letsche], desmotropic compounds, A., i, 98.

Dimroth, Otto, [with Hermann Stahl], desniotropic compounds. II., A., i, 384.

Dimroth, Otto, and Wilhelm Wislicenus, methylazoimide, Λ ., i, 422.

Dinan, estimation of phosphorus in phosphor-bronze, A., ii, 353.

assay of white metal, A., ii, 357.

Dinesmann, Adolphe, condensation of chloral with aromatic hydrocarbons under the influence of aluminium chloride, A., i, 645.

Diotalevi, D. See H. Cantoni.

Disdier, F., action of pepsin on albumin precipitated by heat in presence of acid, A., i, 251.

Ditmar, Rudolf, action of radium rays on caoutchouc, A., ii, 72.

colloidalising action of caoutchouc on selenium, A., ii, 701.

Ditte, Alfred, action of mercuric iodide on sulphuric acid and mercury sulphates, A., ii, 391.

Dittrich, Max [Georg Paul], and Hermann Bollenbach, action of persulphates on haloids, A., ii, 239.

estimation of perchlorates, A., ii, 281. Dittrich, Max, and Richard Pohl, estimation of zirconium in presence of titanium, especially in rocks, A., ii, 287.

Dittrich, Max, and Adolf Reise, estimation of lead by persulphate in acid solution, A., ii, 483.

Ditz, Hugo, the oxidising action of impure ether, A., i, 404.

oxidation of naphthalene to phthalic acid by concentrated sulphuric acid in presence of oxides or salts of rare metals, A., i, 516.

oxidising action of impure ether containing peroxide and its influence on Kreis's reaction, A., ii, 560.

action of concentrated hydrochloric acid on potassium chlorate in the presence of potassium iodide or bromide; estimation of chlorates, A., ii, 760.

Ditz, Hugo, and Benjamin Max Margosches, estimation of iodine in soluble iodides, also in the presence of bromides and chlorides, A., ii, 59.

Divers, Edward, Dunstan, Jowett, and Goulding's paper on the rusting of iron, P., 251; discussion, P., 253. the products of heating silver nitrite,

P., 281; discussion, P., 284, Raschig's theory of the lead-chamber

process, A., ii, 83.

theory of the action of metals on nitric acid, A., ii, 84.

constitution of Fremy's sulphazilate and of Pelouze's nitrosulphate, A., ii, 449, 517.

- Divine, Robert E., use of tannic acid in the estimation of alumina, A., ii, 205.
- Dixon, Augustus Edward, and John Hawthorne, the tautomerism of acetyl thiocyanate, T., 468; P., 121.
- Dixon, Augustus Edward. See also Robert Elliott Doran.
- Dixon, Harold Baily, explosion waves, A., ii, 577.
- Dixon, Harold Baily, and E. C. Edgar, atomic weight of chlorine, A., ii,
- Dixon, Henry H., and Joseph Theodore Wigham, action of the radiations from radium bromide on organisms, A., ii, 548.
- Dixon, Walter Ernest, selective action of cocaine on nerve-fibres, A., ii, 106.
- Dixon, Walter Ernest, and Orlando Inchley, an instrument for recording ciliary activity, A., ii, 542.
- Dobbie, James Johnston, and Charles Kenneth Tinkler, the constitution of phenylmethylacridol, T., 269; P., 74.
 - the ultra-violet absorption spectra of certain diazo-compounds in relation to their constitution, T., 273; P., 75.
- Dobrowolsky, Stanislaw. See Michael I. Konowaloff.
- Doebner, Oscar, and M. Kersten, B. benzylmalic acid, A., i, 786.
- Doebner, Oscar, and L. Segelitz, ethylmalic acid, A., i, 737.
- Doht, Richard, iodophenylcarbamides, A., i, 49.
- Dolgopoloff, Th. See Pavel Iw. Petrenko-Kritschenko.
- **Doliński**, J. H., solubilities of certain organic acids in water at various temperatures, A., i, 524.
- Dolley, J. See John James Rickard Macleod.
- Domentéeff, A., chlorosis of plants, A., ii, 476.
- **Domergue**, A., flowers of sulphur and sublimed sulphur, A., ii, 82.
- **Dominicis**, Angelo de, detection of hydro-
- cyanic acid, A., ii, 746.

 Domke, J., and W. Bein, density and expansion of sulphuric acid in aqueous solution, A., ii, 157.
- Donath, Eduard, estimation of manganese by means of hydrogen peroxide, A., ii, 766.
- **Donau**, Julius, red colloidal solution of gold obtained by means of carbon monoxide, A., ii, 462.
- Done, Edward. See Percy Faraday Frankland.

- Donnan, Frederick George, formation of complexes; hydration and colour, A., ii, 806.
- Dony-Hénault, Octave, new regulator for thermostats, A., ii, 142.
- Doran, Robert Elliott, and Augustus Edward Dixon, the influence of temperature on the interaction between acetyl thiocyanate and certain bases. Thiocarbamides, including carboxy-aromatic groups, T., 331; P., 77.
- Dormaar, T. M. M., transformation of carvone and eucarvone into carvacrol and the velocity of this transformation, A., i, 222.
- Dorn, Ernst, Eugen Baumann, and Siegfried Valentiner, action of radium emanations on pathogenic bacteria, A., ii, 748.
- Dorp, G. C. A. van, constitution of ethyl 6:8-dinitrotetrahydroquinoline-1-carboxylate, A., i, 81.
- Dorsch, Robert. See Paul Wagner. Dott, David Brown, mercuric zinc cyanide, A., i, 695.
- Doughty, Howard Waters. See William Albert Noyes and William Stone Weedon.
- Dourlen, Jacques. See René Duchemin. Dover, (Miss) Mary Violette. See James Wallace Walker.
- Dox, Arthur Wayland. See Marston Taylor Bogert.
- Doyon, Maurice, and J. Billet, selective action of chloroform on the liver, A., ii, 471.
- Doyon, Maurice, Albert Morel, and N. Kareff, effect of phosphorus on the coagulation of blood; origin of fibrinogen, A., ii, 402.
- Drabble, Eric, and Hilda Lake, effect of carbon dioxide on geotropic curvature of the roots of Pisum sativum, A., ii,
- Dresel, Auguste. See Frédéric Reverdin. Dreser, Heinrich, acidity of urine, A., ii, 186.
- Dreyer, Friedrich, and Th. Rotarski, properties of p-azophenetole, A., i, 952.
- Drucker, Karl, dissociation of ternary electrolytes, A., ii, 371.
 - aqueous solutions of fatty acids, A., ii, 680.
- Drude, Oskar, A. Neumann, and Franz Ledien, forcing experiments with shrubs by means of ether or chloroform, A., ii, 191.
- **Duane**, William, ionisation due to radium emanation, A., ii, 219.
 - ionisation produced between parallel plates by radium emanation, A., ii, 297.

Duboin, André [Grégoire], preparation of double silicates of potassium with other bases, A., ii, 634.

heavy liquids containing alkali mercuric iodides, A., ii, 637.

Dubois, H. See J. Bruhat.

Dubois, Wilbur L., estimation of sulphur and phosphoric acid in foods, fæces, and urine, A., ii, 609.

Dubreuil, Louis, action of pyridine and quinoline bases on bromosuccinic and dibromosuccinic esters, A., i, 14.

Duchemin, René, and Jacques Dourlen, the acidity of commercial ethyl alcohol and its variations at the ordinary temperature, A., i, 503.

Duclaux, Jacques, conductivity of colloidal solutions, A., ii, 432.

osmotic pressure of colloidal solutions, A., ii, 511.

Duden, Paul, Karl Bock, and Herbert J. Reid, aldehyde-ammonia, A., i, 568.

Duden, Paul, and Georg Ponndorf, acidinitro-alcohols. I., A., i, 558.

Dudgeon, Leonard Stanley, and Alfred Ernest Russell, grafting of the thymus in animals, A., ii, 842.

Dudley, Charles Benjamin. See William

Francis Hillebrand.

Düring, Erich, 4-pyrophthalone, A., i, 233.

reduction products of 4'-methyl-4stilbazole; 4-ω-trichlorohydroxypropylpyridine, A., i, 233. Dürrschnabel, Karl, and Hugo Weil,

action of sulphurous acid on the triphenylmethane dyes, A., i, 947.

Dumansky, A. V., colloidal ferric hydroxide, A., ii, 37.

colloidal ferric hydroxide. II. Influence of ammonium chloride, A., ii, 393.

colloidal ferric hydroxide. III. Influence of various salts on the coagulation, A., ii, 714.

Dumont, J., the agricultural value of humus matter, A., ii, 196.

mineralogical analysis of soils, A., ii, 485.

Duncan, William, ferrous and ferrie arsenates, A., ii, 167.

solubility of quinine in ammonia; testing of quinine sulphate, A., ii, 427.

Dunlap, Edward A. See Edward Mallinckrodt, jun.

Dunlap, Frederick Levy, action of phenylsemicarbazide and semicarbazide hydrochloride on phthalic anhydride, A., i, 830.

Dunlap, Frederick Levy, and William Seymour, the hydrolytic enzyme, lipase, A., ii, 753.

Dunn, John Thomas. See John Pattingon.

Dunstan, Albert Ernest, the viscosity of liquid mixtures. Part II., T., 11.

Wyndham Rowland, Albert Edward Andrews, contributions to our knowledge of the aconite Part XVI. Indaconitalkaloids. ine, the alkaloid of Aconitum chasmanthum, T., 1620; P., 233.

contributions to our knowledge of the aconite alkaloids. Part XVII. Bikhaconitine, the alkaloid of Aconitum spicatum, T., 1636; P., 234.

Wyndham Rowland, George Stanfield Blake, thorianite, a new mineral from Ceylon, A., ii, 833.

Wyndham Rowland, and Dunstan. Thomas Anderson Henry, contributions to our knowledge of the aconite alkaloids. Part XVIII. The aconitine group of alkaloids, T., 1650; P.,

Dunstan, Wyndham Rowland, Hooper Albert Dickinson Jowett, and Ernest Goulding, the rusting of iron, T., 1548; P., 231.

Dupont, François, estimation of saccharose in presence of dextrose and lævulose, A., ii, 558.

Dupré, P. V., ammonium oxalate; its formula and stability, A., i, 679.

Duregger, W., an oxidation product of homohydroxysalicylic acid, A., i, 702.

Durham, Florence M., tyrosinase in the skins of some pigmented vertebrates, A., ii, 101.

Du Roi and Köhler, the "sinacid" butyrometer, A., ii, 125.

Durrant, Reginald Graham, green compounds of cobalt produced by exidising agents, T., 1781; P., 251.

Dutoit, Paul, and Alex. Levier, limiting conductivity of certain binary electrolytes in acetone, A., ii, 625.

Duval, Henri, reduction of derivatives of dinitrodiphenylmethane, A., i, 651.

Dykes, Robert, precipitation of gold in the crystalline form, A., ii, 396.

Dziewoński, Karl. See Emilio Noelting.

E.

Eberhard, G., spectrographical investigation of some thorium preparations, A., ii, 258.

spectrographic investigations of the Urbain-Lacombe method for the separation of samarium, europium, and gadolinium, A., ii, 587.

Eberhardt. Ernst. See Otto Dimroth.

Eberle, Fritz. See Roland Scholl. Echtermeier, P., essential oil of Achillea

nobilis, A., i, 535.

Eckart, Carl, apparatus for the production of chlorine, carbon dioxide, hydrogen sulphide, &c., A., ii, 515. Eckstein, Oskar, dinaphthalene oxides,

A., i, 885.

Eckstein. Oskar. See also Arthur Michael.

Edelstein, Anna, and Stanislaus von Kostanecki, 4'-hydroxyflavanol, A., i,

Edgar, E. C. See Harold Baily Dixon. Edie, E. S., action of chloroform on proteids, A., i, 397. Edie, E. S. See also Herbert E. Roaf.

Edkins, J. Sydney, chemical mechanism of gastric secretion, A., ii, 730.

Edlefsen, G., excretion of β -naphthol in the urine after the administration of small doses of naphthalene, benzonaphthol, and \(\beta\)-naphthol, A., ii, 470.

Edmunds, Arthur, effect of salts of potassium and ammonium and of bile salts on blood pressure, A., ii, 264.

Edwards, C. W. See Bergen Davis.

Effront, Jean, action of amino-acids on amylase, A., i, 107.

estimation of ammonia and amides, A., ii, 60.

estimation of ammonia and proteidnitrogen in waters, A., ii, 68. autofermentation of beer yeast, A., ii, 602.

Eggeling, Hans, and Julius Meyer, rubidium fluorides, A., ii, 707.

Ehrenberg, Paul, loss of nitrogen in putrefying peptone solutions; bacteriological soil investigation, A., ii, 750.

Ehrenfeld, Richard, benzidene salts (hydrofluoride and fluoride), A., i, 474. hydrosilico-

separation of hydrofluoric and sulphuric

acids, A., ii, 417.

Ehrenfreund, Bruno, condensation of isopropylacetaldehyde [isovaleraldehydel with acetaldehyde, A., i,

Eibner, Alexander, homologues of quinophthalone, A., i, 716.

a'-methyl-a-pyrophthalone, A., i, 928. dmann, Wilhelm [Ernst Rudolf Eidmann, RudolfJohannes]. See Alexander Naumann.

Eijdman, \tilde{F} . H., colorimetry and a colorimetric method for determining the dissociation constant of acids, A., ii, 688.

Eijk, Cornelis van, equilibria in the systems: $TlNO_3$ — KNO_3 , $TlNO_3$ — AgNO₃, and TlNO₃—NaÑO₃, A., ii, 444.

Eijken, P. A. A. F. See Alexander Tschirch.

Eijkman, Johan Frederik, synthesis of aromatic substituted homosuccinic acids by means of paraconic acids, A., i, 528.

Eijkman, Johan Frederik, F. Bergema, and I. T. Henrard, action of zine chloride on acid esters of phenols. II. 2:4-Dihydroxy-1:5-diacetylbenzene, A., i, 359.

Einbeck, Hans. See Robert Pschorr and Otto Ruff.

Einecke, Albert. See Theodor Pfeiffer. Einhorn, Alfred, compounds of formaldehyde with amides of monobasic acids, A., i, 344.

acyl derivatives of benzylamine, A., i,

hydroxymethyl derivatives of amides, A., i, 646.

Einhorn, Alfred, and Gustav Haas, carbonates of salicylonitrile and of salicylaldehyde, A., i, 894.

Einhorn, Alfred, and Gustav Schupp. benzovlation of salicylamide, A., i, 778.

Eisner, Fritz. See Otto Ruff.

Ekeley, John B., and Robert J. Wells, new series of dihydroquinoxalines, A., i, 613.

Ellenberger, Ernst. See Theodor Zincke. Ellett, W. B., and Bernhard Tollens, estimation of methylpentosan in presence of pentosans, A., ii, 210.

Ellinger, Alexander, constitution of the indole group in albumin. II. Synthesis of indole-3-propionic acid (Nencki's

scatoleacetic acid), A., i, 827.
Ellinger, Alexander, and Max Cohn, secretion of the human pancreas, A., ii, 643.

Elliott, T. R., action of adrenaline, A., ii, 545.

Eltschaninoff, Eugen. See Petr G. Melikoff and Pavel Iw. Petrenko-Kritschenko.

Elze, Fritz. See Hugo von Soden.

Embden, Gustav. See Marco Amalgia and Richard Claus.

Embley, E. H., and Charles James Martin, action of chloroform on the bloodvessels of bowel and kidney, A., ii, 264.

Emich, Friedrich, determination vapour densities at high temperatures. II. Vapour density of carbon dioxide at 2000°, A., ii, 441.

determination of vapour densities at high temperatures. III. Disintegration of iridium by carbon dioxide; dissociation of carbon dioxide, A., ii. 803.

Emmerich, See Wilhelm. The adorZincke.

Emmerling, Oskar, origin of fusel oil, A., ii, 340.

Emmert, Bruno. See Julius Tafel.

Emmett, A. D., and Harry Sands Grindley, the presence of cotton-seed oil in lards from hogs fed on cottonseed meal, A., ii, 427.

Emmett, A. D. See also Harry Sands Grindley.

Emszt, Koloman. See Hugo Böckh.

Endemann, Hermann, constitution of abietic acid, A., i, 525.

Enell, Henrik, estimation of phosphorus in phosphorised oil, A., ii, 763.

Engel, Hans, time and fermentation laws of pancreas-steapsin, A., ii,

Engel, Rodolphe [Charles], fat in human

milk, A., ii, 468.

Engel, W. See Arnold Reissert.

Engler, P., and Julius Meyer, ethyl dicyanosuccinate, A., i, 631.

Enklaar, Johannes Eliza, action of bases on chloral hydrate, A., i, 170, 741.

Ephraim, Fritz, sodamide, A., ii, 317. **Eppinger**, Hans, theory of carbamide

formation, A., i, 579. formation of allantoin in the animal

body, A., ii, 336. fate of glyoxylic acid in the animal

organism, A., ii, 543. [detection of] glyoxylic acid, A., ii,

Epstein, Friedrich. See Georg Bredig. Erba, Carlo, normal quinine hydrochloride, A., i, 151.

Erben, Franz, estimation of amino-acids in urine, A., ii, 124.

composition of blood in cases of tuberculosis pulmonum, carcinoma ventriculi, diabetes mellitus, saturnismus chronicus, and typhus abdominalis. Clinical method for determining the plasma conditions in the blood in erythema. Capillary pyknometer, A., ii, 741.

nephritis, A., ii, 742.

Erdmann, Ernst [Immanuel], a compound of mesityl oxide with mercuric chloride, A., i, 18.

Erdmann, Ernst, and Hugo Erdmann, tetraiodoethylene and di-iodoethylene, A., i, 165.

Hugo, lecture experiments Erdmann, [liquid ozone; solid nitrogen], A.,

addendum to the Sixth Report of the Committee [of the German Chemical Society] for fixing atomic weights, A., ii, 308.

Erlenmeyer, [Friedrich Gustav Carl] Emil, jun., a-amino-acids, A., i, 131.

azlactones [alkylideneoxazolones] and their transformations, A., i, 237.

conversion of allocinnamic acid into Erlenmeyer's isocinnamic acid, A., i, 285.

formation of lævulic acid and of alcohol from sugars, A., i, 408.

formation of Liebermann's isocinnamic acid by the resolution of allocinnamic acid with brucine, A., i, 646.

condensation of a-keto-acids with aldehydes by means of hydrochloric acid or sodium hydroxide, A., i,

preparation of $\alpha\beta$ - and $\beta\gamma$ -unsaturated lactones, A., i, 785.

separation of cinnamic acid into stereoisomeric components, A., i, 892.

second stereoisomeric component of allocinnamic acid, A., i, 892.

Erlenmeyer, Emil, jun., and Emil Arbenz, condensation of pyruvic acid with hippuric acid, A., i, 240.

Erlenmeyer, Emil, jun., and Alfred Arnold, stereochemical studies. I. New method of separating racemic compounds, A., i, 192.

new isomerism of ethylene derivatives, A., i, 193.

Erlenmeyer, Emil, jun., and Fritz Bade, synthesis of some α-amino-β-hydroxyacids, A., i, 131.

Erlenmeyer, Emil, jun., and Adolf Kreutz, formation of as-dihydrocinnamylidenemalonic acid and aß-dihydrocinnamylideneacetic acid, A., i, 897.

Erlenmeyer, Emil, jun., and Otto Matter, azlactones [alkylideneoxazolones] from cinnamaldehyde or cuminaldehyde and hippuric acid. A., i, 238.

Erlenmeyer, Emil, jun., and Werner Stadlin, azlactones [alkylideneoxazolones] from furfuraldehyde or salicylaldehyde and hippuric acid, A., i, 238.

Erlenmeyer, Emil, jun., and Franz Stoop, synthesis of serine and cystine, A., i, 119.

Erlenmeyer, Emil, jun., and Fritz Wittenberg, azlactones [alkylideneoxazolones] formed in the condensation of mhydroxybenzaldehyde or anisaldehyde with hippuric acid, A., i, 240.

Ernest, Adolf. See Julius Stoklasa. Errera, Giorgio, and E. Casardi, derivatives of indanedione, A., i, 446.

Escales, [Ernst] Richard, action of azoimide on p-benzoquinone, A., i, 145.

Esch, Werner, and Abraham Chwolles, analysis of indiarubber-wares, A., ii, 362.

Eschweiler, Wilhelm, replacement of hydrogen atoms, attached to a nitrogen atom, by methyl groups, by means of formaldehyde, A., i, 328.

Escombe, Fergusson. See Horace T.

Etard, Alexandre [Léon], and E. Wallée, pyrogenetic decomposition of lac resin, A., i, 604.

Euler, (Madame) Astrid. See Hans von

Euler.

Euler[-Chelpin], Hans von, catalases, A.,

processes of assimilation. I., A., ii, 343. enzymatic fermentation from the point of view of chemical dynamics, A.,

catalysis by ferments, A., ii, 693.

Euler, Hans von, and [Madame] Astrid Euler, formaldehyde and formate formation, A., i, 633.

processes of assimilation. II. Condensation products of formaldehyde, A., ii, 343.

Evans, Nevil Norton, chrysoberyl from Canada, A., ii, 328.

Evans, W. H., electrolytic preparation of titanous sulphate, A., ii, 169.

Eve, A. S., secondary radiation caused by the β - and γ -rays of radium, A., `ii, 4.

of radium in minute properties quantities, A., ii, 367.

Ewbank, (Miss) Elinor Katharine. See Edward Charles Cyril Baly.

Ewins, Arthur James. See George Barger.

Eynon, Lewis. See Raphael Meldola.

F.

Fabinyi, Rudolf, and Tiberius Széki, condensation of cateohol with ketones, A., i, 591.

condensation of pyrogallol with acetone and with methyl ethyl ketone, A., i, 888.

Fabry, Charles, spectra of the fluorides of the alkaline earths in the electric arc, A., ii, 217.

Fages Virgili. See Virgili.

Fahrion, Wilhelm, drying process of linseed oil, A., i, 10.

Faktor, Franz [Josef], reactions with sodium thiosulphate, A., ii, 452, 812. some reactions with magnesium, A., ii, 455.

estimation of gold and platinum by means of magnesium, A., ii, 485.

Falk, Franz. See Otto Kühling.

Falk, Milton J. See Henry Clapp Sherman.

Falkner, Ernest Basil. See Charles Weizmann.

Farbenfabriken vorm. Friedrich Bayer & Co., [alkyl ethers of o-tolylcarbinol], A., i, 128.

preparation of methylaminoanthraquinones, A., i, 145.

sulphonic acids of p-aminohydroxyanthraquinones, A., i, 146.

a new α-sulphonic acid of purpurin, A., i, 146.

a-derivatives of geraniol, A., i, 147.

2-alkyloxypyrimidine derivatives, A.,

thio-derivatives of pyrimidine, A., i, preparation of aldehydes, A., i, 355.

disulphonic acids of anthraquinone, A., i, 361.

nitro-derivatives of alkylaminoanthraquinones, A., i, 361.

methyl ethers of hydroxyanthraquinones, A., i, 362. preparation of m-tolylsemicarbazide,

A., i, 383, 949.

1:2:5-trihydroxyanthraquinone, A., i,

dyes from quinolinium compounds, A., i, 548.

2:4-di-imino-6-hydroxy-5:5-dialkylpyrimidines, A., i, 671.

di-iminothiopyrimidine and its alkyl derivatives, A., i, 671.

[azine derivatives of anthraquinone], A., i, 720.

[1:4-dibromo-2-aminoanthraquinone], A., i, 797.

aryl ethers of anthraquinone derivatives, A., i, 797.

2-bromo-a-aminoanthraquinone, A., i,

elimination of the sulpho-group from anthraquinone derivatives, A., i,

compounds of azines of the anthraquinone series [with formaldehyde], A., i, 946.

Farbwerke vorm. Meister, Lucius, & Brüning, o-chloro-m-nitrotolueneω-sulphonic acid, A., i, 124.

aminoacetylcatechol, A., i, 127. dialkyl ethers of anthrachrysone derivatives, A., i, 146.

p-nitrobenzeneazo-o-tolueneneazo- β -

naphthol, A., i, 162. 4:4'-diaminoformyl-(acetyl)-diphenylamine, A., i, 191.

[2:2'-diamino-4:4'-oxalotoluidide], A., i, 249.

Farbwerke vorm. Meister, Lucius, & Brüning, amino-alcohols of the formula C₆H₃(OH)₂·CH(OH)·CH₂·NX₂, A., i, 436.

amino-derivatives of anthraquinone,

A., i, 447.

indophenol derivatives from p-chlorophenol, A., i, 530.

sulphur dye from 2:2'-diamino-4:4'-

oxalotoluidide, A., i, 540.

purification of o-nitrotoluene, A., i,

condensation products of primary aromatic amines with formaldehyde, A., i, 643.

hydroxyanthraquinoneglycollic thraquinoneoxyacetic] acids their esters, A., i, 648.

cyclogeraniolideneacetone, A., i, 653. dinitrodiaminoanthraquinonedioxamic acids, A., i, 653.

1-hydroxyanthraquinone-5-sulphonic acid, A., i, 653.

preparation of o-dimethoxyanthraquinones, A., i, 654.

oxidation of aromatic hydrocarbons by means of cerium peroxide, A., i, 697.

[methoxy-derivatives of anthraquinone], A., i, 709.

[azo-dyes from β -diketones and β ketonic esters], A., i, 723.

tetrazophenolsulphonic acid, A., i,

red sulphur dyes from resorcinol, A., i, 913.

aminoazo-dyes from chlorochromo-

tropic acid, A., i, 953.

Farmer, J. E., J. E. S. Moore, and C. E. Walker, behaviour of leucocytes in malignant growths, A., ii, 845.

Farnsteiner, K., and W. Stüber, composition of orange juice, A., ii, 52.

Farrington, Oliver Cummings, [martite from Mexico], A., ii, 398. the Rodeo meteorite, A., ii, 726.

Faure, J., 4-p-hydroxyphenylsalicylic acid, A., i, 350.

Fawcett, John, and Arthur Edwin Boycott, pseudo-lipæmia, A., ii, 49.

Faworsky, Alexei E., action of potassium hydroxide on mixtures of ketones with phenylacetylene, A., i, 773.

Fawsitt, Charles Edward, the kinetics of chemical changes which are revers-The decomposition of as-dimethylcarbamide, T., 494; P., 115.

Fecht, Hermann, semialdehyde of maleic acid, A., i, 407.

Feder, E., influence of alkaloids on certain processes of oxidation, A., i, 150.

Feder, E. See also Th. Schumacher. Federer, Max. See Carl Neuberg.

Feenstra, Rudolf. See Alfred Werner. Feige, A. See Edouard Urbain.

Feigel, H. See Karl A. Hofmann.

Feist, Franz, and Erich Baum, bromoderivatives of 4-pyrone and the stability of halogen derivatives of 2- and 4pyrones, Λ ., i, 914.

Feit, Wilhelm, terbium, A., ii, 251.

Feit, Wilhelm, and Carl Przibylla, monazite earths, A., ii, 250.

Feldhaus, Julius, quantitative investigation of the distribution of the alkaloids in the organs of Datura Stramonium, A., ii, 648.

Feliciani, C., conductivity of nitrogen dioxide for heat, A., ii, 144.

Felipe, Blas Cabrera, conductivity of sulphuric acid at different tem-

peratures, A., ii, 669. Fellenberg, Theodor von. See Herman Decker.

Fendler, Georg, oil from the seeds of Calophyllum Inophyllum, A., ii, 277.

cachalot oil, A., ii, 491.

Fenton, Henry John Horstman, further studies on dihydroxymaleic acid, T., 804; P., 168.

attempted synthesis of uric acid, A., i, 267.

Ferguson, William Cashman [Augustine], methods employed in preparing the tables of specific gravity of sulphuric, nitric, and hydrochloric acids and ammonia, A., ii, 632.

Fernbach, Auguste, and Jules Wolff, diastasic coagulation of starch, A., i, 164.

analogy between starch coagulated by amylocoagulase and pea starch, A., i, 574.

influence of liquefaction of starch on its transformation by saccharifying diastases, A., i, 624.

Fernbach, Auguste. See also Jules Wolff.

Fernekes, Gustave, action of amalgams on solutions, A., ii, 33.

Fernekes, Gustave, and Arthur A. Koch, volumetric methods for estimating copper, A., ii, 860.

Ferrero, Efisio, and M. Nozari, absorption spectra of solutions of chrome alum, A., ii, 493.

Ferrulli, Felice. See Gaetano Minunni. Fetzer, K. See Edgar Wedekind.

Feyerabend, Reinhard. See Ludwig Claisen.

Fieber, Rudolf, apparatus for testing gases, A., ii, 278. 62

LXXXVIII. ii.

Fierz, Hans Eduard. See MartinOnslow Forster.

Finckh, Karl, determination of chemical equilibrium from explosion processes. I., A., ii, 444.

Findlay, Alexander, viscosity of liquid mixtures at their boiling points, A., ii, 803.

Findlay, Alexander, and FrederickCharles Short, behaviour of solutions of propyl alcohol towards semi-permeable membranes, T., 819; P., 170; discussion, P., 171.

Findlay, Alexander, $\mathbf{a}\mathbf{n}\mathbf{d}$ WilliamErnest Stephen Turner, the influence of the hydroxyl and alkoxyl groups on the velocity of saponification.

Part I., T., 747; P., 127.

Fingerling, Gustav, influence of stimulants on the consumption of food; digestibility and secretion of milk with non-stimulating and normal food, A., ii, 476.

Fingerling, Gustav. See also August Morgen.

See Giuseppe Bruni. Finzi, F.

Finzi, Friedrich, dihydroxydeoxybeuzoins, A., i, 906.

Firma Emanuel Merck. See Merck.

Firth, Robert Hammill, epidemic or bacillary dysentery, A., ii, 50.

Fischer, Arthur, electrolytic estimation and separation of antimony and tin; the trisulphide method for estimating antimony, A., ii, 120.

Fischer, Arthur, and R. J. Boddaert, electrolytic deposition of the more important metals from moving solu-

tions, A., ii, 206.

Fischer, Emil, 5-methylbarbituric acid. A., i, 122.

synthesis of polypeptides. XI., A., i, 688.

synthesis of polypeptides. XIII. Chlorides of amino-acids and polypeptides, and their use as synthetical agents, A., i, 863.

action of hippuryl chloride on polyhydric phenols, A., i, 892.

use of quartz vessels for lecture experi-

ments, A., ii, 20.

Fischer, Emil, and Emil Abderhalden, behaviour of various polypeptides towards the pancreas ferment, A., ii, 333.

Fischer, Emil, and Walter Axhausen, synthesis of polypeptides. XI. Alanylglycine and leucylalanylglycine, A., i,

Fischer, Emil, and Arnold Brunner, synthesis of polypeptides. XI. Leucylglycine and alanyl-leucylglycine, A., i, 690.

Fischer, Emil, and Alfred Dilthey, 5:5-dialkylbarbituric acids and the ureides of the dialkylacetic acids, A., i, 35.

Fischer, Emil, and Karl Kautzsch, synthesis of polypeptides. XII. Alanylalanine and its derivatives, A., i, 637.

Fischer, Emil, and Wilhelm F. Koelker, synthesis of polypeptides. XI. Leucylisoserine, A., i, 692.

Fischer, Emil, and Ernst Koenigs, synthesis of polypeptides. VIII. Chlorides and amides of aspartic acid, A., i, 31.

Fischer, Emil, and Josef von Mering,

veronal, A., ii, 776.

Fischer, Emil, and Karl Raske, synthesis of polypeptides. XI. Derivatives of a-aminobutyric acid, A., i, 693.

transformation of β -vinylacrylic acid into diaminovaleric acid, A., i, 863.

Fischer, Emil, [with Ferd. Reuter], synthesis of polypeptides. IX. Chlorides of the amino-acids and their acyl derivatives, A., i, 263.

Fischer, Emil, and Julius Schmidlin, synthesis of polypeptides. XI. Dipeptides of phenylglycine with glycine, alanine, asparagine, and aspartic acid, A., i, 694.

Fischer, Emil, and Umctaro Suzuki, synthesis of polypeptides. V Derivatives of cystine, A., i, 30.

polypeptides of the diamino-acids, A., i, 121.

cystine, A., ii, 736.

Fischer, Emil, and Otto Warburg, synthesis of polypeptides. XI. Glycylleucine, alanyl-leucine, leucylalanine, glycylalanyl-leucine, and alanylglycine, A., i, 690.

synthesis of polypeptides. XI. Optically active a-bromopropionic acid,

A., i, 692.

Fischer, Franz, transition resistance and polarisation at the aluminium anode, A., ii, 6.

blue aluminium compounds deposited on the aluminium anode, A., ii, 252. action of ultra-violet light on glass, A., ii, 320.

chemical transfer of metallic potentials and the chemical solution pressure of metals, A., ii, 501.

mercury are lamp with quartz jacket suitable for chemical purposes, A., ii, 568.

Fischer, Franz, and Fritz Brachmer, formation of ozone by ultra-violet light, A., ii, 580.

Fischer, Georg. See Otto Ruff. Fischer, Herbert. See Walter Herz. Fischer, Hugo, nitrogen-fixing bacteria, A., ii, 189.

life conditions of nitrogen-fixing bacteria, A., ii, 602.

the condition of living substance, A., ii, 841.

Fischer, Karl, and H. Peyau, Halphen's reaction, A., ii, 213.

Fischer, Martin H., production and inhibition of glycosuria in rabbits by salts, A., ii, 103, 741.

Fischer, Martin H., and Wolfgang Ostwald, physico-chemical theory of fertilisation, A., ii, 329.

Fischer, [Philipp] Otto, and Christian Buck, harmine and harmaline, A., i, 229.

Fischer, Otto, and Eduard Hepp, action of hydroxylamine on aposafranones, A., i, 948.

Fischer, Otto, and Walter Hess, ketonic decomposition of the triphenyl-carbinols, A., i, 205.

Fischer, Otto, [with J. G. Mouson and O. Veiel], benziminazoles and their decomposition, A., i, 245.

Fischer, Theophile, estimation of the halogens in mercury compounds, A., ii, 350.

Fischer, Theophile, and H. von Wartenberg, new oxyhaloids of mercury, A., ii, 456.

Fitzgerald, Mabel Purefoy, and John Scott Haldane, normal alveolar carbon dioxide pressure in man, A., ii, 539.

Flaecher, F. See Ernst Schmidt.
Flamand, Cl., and Bernhardt Prager,
analysis of compounds containing
nitrogen in union with nitrogen by
means of Kjeldahl's method, A., ii,

Flaschner, Otto, action of benzyl chloride and o- and p-nitrobenzyl chlorides on phenylhydrazine and p-bromophenylhydrazine, A., i, 936.
Fleckenstein, A., salt solutions in mix-

Tleekenstein, A., sait solutions in mixtures of alcohol and water, A., ii, 688. Fleischer, Julius, a filter funnel for the estimation of paraffin in mineral oil

distillates, A., ii, 486.

Fleming, John Arnold, and Robert Abbott Hadfield, magnetic qualities of some alloys not containing iron, A., ii, 799.

Fletcher, W. M. See Otto Loewi.

Fleurent, Emile [Charles Albert], estimation of phosphoric acid in food-stuffs, A., ii, 116.

action of various physical and chemical agents on the gluten of wheat flour; estimation of gluten, A., ii, 215. Flexner, Simon, and Hideyo Noguchi, plurality of cytolysins in snake venom, A., ii, 107.

Flora, Charles P., use of the rotating cathode for the estimation of cadmium taken as the sulphate, A., ii, 859.

Floris, Robert Brooke. See George McGowan.

Flürscheim, Bernhard, laws of substitution in aromatic compounds, A., i. 614.

Foerster, Fritz, and Erich Müller, electrolytic formation of chlorates, A., ii, 697

Foerster, Fritz, and Alfred Piguet, electrolysis of potassium acetate, A., i, 111.

Foerster, Fritz. See also Giulio Coffetti. Folin, Otto, normal urine, A., ii, 183. a theory of protein-metabolism, A., ii, 268.

Folin, Otto. See also Carl Luca Alsberg.
Foote, Harry Ward, and I. A. Andrew, acid oxalates of lithium, sodium, potassium, and caesium and their solubility, A., i, 679.

certainalleged double oxalates, A., i, 679.

Forbes, George S. See Theodore William
Richards.

Forch, Carl [Friedrich Otto Hugo], surface tension of inorganic salt solutions, A., ii, 681.

Forcrand, Robert [Hippolyte] de, possibility of chemical reaction, A., ii, 15. prediction of chemical reactions, A., ii, 15.

valency of hydrogen, A., ii, 310.

heat of formation of sodium hydride; acidity of the hydrogen molecule, A., ii, 372.

some properties of the hydrides of the metalloids of the first three families, A., ii, 696.

Ford, John Simpson, and John Monteath Guthrie, the influence of certain amphoteric electrolytes on amylolytic action, P., 296.

malt analysis. II. Estimation of moisture and extract, A., ii, 564.

Formánek, Emanuel, action of formaldehyde on pyridine, A., i, 374.

Formanek, Julius, relations existing between constitution and absorption spectra of the thiazines and thiazones, A., ii, 217.

Forst, Peter von der. See Hermann Grossmann.

Forster, Martin Onslow, studies in the camphane series. Part XVII. Configuration of isonitrosocamphor and its unstable modification, T., 232; P., 22.

Forster, Martin Onslow, and Hans Eduard Fierz, studies in the camphane series. Part XVI. Camphorylcarbimide and isomeric camphorylcarbamides, T., 110; P., 21.

studies in the camphane series. XIX. Camphoryl-ψ-semicarbazide, T., 722; P., 151; discussion, P.,

151.

studies in the camphane series. Part XX. Camphorylazoimide, T., 826; P.**, 1**78.

Forster, Martin Onslow, and (Miss) Hilda Mary Judd, studies in the camphane series. Part XVIII. A new formation of acetylcamphor, T., 368;

Fosse, Robert, and L. Lesage, basicity of pyranic oxygen; halogen double salts of metals and dinaphthapyryl,

A., i, 541.

basicity of pyranic oxygen; double salts of halogen derivatives of dinaphthapyryl and of the metals, A., i, 917.

Fosse, Robert, and A. Robyn, pyranic [xanthyl] phenols, A., i, 607.

Foster, G. W. A., action of the silent discharge on chlorine, A., ii, 449.

Fourneau, Ernest, amino-alcohols; synthetic ephedrines, A., i, 57.

Fourneau, Ernest, and Marc Tiffeneau, aromatic mono-substituted ethylene oxides, A., i, 591.

Fox, John Jacob. See John Theodore Hewitt.

Fraenckel, Paul, concentration of hydrogen ions in pure gastric juice, and its relation to electrical conductivity and acidity; the influence of the alkaline earths on the reaction of animal fluids, A., ii, 403.

Fränkel, Leiba. See Carl Adam Bis-

Fraenkel, W. See Georg Bredig.
Franchimont, Antoine Paul Nicolas,
and H. Friedmann, 2:6-tetramethylpiperidine, A., i, 80.

Francis, Francis Ernest, the action of nitrogen sulphide on organic substances. Part IV:, T., 1836; P., 258.

the preparation and reactions of benzoyl nitrate, P., 302.

François, Maurice, pyridine mercuriiódides, A., i, 373.

iodomercurates and chloroiodomercurate of monomethylamine, A., i, 574.

Frank, Fritz, and Eduard Marckwald, guttapercha-like substance from the resin of the karite tree, A., i, 293.

Frank, Otto, and Adolf Ritter, action of the mucous membrane of the surviving intestine on soaps, fats, and fatty acids, A., ii, 733.

Frank, Paul. See Arthur Rosenheim. Frank, Robert T., electric conductivity of blood during coagulation, A., ii, 835.

Franke. See Friedrich Wilhelm Küster. Franke, Adolf [Emil], and Moritz Kohn, action of organomagnesium compounds on β -hydroxy-aldehydes and on ketoalcohols, A., i, 111.

Frankforter, George Bell, and Francis C. Frary, new forms of lecture and laboratory apparatus, A., ii, 514.

Frankforter, George Bell, and Max Lando, eugenol and certain of its derivatives, A., i, 592. Frankforter, George Bell, and Rodney

West, gasometric estimation of form-

aldehyde, A., ii, 619.

Frankland, (Sir) Edward, obituary notice of, T., 574.

Frankland, Percy Faraday, and Edward Done, the resolution of inactive glyceric acid by fermentation and by brucine, T., 618; P., 132.

Frankland, Percy Faraday, and Norman Leslie Gebhard, the ethereal salts and amide of dimethoxypropionic acid derived from d-glyceric acid, T., 864; P., 189.

Franklin, Edward Curtis, reactions in liquid ammonia, A., ii, 581.

Franklin, Edward Curtis, and Charles August Kraus, electrical conductivity of liquid ammonia solutions. II., A., ii, 298.

Franz, A. See Adolf Pinner.

Franzen, Hartwig, replacement of the hydroxyl group by the hydrazine group, A., i, 244. reduction of oximes and hydrazones

with zinc dust and glacial acetic acid, A., i, 427. reduction of hydrazones in acid solu-

tion, A., i, 830. Franzen, Hartwig, and W. Deibel, reducing action of organo-magnesium compounds, A., i, 843.

Fraps, George Stronach, estimation of sulphates in vegetable products, A., ii, 59.

assimilation of free nitrogen by Bacteria, A., ii, 110.

studies on nitrification, A., ii, 110. composition of rice refuse, A., ii, 114.

Fraps, George Stronach. See also W. A. Withers.

Frary, Francis C. See George Bell Frankforter.

Fraschina, Carlo. See Isaak Berstein. Frassetti, P., ethylene xanthate and ethylene thiocarbonate, A., i, 256.

Frazer, Joseph Christie Whitney. See Harmon Northrup Morse.

Frébault, Aristide, reduction of benzonitrile and p-toluonitrile, A., i, 437. Frébault, Aristide. See also Jules Aloy.

Fredenhagen, Carl, foundations of a general theory of the electrolytic solution tensions of substances in any solvent, A., ii, 686.

Frémont, Ch. See Floris Osmond. Frentzel, L. See Fritz Ullmann.

Frerichs, Gustav, detection of nitric acid by the diphenylamine reaction, A., ii, 282.

Frerichs, Heinrich, volumetric estimation of iodine, A., ii, 281.

Frerichs, Heinrich, and G. Rodenberg. electrolytic estimation of small quantities of arsenic, A., ii, 651.

See Conrad von Seelhorst. Fresenius. Fresenius, Wilhelm, statement of analytical results, A., ii, 197.

Fresenius, Wilhelm, and Leo Grünhut, commercial analysis of formaldehyde, A., ii, 211.

quantitative analysis of some new surgical dressings, A., ii, 211.

Freudenreich, Ed. von, and Johannes Thöni, action of different lactic ferments on cheese ripening, A., ii, 189.

Freund, Martin, thebaine, A., i, 918. Freund, Martin, and Heinrich Beck, a new series of bases derived from dihydroberberine, A., i, 151. action of magnesium benzyl chloride

on crystal-violet, A., i, 159.

Freund, Martin, and Gustav Lebach, indole colouring matters, A., i, 663.

Freund, Martin, and Fritz Mayer, αmethyltetrahydroberberine,

Freund, Martin, [with Edmund Speyer], a method for the preparation of compounds derived from pseudo-bases by the replacement of the hydroxyl group by hydrocarbon residues, A., i, 156.

Freundler, Paul [Théodore], azodiphenylmethane: a correction, A., i, 162.

bromination of paraldehyde, A., i, 569.

Freundler, Paul, and E. Damond, some derivatives of cyclohexane, A., i, 890. Freundler, Paul, and Ledru, bromo-

acetal, A., i, 326. Frevert, Harry Louis. See Gregory

Paul Baxter. Frey, Ernst, gout, A., ii, 742. Freyssinge, L., and Raoul Roche, purification and sterilisation of drinking water by means of calcium peroxide, A., ii, 515.

Fribourg, Ch. See Henri Pellet.

Friedel, Jean, chlorophyllic assimilation in absence of oxygen, A., ii, 191.

Friedenthal, Hans, acidimetry of animal liquids, A., ii, 213.

Friederichs, Wilhelm, absorption spectra of vapours, A., ii, 782.

Friedheim, Carl, so-called solid solutions of indifferent gases in uranium oxides, A., ii, 530.

Friedheim, Carl, O. Decker, and E. Diem, separation of arsenic from vanadium and molybdenum, A., ii, 764.

Friedheim, Carl, and Peter Hasenclever. use of hydroxylamine in quantitative analysis [separation of metals], A., ii, 766.

Friedheim, Carl, William Hope Henderson, and Alfred Pinagel, separation of tungsten trioxide and silicon dioxide by means of hydrogen chloride and the analysis of silicotungstates, A., ii,

Friedheim, Carl, and Ludwig Jacobius. separation of metals by volatilisation in a current of hydrogen chloride, A., ii, 652.

Friedheim, Carl, and Alfred Pinagel. supposed volatility of silicon dioxide at the moment of its liberation by strong acids, A., ii, 584.

Friedländer, Conrad, 4-stilbazole, A., i, 232.

4-stilbazole and 3'-nitro-4-stilbazole, A., i, 818.

action of 5-methylacridine on benzaldehyde and m-nitrobenzaldehyde. A., i, 829.

Friedländer, Paul, and FerdinandMauthner, sulphur dyes, A., i, 102. See Antoine Paul

Friedmann, H. Nicolas Franchimont.

Friedrichs. See Greiner.

Friend, John Albert Newton, estimation of potassium permanganate in the presence of potassium persulphate, T., 738; P., 133. estimation of hydrogen peroxide in

the presence of potassium persulphate, T., 1367; P., 185.

Frisbie, W. S. See George Henry Alexander Clowes.

Frischmuth, Paul. See Conrad Willgerodt.

Frisell, Gunnar. See Hans Rupe.

Friswell, Richard John, an improved Kipp's apparatus, A., ii, 20. Fritsch, Rodolfo. See Eduard Lippmann. Fritzsche, W. See Otto Wallach.

Fröhlich, Alfred, the Munchi arrow poison, A., ii, 411.

Fröhlich, Emanuel. See Edgar Wedekind.

Frohlich, Emil.See CarlAdamBischoff.

Froehner, A., analysis of wine vinegar, A., ii, 360.

Fromme, Albert, a fat-hydrolysing ferment from the mucous membrane of the stomach, A., ii, 731.

Wilhelm. See Wilhelm Frommel, Steinkopf.

Frossard, Jos. See Luc. Baumann.

Fuchs, Charles. See Paul Thiébaud Muller.

Fuchs, Willy. See Leopold Nathan.

Fühner, Hermann, thalleioquinine reaction of quinine and Jaffé's kynurenic acid reaction, A., i, 828. the action of alcohols on echinoderm eggs, A., ii, 49.

Fürth, Otto von, oxidation of albumins, A., i, 497.

Funaro, Angiolo, and I. Barboni, lecithin in wine, A., ii, 275.

Funk, Casimir, and Stanislaus von Kostanecki, 2-methoxystilbene, A., i,

G.

Gabriel, Siegmund, phthalonimide and o-phenylenediamine, A., i, 97. amino-derivatives of pyrimidine, A., i, 244.

aminoacetone, A., i, 265.

isocysteine and isocystine, A., i, 265. γ-nitropropylphthalimide, A., i, 441.

bromodihydrouraeil, A., i, 481. derivatives of \$\beta\$-aminoethyl and of \$\alpha\$aminopropyl alcohols, A., i, 649.

nitroso-derivatives \mathbf{of} oxygenated imino-compounds, A., i, 650. diaminoethyl ether, A., i, 862.

Gabriel, Siegmund, and James Colman, quinazoline. III., A., i, 944. Gabritschewski, V., electrical radio-

graphy, A., ii, 218.

Gadais, L., and J. Gadais, detection and estimation of lead in cream of tartar, A., ii, 357.

Gadamer, Johannes [Georg], action of amyl alcohol on chloral ethyl-alcoholate, A., i, 326.

constitution of ψ -ammonium bases with reference to the alkaloids and the products these yield by transformation, A., i, 368.

berberine, A., i, 369.

Gadamer, Johannes [Georg], condensation of ψ-ammonium bases with hydroxylamine and p-dimethylaminoaniline, A., i, 383.

Corydalis alkaloids, A., i, 462; ii, 411.

Ferdinand. See HansGademann, Stobbe.

HermanGadomska, Stephani. See Decker.

Gartner, Richard. See Ludwig Claisen. Gärtner, Simon, chloralamino-com-

pounds. II., A., i, 130.

Gage, Stephen de M., contribution to the biochemistry of sewage purification; the bacteriolysis of peptones and nitrates, A., ii, 474.

Gahl, Willi. See Wilhelm Biltz. Gahrtz, G. See Walther Borsche.

Gaillard, Gaston, time interval before precipitation is observed in thiosulphate solutions, A., ii, 241.

Galeotti, Gino, equilibrium between proteids and electrolytes. I. Equilibrium in the system, egg-albumin, ammonium sulphate, and water, A., ii, 512.

Gallo, Gino, electrochemical equivalent of tellurium, A., ii, 242.

Ganassini, Domenico, toxicological detection of hydrocyanic acid, A., ii, 867.

Ganghofer, August. See Carl Bülow. Ganguli, Atul Chandra. See Prafulla Chandra Rây.

Gans, J. See Ludwig Vanino.

Gardner, John Addyman, the bromoderivatives of camphopyric acid, T., 1516; P., 230.

Garner, James Bert., certain reactions of benzoin, A., i, 143.

Garnett, J. C. Maxwell, colours in metal glasses, in metallic films, and in metallic solutions. II., A., ii, 783.

Garrey, Walter E., twitchings of skeletal muscles produced by salt solutions, A., ii, 334.

Gaudechon. See Marcellin Berthelot.

Gaunt, Rufus, estimation of alcohol in aqueous solutions by the freezing point, A., ii, 288.

Gautié, Albert, estimation of Bacillus coli in potable waters, A., ii, 660.

Gawalowski, A., elaidin and elaidic acid, A., i, 318.

nicotine camphorate, A., i, 371.

inadmissibility of soap for estimating hardness of ferruginous water, A.,

behaviour of hydrofluosilicic acid with various reagents, A., ii, 387.

"aluminium carbonicum," A., ii, 713.

Gaze, Rudolf, urea, A., ii, 277.

Gebhard, Norman Leslie. See Percy Faraday Frankland.

Gedel, L., iron sulphides and the purification of coal gas from hydrogen sulphide, A., ii, 714.

Gee, W. W. Haldane, use of balanced electrodes, A., ii, 670.

Geerligs, H. C. Prinsen, green colour of kajeput oil, A., i, 223.

influence of sodium salts in the soil on the composition of sugar-cane, A., ii, 346.

Geest, J., magnetic double refraction of sodium vapour, A., ii, 621.

Geffcken, Gustav, solubility of lithium carbonate in solutions of salts of the alkali metals, Λ., ii, 247.

Geibel, W. See Friedrich Wilhelm Küster.

Geisel, Emil. See Otto Ruff.

Gelmo, P., and Wilhelm Suida, process of dyeing animal textile fibres, A., i, 714.

Gelstharp, F., electrolytic recovery of tin, A., ii, 168.

Gentsch, Curt, crystalline double compounds of phenols with alkali phenoxides, A., i, 341.

Georgievics, Georg [Cornelius Theodor] von, ketonic fission of carbinols, A., i, 357.

connection between the constitution and the colour and dyeing power with mordants of the hydroxyanthraquinones and their sulphonic acids, A., i, 447.

Gerasimoff, Dmitrij G., affinity of alkali oxides towards various anhydrides, A., ii, 85.

Gerb, Ludwig, compounds of tervalent cobalt with ethylenediamine, A., i, 328.

Gerlach, Max, and Ignaz Vogel, ammoniacal nitrogen as plant food, A., ii, 346.

Gernez, Désiré [Jean Baptiste], the light emitted by crystals of arsenious oxide, A., ii, 365.

triboluminescence of potassium sulphate, A., ii, 430.

triboluminescence of metallic compounds, A., ii, 431.

Gerngross, Otto, 5-methylpyrimidine,

A., i, 942. a synthesis of thymine, A., i, 943.

Gibbs, Harry Drake, boiling points of ammonia, methylamine, methyl chloride, and sulphur dioxide, A., ii, 570.

Gibson, James A. See Hans H. Pringsheim.

Gies, William John, cage for metabolism experiments, A., ii, 839.

Gies, William John. See also Gustave M. Meyer and E. R. Posner.

Giesecke, E. See Walter Cronheim.

Giesel, Friedrich Oscar, occurrence of radium and of radioactive noble earths in Fango mud and soil from Capri, A., ii, 132.

emanium, A., ii, 220.

simple recognition of helium from radium bromide, A., ii, 496.

"thorium activity" of monazite, A., ii, 498.

Gilchrist, Lachlan, electrolysis of acid solutions of aniline, A., i, 45.

Giles, William Brantingham, estimation and separation of thoria from the oxides of the yttrium-cerium group, A., ii, 615.

Gin, Gustav, preparation of iron phosphide from calcium phosphate, A., ii, 92.

Giolitti, Federico, dilatometric measurements of tautomeric substances, A., ii, 12.

normal basicity of alkali periodates, A., ii, 311.

conditions of stability of certain suspensions, A., ii, 823.

properties of ammonium uranate, A., ii, 861.

Giolitti, Federico, and Giovanni Agamennone, oxyfluoride of uranium, A., ii, 255.

Giolitti, Federico, and G. Bucci, equilibrium phenomena with the hydrates of uranous sulphate. II. Octahydrate and tetrahydrate of uranous sulphate, A., ii, 827.

equilibrium phenomena with the hydrates of uranous sulphate. I. Properties of uranous sulphate, A., ii, 827.

Giolitti, Federico, and V. Vecchiarelli, double carbonate of uranyl and ammonium, A., ii, 826.

Giran, Henri, combustion of sulphur in the calorimetric bomb, A., ii, 76, 505.

Girard, Charles, and E. Rousseaux, fertilising principles required by the tobacco plant, A., ii, 345.

Girard, Max. See Herman Decker. Givaudan, Léon. See Rudolf Barge.

Gladstone, John Hall, obituary notice of, T., 591.

Glasmann, Boris, reduction of molybdenum compounds in sulphuric acid solution by magnesium, A., ii, 168.

combined oxidimetric method for the estimation of molybdenum trioxide and vanadium pentoxide in presence of one another, A., ii, 208.

- Glasmann, Boris, new iodometric estimation of alkali heptamolybdates, A., ii, 209.
- Glatzel, Emanuel, normal sodium thiophosphate, containing water crystallisation, A., ii, 318.

Glimm, E., estimation of nitrogen in barley, A., ii, 201.

Gnehm, Robert, benzylethylaniline, A., i, 273.

Gnehm, Robert, and Leo Bauer, oxazones, A., i, 831.

Gnehm, Robert, and Felix Kaufler. estimation of methyl alcohol in formaldehyde, A., ii, 209.

Gnehm, Robert, jun. See Carl Graebe. Gnesotto, T., and G. Crestani, specific rotatory power of nicotine dissolved in mixtures of water and ethyl alcohol, A., ii, 130.

Godchot, Marcel, oxidation products of octahydroanthracene, A., i, 201.

Godchot, Marcel. See also Emile Jungfleisch.

Godefroy, L. See Eugène Varenne. Godlewski, T., actinium and its successive products, A., ii, 497.

some radioactive properties of uranium, A., ii, 498.

absorption of the β - and γ -rays of actinium, A., ii, 666.

Godlewsky, J. O., cyclene bromide (solid pinene bromide), A., i, 654.

Goebel, J. B., more exact equation of condition for gases. III., A., ii, 149.

modification of van't Hoff's theory of the depression of the freezing point, A., ii, 679.

Gössel, Fr., importance of calcium and magnesium salts for plants, A., ii, 51.

Goetzl, Alberto, estimation of sulphur in liquid fuel and in petroleum, A., ii, 761.

Goguelia, G. See H. Cantoni.

Goldberg, Irma, a new preparation of

alphylthiosalicylic acids, A., i, 59.

Goldmann, H., J. Hepter, and Leon

Marchlewski, colouring matter of
blood. V., A., i, 725.

Goldmann, H., and Leon Marchlewski, colouring matter of blood. IV., A., i, 399.

Goldmann, Reszö. See Iwan Koppel. Goldschmidt, Carl, estimation of formaldehyde, A., ii, 867.

Goldschmidt, E. See Ernst Cohen.

Goldschmidt, Heinrich, desmotropic compounds, A., i, 249.

phenylcarbimide as a reagent for determining the constitution of tautomeric compounds, A., i, 340.

Goldschmidt, Heinrich, hydrolysis of esters in heterogeneous systems, A., ii, 578.

kinetic study of organic reactions, A., ii, 691.

Goldschmidt, Heinrich, and Oscar Löw-Beer, hydroxyazo-compounds, A., i, 389.

Goldschmiedt, Guido, products of the condensation of o-aldehydocarboxylic acids, A., i, 527.

ellagic acid, A., i, 900.

Goldschmiedt, Guido, and Alfred Lipschitz, isomeric esters of o-keto-acids, A., i, 132.

Goldthwait, J. E., C. F. Painter, R. B. Osgood, and Francis H. McCrudden. metabolism in osteomalacia, A., ii,

Goleff, F. See Wladimir G. Schaposchnikoff.

Goll, Georg. See Arnold Reissert.

Golubeff, P., crystalline products of the ethereal oil of the Siberian fir, A., i, 74.

Gomberg, Moses, and Lee Holt Cone, triphenylmethyl. XI. and XII., A. i, 426, 641.

Gomberg, Moses. See also Nelson Elbridge Tousley.

Gonder, K. L. See Karl A. Hofmann. Frank Austin, handling of precipitates for solution and reprecipitation, A., ii, 608.

Goodall, Alexander, and Diarmid Noël Paton, digestive leucocytosis. The source of the leucocytes, A., ii, 742.

Goodall, Alexander. See also George $Lovel \dot{l}$ Gulland.

Goodwin, William, and William Henry Perkin, jun., the reduction of iso-phthalic acid. Part II., T., 841; P., 187.

Gordan, P., is hydrogen peroxide suitable for sterilising milk ? A., ii, 108.

Gordin, Harry Mann, crystalline alkaloid of Calycanthus glaucus, A., i, 295. Gore, Herbert C. See Willard Dell

Bigelow. Gorhan, Adolf, condensation of n-butaldehyde by means of dilute sulphuric acid, A., i, 171.

Gorni, Felice, detection of salicylic acid

in foods, A., ii, 658. Gortner, Ross A. See Frederick Jacob Alway.

Goske, Adolf, the turmeric reaction for

boric acid, A., ii, 764. Goslings, N., hydrogen sulphide microbes in mineral waters, A., ii, 108.

Gottlieb, B. N., estimation of sulphur in roasted pyrites, A., ii, 552.

See Friedrich Kehr-Gottrau, H. de. mann.

Goulding, Ernest. See Wyndham Rowland Dunstan.

Graaff, W. C. de, formation of lactosazone, A., ii, 559.

diphenylhydrazine as a reagent for lactose, A., ii, 866.

Graebe, Carl, conversion of nitronaphthalenes into nitroso-derivatives of naphthol, A., i, 54.

derivatives of chrysene, A., i, 82. alizarin dimethyl ether, A., i, 219.

esterification by means of methyl sulphate, A., i, 678.

formation of aromatic methoxy-acids and of anisole, A., i, 699.

naphthoylbenzoic acids, A., i, 704.

Graebe, Carl, and Robert Gnehm, jun., chrysodiphenic acid [2-phenylnaphthalene-1:2'-dicarboxylic acid], A., i, 60.

Graebe, Carl, and Hans Hess, pyrogallol 1:3-dimethyl ether and 2:6-dimethoxybenzoquinone, A., i, 698.

Graebe, Carl, and Ernst Martz, methyl quinolcarboxylic, protoethers of catechuic, and gallic acids, A., i, 702.

Graebe, Carl, and Adam Oser, 5:4- and 8:4-nitronitroso-α-naphthols, A., i, 54. Graebe, Carl, and Walter Peter, tetra-

chloro- and dichloro-naphthoylbenzoic

acids, A., i, 704.

Graebe, Carl, and Moritz Suter, transformation of trimethylgallic acid and trimethylpyrogallolcarboxylic acid into derivatives of pyrogallol trimethyl ether, antiarol, and hexamethoxydiphenyl, A., i, 703.

Graf, Wilhelm. See Arthur Hantzsch.

Grafe, Viktor, lignin, A., i, 22.

Graham, J. C., diffusion of salts in solution, A., ii, 147.
Graham, R. P. D., the properties of the crystals of trans-bromocamphopyric acid and of bromocamphopyric anhydride, T., 1525.

Granderye, Léon Maurice. See Alfred Guyot.

Granger, Albert [Alexandre], properties of tungsten trioxide as a ceramic colouring matter, A., ii, 325.

Grassi, Ugo, diffusion of one electrolyte in presence of another with a common ion, A.. ii, 8.

increase of the conductivity of water by radium emanations, A., ii, 793.

Graton, Louis Caryl, and Waldemar T. Schaller, purpurite, a new mineral, A., ii, 724.

Gray, George, retrogression of soluble phosphates in mixed manures, A., ii, 855.

Gray, Robert Whytlaw, the atomic weight of nitrogen, T., 1601; P., 156.

Gray, Thomas, high temperature measurements, A., ii, 141.

Green, Arthur George, constitution of cellulose. II., A., i, 22.
Gregory, A. W., quick method for the

valuation of fluorspar, A., ii, 856.

Greinacher, Heinrich, decay of the radioactivity of radiotellurium, A., ii, 623.

Greinacher, Heinrich. See also Willy Marckwald.

Greiner and Friedrichs, new automatic pipettes, A., ii, 349.

Greshoff, Maurits, amount of hydrogen cyanide in the seeds of Gynocardia odorata, A., ii, 276.

Grewe, Adolf. See Eberhard Rimbach. Griffin, Roger Castle. See Gregory Paul Baxter.

Griffiths, Arthur Bower, composition of certain invertebrate pigments, A., i, 293.

chemistry of invertebrate muscle, A., ii, **3**35.

Griffon, Ed., chlorophyllous assimilation in young shoots of plants; application to the vine, A., ii, 475.

Grignard, Victor, synthesis of monohydric and polyhydric alcohols, A., i, 593.

Grigoréeff, Alexci V., destruction of organic matters in toxicological investigations, A., ii, 354.

Grimal, Emilien, essential oil of the wood of Thuya articulata of Algeria, A., i, 148.

Grimbert, Léon [Louis], urinary indoxyl, A., ii, 48.

Grimsehl, [Carl] Ernst [Heinrich], new apparatus for the determination of vapour density, A., ii, 442.

two manometers of great sensitiveness for small pressures, and a gas balance,

A., ii, 809.

Grindley, Harry Sands, and A. D. Emmett, chemistry of flesh. II., A., ii, 542.

Grindley, Harry Sands. See also A. D. \mathbf{Emmett} .

Gröger, Maximilian, manganese chromates, A., ii, 392.

estimation of manganese in the presence of chromium, A., ii, 766.

Grombach, Ad. See Hugo Kauffmann. Gross, Theodor, decomposition of silicon,

A., ii, 816.

Grosser, Paul, indole and scatole in the organism, A., ii, 470.

See also Carl Neu-Grosser, Paul. berg.

Grossmann, Hermann, action of inorganic compounds on optically active polyhydric alcohols and acids, A., i, 415.

action of lead and bismuth salts on the rotatory power of sugars, polyhydric alcohols, and hydroxy-acids. II., A., i, 861.

formation of complex compounds with mercury thiocyanate, A., ii, 249.

evaluation of sodium peroxide, A., ii,

separation of thorium from the cerite earths by means of normal sodium sulphite, A., ii, 326.

Grossmann, Hermann, and Peter von der Forst, copper double cyanides, A., i, 179.

Grossmann, Hermann. See also Georg Lunge.

Grossmann, Jacob, preparation of alkali nitrites, A., ii, 819.

Grossmann, Joseph, peptic digestion products of plasteins, A., ii, 99.

the relationship of the peptic digestion products of plasteins to liver, muscles, and other organs. II., A., ii, 838.

Grossmann's Cyanide Patents Syndicate, preparation of cyanides from ferrocyanides, A., i, 123.

Grout, Frank F., plasticity of clays, A., ii, 713.

Grube, Georg, alloys of magnesium and lead, A., ii, 320.

magnesium aluminium alloys, A., ii, 523. alloys of magnesium with tin and

thallium, A., ii, 636.

Grube, Karl, glycogen, A., ii, 334.

Grün, Adolf, synthesis of fats, A., i, 562.

Grün, Adolf. See also Alfred Werner. Grünhut, Leo. See Wilhelm Fresenius.

Grüters, Max. See Friedrich Wilhelm Küster.

Grützner, Paul [Friedrich Ferdinand], gastric digestion, A., ii, 269.

Grützner, Paul, and Hans Breyer, action of monatomic alcohols on simple organs, A., ii, 105.

Gryns, G., Koeppe's hypothesis of the nature of the red blood corpuscles, A., ii, 729.

Guareschi, Icilio, [and, in part, with Adalberto Pasquali, Galeazzo Piccinini, Giovanni Issoglio, and Enrico Quenda], synthesis of pyridine compounds from B-keto-esters and ethyl. cyanoacetate in presence of ammonia or amines. II., A., i, 821.

Guédras, Marcel P. S., esterification of glycerol, A., i, 404.

calcium carbide as an explosive in mining operations, A., ii, 87.

Guende, (Mlle.) Bl. See Alexandre Des-

Guenther, A. E., action of salts on skeletal and heart muscle, A., ii, 545.

Guérin, F. Gabriel, colour reactions for alcohols (excepting methyl and ethyl) and for compounds of alcoholic function or hydroxylic compounds, A., ii, 209.

Guertler, W., and Gustav Tammann, alloys of cobalt and nickel, A., ii, 92. alloys of nickel and of cobalt with iron, A., ii, 528.

Guidi, G. B. See E. Baroni. Guignard, L., compound which yields hydrogen cyanide in Sambucus nigra, A., ii, 604.

existence in red-currants of a compound yielding hydrogen cyanide, A., ii, 752.

Guignard, L., and Jules Houdas, nature of the cyanogenetic glucoside of the clder, A., ii, 648.

Guigues, P., scammony resins, A., i, 803.

quinine salts and ammonium salts, A., i, 811.

Guillemard, H., action of aniline on ethylcarbylamine dibromide, A., i, 518.

Guillemard, H., and P. Vranceano, toxicity of urinary alkaloids, A., ii,

Guillet, Léon, tempering of bronzes, A., ii, 168.

constitution and properties of aluminium steels, A., ii, 526.

constitution and properties of tin, titanium, and cobalt steels, A., ii, 527.

properties, analysis, and classification of ternary steels, A., ii, 590.

alloys of copper and aluminium, A., ii, 712.

Guinchant, Joseph, luminescence arsenious oxide, A., ii, 366. triboluminescence of arsenious oxide,

A., ii, 366. Gulewitsch, Wladimir von, and R.

Krimberg, substances extracted from muscle. II. Carnitine, A., i, 726. Gulland, George Lovell, and Alexander Goodall, pernicious anæmia, A., ii,

102.Gullbring, Alf., the taurocholeic acid of ox bile, A., ii, 737.

Gumpert, E., assimilation of nitrogen, phosphorus, calcium, and magnesium in man, A., ii, 840.

Gumperz, Alfred. See Ivan Koppel and Richard Josef Mever.

Gundry, Philip George, mean potential at electrodes under the action of alternating currents, A., ii, 668.

Guntz, Antoine [Nicolas], preparation of

barium, A., ii, 87.

Guntz, Antoine, and Henry Bassett, jun., heat of formation of the hydride and nitride of calcium, A., ii, 300.

Gurewitsch, Ch. See Michael I. Konowaloff.

Gustavson. Gabriel, compounds hydrogen chloride, hydrocarbons, and aluminium chloride ferments which are formed in Friedel and Craft's synthesis of benzene homologues, A., i, 334, 696.

Gutbier, Alexander, double salts of palladous chloride and bromide, A.,

derivatives of palladosammine chloride and bromide, A., i, 584. colloidal tellurium. IV., A., ii, 24.

estimation of tellurium, A., ii, 116.

gravimetric estimation of nitric acid by means of nitron [1:4-diphenyl-3:5-endoanilodihydrotriazole], A., ii,

Gutbier, Alexander, and Gustav Hofmeier, inorganic colloids, A., ii, 327.

colloidal metals of the platinum series. I., A., ii, 396, 533.

colloidal silver, A., ii, 452.

Gutbier, Alexander, and A. Krell, halogen derivatives of palladium, A., ii, 534.

Gutbier, Alexander, [with A. Krell and R. L. Janssen], palladium [compounds of amines with palladous halides], A., i, 876.

Gutbier, Alexander, and Johann Lohmann, action of hydrogen sulphide on selenious acid. I. Sensitiveness of selenium sulphide towards light, A., ii, 84.

action of hydrogen sulphide on selenious acid. II. Selenium sulphide,

A., ii, 241.

nitroxyl chloride, A., ii, 243.

Gutbier, Alexander, and F. Ransohoff, compounds of ruthenium with oxygen, A., ii, 534.

Gutbier, Alexander, and Friedrich Resenscheck, action of hydrogen peroxide on tellurium, A., ii, 24.

iodometric estimation of telluric acid,

A., ii, 116.

Gutbier, Alexander, and Carl Trenkner, halogen compounds of ruthenium, A., ii, 463.

Gutbier, Alexander, and Walter Wagenknecht, Frerich's estimation of tellurium, A., ii, 201.

Guthrie, Charles Claude. See Orville H. Brown.

Guthrie, Frederick Bickell, and R. Helms, pot experiments to determine the limits of endurance of different farmcrops for certain injurious substances, A., ii, 755.

Guthrie, John Montcath. See John

Simpson Ford.

Gutmann, August, reduction of tetrathionates to sulphites by arsenite and stannite, A., ii, 384.

reduction of trithionates to sulphites by arsenites and stannites, A., ii,

Guttmann, Leo Frank, the determination of melting points at low temperatures, T., 1037; P., 206.

Gutzeit, Abraham, and Stanislaus von Kostanecki, 3'-hydroxyflavonol, A., i,

Guye, Charles Eugène, and H. Guye, disruptive discharge in gases at high pressures, A., ii, 668.

Guye, Charles Eugène, and A. Schidlof, magnetic hysteresis at high frequencies, A., ii, 228.

Guye, Philippe A[uguste], calculation of the exact molecular weights of the easily liquefiable gases from their densities; atomic weights of hydrogen, nitrogen, argon, chlorine, sulphur, and carbon, A., ii, 442.

atomic weight of nitrogen deduced from the ratio of the densities of nitrogen and oxygen, A., ii, 442.

Guye, Philippe A., and Stefan Bogdan, determination of the atomic weight of nitrogen; gravimetric analysis of nitrous oxide, A., ii, 702.

Guye, Philippe A., and Alexandre Pintza, densities of carbon dioxide, Alexandreammonia, and nitrous oxide, A., ii, 506.

Guye, Philippe A. See also Jules Bolle. Guyot, Alfred, and J. Catel, derivatives of dihydroisobenzofuran, A., i, 226,

synthesis in the anthracene series; condensation of dihydroisobenzofuran derivatives into 9:10-substituted anthracene derivatives, A., i, 516.

Guyot, Alfred, and Léon MauriceĞranderye, amino-derivatives phenyldiphenylenemethane and the corresponding carbinol, A., i, 248.

Guyot, Alfred, and Ch. Staehling, ysubstituted anthracene derivatives, A.,

i, 885.

Guyot, Alfred. See also Albin Haller. Gwyer, Alfred G. C. See Morris William Travers.

H.

Haagn, Ernst, mercury arc lamp in vessels of fused silica, A., ii, 798.

Haane, Gunnar. See F. Bengen.

Haars, Otto, alkaloids of the subaërial parts of Corydalis cava and Corydalis solida, A., i, 462.

constitution of corydaline, A., i, 462.

Haas, Ferdinand. See Richard An-

schütz.

Haas, Gustav. See Alfred Einhorn.

Haber, Fritz, and Alexander Moser, generator gas- and carbon-cells, A., ii, 667.

Haber, Fritz, and Gabriel van Oordt, formation of ammonia from its elements, A., ii, 159, 384, 814.

Habermann, Josef, experimental demonstration of the indestructivility of matter and of the law of multiple proportions; structure of the Bunsen flame; two alloys, A., ii, 693.

Hac, R. See Jar. Milbauer.

Hackspill, L., preparation of rubidium and easium, A., ii, 585.

Hadfield, Robert Abbott. See William Fletcher Barrett, (Sir) James Dewar, and John Arnold Fleming.

Hällström, Joh. A. af., nuclear synthetical equilibrium between phenols, bicarbonates, and phenolcarboxylic acids in aqueous solution, A., ii, 511.

Häse, G. See Carl Liebermann.

Haeussermann, Carl, acetylcelluloses, A., i, 574.

Hahn, Albert W. See Henry Clapp Sherman.

Hahn, Oskar, a new radioactive element which emits thorium radiation, A., ii, 432, 789.

Hahn, Oskar, and Otto Sackur, the degradation constant of the emanations from emanium and actinium, A., ii, 432.

Hahn, Wilhelm. See August Michaelis. Hakanson, G. See C. Hartwich.

Hake, Cecil Napier, and Reginald J. Lewis, formation of sulphuric esters in the nitration of cellulose and their influence on stability, A., i, 512.

Hald, P. Teteus, action of potassium salts on the circulatory organs, A., ii,

Haldane, John Scott, and J. G. Priestley, regulation of lung ventilation, A., ii, 400.

Haldane, John Scott. See also Arthur Edwin Boycott and Mabel Purefoy Fitzgerald.

Hale, C. F. See Walter Parke Bradley.

Hale, William Jay. See Henry Barker Hill.

Hall, Elliot S. See Alexander Smith.Hall, Roy D., and Edgar Fahs Smith, columbium, A., ii, 829.

Hall, Roy D. See also Edgar Fahs Smith.

Hallensleben, Richard. See Adolf von Baeyer.

Haller, Albin, the 1-methyl-4-alkyl-3-cyclohexanones and the corresponding phenols, homologues and menthone and menthol, A., i, 214.

camphoracetic and \$\beta\$-camphorpropionic acids, A., i, 601.

alkylthujones and compounds of thujone (tanacetone) with aldehydes, A., i, 602.

Haller, Albin, and Gustave Blanc, mixed derivatives of d-camphoric acid and \$\mathcal{\beta}\$-campholide, A., i, 858.

Haller, Albin, and A. Couréménos, cyanocamphoracetic, α-cyanocamphorpopropionic, and α-cyanocamphorisobutyric acids and their principal derivatives, A., i, 533.

Haller, Albin, and Marcel Desfontaines, increase in the rotatory power of aliphatic compounds on transformation into cyclic compounds, A., ii, 429.

Haller, Albin, and Alfred Guyot, syntheses in the anthracene series. III. 9:9:10:10-Tetraphenyldihydroanthracene and its derivatives, A., i, 188.

syntheses in the anthracene series. IV. Tetra-alkyl derivatives of 9:10-diaminodiphenyl-9:10-diphenyldihydroanthracene, A., i, 270.

Haller, Albin, and François March, a new method of synthesising alkyl derivatives of certain saturated cyclic alcohols; preparation of homologues of menthol, A., i, 276.

4-benzyl-1-methyl-3-cyclohexanol and 2:4-dibenzyl-1-methyl-3-cyclohexanol, A., i, 276.

action of aromatic aldehydes on sodium 1-methyl-3-cyclohexanoxide, A., i, 771.

Haller, Albin, and Camille Martine, a synthesis of menthone and menthol, A., i, 220.

menthones and menthols obtained by the catalytic reduction of pulegone with metallic nickel, A., i, 533. Haller, Albin, and Paul Thiébaud Muller, constitution of sodium salts of certain acids containing a methylene or methinene grouping; alkyl cyanoacetates, acylcyanoacetates, malonates, and cyanomalonates; malononitrile and cyanocamphor, A., i, 112.

Halliburton, William Dobinson, effect on blood pressure of polypeptides, A.,

ii, 265.

Halphen, Georges, colour reaction of cotton seed oil, A., ii, 125.

detection of linseed oil in nut oil, A., ii, 560.

detection of olive oil which has been extracted by means of carbon disulphide, A., ii, 619.

Ham, Charles Edward, and Hermann Baleau, effect of acids on blood, A., ii,

402.

Ham, Charles Edward, and Leonard Erskine Hill, estimation of the gas set free in the body after rapid decompression from high atmospheric pressures, A., ii, 728.

oxygen inhalation as a means of preventing caisson and divers' sickness,

A., ii, 728.

effect of increased carbon dioxide tension, together with increased atmospheric pressure, A., ii, 728.

Hamann, Georg. See Paul Wagner.

Hamburger, Friedrich, and A. von Reuss, action of unaltered proteid solutions on the leucocytes, A., ii, 744.

Hammarsten, Olof, preparation of crystallised taurocholic acid, A., i, 33. chemistry of fishes' eggs, A., ii, 727.

Hamonet, (l'Abbe) Jules Léandre, normal diprimary glycols. I. Tetramethyl-

ene glycol, A., i, 403.

nthesis of diprimary substances,
higher homologues of trimethylene synthesis derivatives, ethers, dihalogenated derivatives, glycols, &c., by the action of bromomethyl ethers of magnesium derivatives of bromo-(or iodo-) ethers of the $RO(CH_2)_nMgBr$, A., i, 403.

syntheses in the pentamethylene series.

A., i, 403.

hexamethylene glycol and its derivatives, A., i, 403.

Hand, Adolf, cyanide mud, A., i, 696. Hansen, C. See Valdemar Henriques. Hansen, Emil Chr., occurrence in soil of Fungi causing alcohol fermentation, A., ii, 548.

Hantzsch, Arthur [Rudolf], the constitution and colour of diazo- and azocompounds, P., 289.

Hantzsch, Arthur [Rudolf], nomenclature of compounds of variable constitution, A., i, 317.

action of hydroxylamine on ethyl isonitrosoacetoacetate, A., i, 408.

constitution of ammonium salts, A., i,

oxonium and ammonium salts, A., i, 605.

normal diazoxides as primary products of the interaction of nitrosobenzenes and hydroxylamine, A., i, 617.

molecular weight of salts in indifferent

solvents, A., ii, 305. constitution of some nitrogen sulph-

onic acids, A., ii, 313. constitution of Fremy's sulphazilate and of Pelouze's nitrosulphate, A., ii, 699.

Hantzsch, Arthur, and Hugo Bauer, [with Friedrich Hofmann], cyanuric acid derivatives, A., i, 330.

Hantzsch, Arthur, and Wilhelm Graf,

additive compounds of tertiary amines, A., i, 575.

Hantzsch, Arthur, [with Friedrich Hofmann and Martin Lehmann], cyamelide, A., i, 331.

Hantzsch, Arthur, and Bernhard C. Stuer, new products from the action of ammonia on sulphuryl chloride, A., ii, 312.

Hantzsch, Arthur, and Kenworthy J. Thompson, isomerism of the so-called ethyl benzeneazocyanoacetates, A., i, 615.

See also S. M. Hantzsch. Arthur. Auld.

Harden, Arthur, zymase and alcoholic fermentation, A., ii, 275.

action of dextrose on the lactosefermenting organisms of fæces, A., ii, 748.

Harden, Arthur, and William John Young, the influence of phosphates on the fermentation of glucose by yeast juice. Preliminary communication, P., 189.

the alcoholic ferment of yeast juice, A., ii, 109.

Hardenbergh, H. See Henry Augustus

Hári, Paul, a new nitrogenous constituent of normal human urine, A., ii, 842.

Harker, John Allen, specific heat of iron at high temperatures, A., ii, 674.

new type of electric furnace, with a redetermination of the melting point of platinum, A., ii, 798.

Harpf, August, solubility of sulphur dioxide in water, A., ii, 383.

Harries, Carl Dietrich, varieties of caoutchouc; Weber's dinitro-caoutchouc, A., i, 223.

caoutchoue; decomposition and constitution of Para-caoutchoue, A., i, 364.

Harries, Carl Dietrich; and Manuel Johnson, transformation of carvone into α-phellandrene, A., i, 535.

Harries, Carl Dietrich, and Hans Türk, methylglyoxal and mesoxaldialdehyde, A., i, 413.

Harrington, Bernard James, modification of Victor Meyer's apparatus for the determination of vapour densities, A., ii, 676.

Harris, Isaac Foust. See Thomas Burr Osborne.

Harrison, William Sandilands. See William Boog Leishman.

Harry, Frederick Thomas, and William Rest Mummery, colorimetric estimation of salicylic acid in foodstuffs, A., ii, 426.

Hart, Edwin Bret. See Lucius L. van Slyke.

Harter, Hans. See Conrad Willgerodt. Harter, L. L., variability of wheat varieties in resistance to toxic salts, A., ii, 754.

Hartley, Percival. See Julius Berend Cohen.

Hartley, Walter Noel, the preparation of murexide from alloxantin and alloxan, T., 1791; P., 166.

the absorption spectra of uric acid, murexide, and the urides, in relation to colour and their chemical structure, T., 1796; P., 166.

observations on chemical structure and those physical properties on which the theory of colour is based, T., 1822; P., 167.

constitution of nitric acid and its hydrates, A., ii, 815.

Hartmann, Hilderich. See Ernst Schmidt.

Hartmann, Johannes [Franz], determination of wave-lengths in the spectrum of Giesel's emanium, A., ii, 666.

Hartwell, Burt Laws, Alfred W. Bosworth, and J. W. Kellogg, estimation of phosphoric acid by the method of ignition with magnesium nitrate and by that of digestion with acids, A., ii, 353.

Hartwell, Burt Laws. See also Homer Jay Wheeler.

Hartwich, C., and G. Håkanson, Glyceria fluitans, an almost forgotten cereal, A., ii, 854.

[Hartwich, C., and] A. Hellström, a white Peru balsam, A., i, 454.

Hartwich, C., and A. Viullemin, mustard seed, A., ii, 492.
Hartwigsson, H., estimation of sulphur

Hartwigsson, H., estimation of sulphur in iron ores, slags, and lime, A., ii, 552.

Harvey, Alfred William, a-benzylphenylallylmethylammonium compounds; a complete series of four optically active salts, T., 1481; P., 228.

Haselhoff, Emil, action of sulphur dioxide, zinc oxide, and zinc sulphate on soils and plants, A., ii, 193.

injurious action of ammonium thiocyanate [on seeds and plants], A., ii, 196.

manurial experiments at the Agricultural Experimental Station, Marburg, A., ii, 650, 854.

Hasenclever, Peter. See Carl Fried-

Hashimoto, Sagoro, composition of abnormal milk and ash constituents, A., ii, 738.

Haskins, H. D. See John James Rickard Macleod.

Haslam, Henry Cobden, separation of proteids, A., i, 495.

Hasselberg, Clas Bernhard, spectra of the metals in the electric arc. VII. Spectrum of tungsten, A., ii, 129.

Hassler, F. See Max Dennstedt.

Hasslinger, Rudolf von. See Alfred
Lipschitz.

Hassreidter, V., solubility of copper sulphide in alkali polysulphides, A., ii, 285, 611.

Hatai, Shinkishi, excretion of nitrogen in the white rat, A., ii, 740.

Hauser, Otto, zirconium sulphates, A., ii, 531.

new class of iron compounds, A., ii,

new class of iron compounds, A., ii,

Hausmann, Walther, antagonistic action of saponin and cholesterol, A., ii, 744.
 Hawk, Philip Bouvier, Eck's fistula in dogs, A., ii, 183.

Hawthorne, John. See Augustus Edward Dixon.

Haynes, (Miss) Dorothy. See James Charles Philip.

Haywood, John Kerfood, composition of the lime, sulphur, and salt wash, A., ii, 312.

Haywood, John Kerfood, and Bernard H. Smith, the hydrogen peroxide method of estimating formaldehyde, A., ii, 771.

Heberlein, Eduard. See Friedrich Wilhelm Küster.

Hébert, Alexandre, and Georges Truffaut, chrysanthemums. II., A., ii, 475.

Hébert, Alexandre. See also Eugène Charabot.

Hedin, Sven Gustav, action of trypsin. A., ii, 541.

antitryptic action of serum albumin, A., ii, 541.

Heen, P. de, experimental demonstrations of thermal phenomena developed in phosphorescent substances; validity of physical theories, A., ii, 434.

Heen, \vec{P} . de. See also H. Micheels.

Heerde, R., and E. Busch, estimation of albumin in barley, A., ii, 364.

Hefelmann, Rudolf, occurrence of boric acid in common salt, A., ii, 652.

Heffter, [Karl Wilhelm] Arthur, products obtained by the autoxidation of eosin, A., i, 897.

Heffter, Arthur, and R. Capellmann, attempts to synthesise mezcaline, A.,

Heide, Richard von der. See Eduard Buchner.

See Johan Erik Johans-Heijl, C.

Heikel, Gunnar, birotation of galactose, A., i, 173.

Heile, Bernhard, isoform, a new antiseptic, A., ii, 847.

Heim, Friedrich. See Jakob Meisenheimer.

See Karl A. Hofmann. Heine, O.

Erwin, condensation Heintschel, hydroxyquinol with aldehydes, A., i, 809.

Heintzel, Hans. See Otto Diels.

Heinze, Berthold, production and utilisation of glycogen by lower vegetable organisms, A., ii, 344.

Hell, Carl [Magnus], [p-methoxyphenylethylcarbinol], A., i, 436.

Hell, Carl, and Alexander Hofmann, pmethoxyphenylethylcarbinol, A., i,

o- and p-methoxyphenylethylcarbinols and the corresponding anetholes, A., i, 435.

Heller, Gustav, constitution of anthranil, A., i, 130.

Heller, Gustav, and Heinrich L. Meyer, fluorescein and the non-existence of β -p-dibromodinitrobenzene, 788.

Heller, Hans. See Arnold Reissert.

Heller, Ida. See Paul Pfeiffer. Heller, W. See Rudolf Schenck.

Hellsten, A. F., influence of alcohol, sugar, and tea on the contractility of muscle, A., ii, 335

 \mathbf{H} ellström, A. See C. Hartwich. Helms. R. See Frederick Bickell Guthrie.

Hemmelmayr [von Augustenfeld], Franz von [Josef], nitro-derivatives of β resorcylic acid[2:4-dihydroxybenzoic acid], A., i, 288.

action of phosphorus pentasulphide on carbamide and thiocarbamide, A., i,

Henderson, Lawrence Joseph, heats of combustion of atoms and molecules, A., ii, 145.

Henderson, Lawrence Joseph. See also Theodore William Richards.

Henderson, V. E., and Otto Loewi, action of vaso-dilators, A., ii, 730. physiology of the kidneys. Mechanism of urea diuresis, A., ii,

influence of pilocarpine and atropine on the circulation through the submaxillary gland, A., ii, 743. Henderson, V. E. See also Otto Loewi.

Henderson, William Hopc. See Carl Friedheim.

Henderson, Yandell, and EdwardFrancis Crofutt, fate of oil injected subcutaneously, A., ii, 735.

Henle, Franz, salts of benzamide with

dicarboxylic acids, A., i, 437. reduction of derivatives of carboxylic acids to derivatives of aldehydes.

II., A., i, 490. Henle, Franz, and Gustav Schupp, action of hydrogen chloride on mixtures of nitriles and aldehydes or ketones, A., i, 413.

preparation of mesoxaldialdehyde, A., i, 413.

Henneberg, Wilhelm, resting yeast in moist and pressed conditions; action of foreign organisms on the behaviour and duration of life of yeast cells, A., ii, 274.

acidifying and fermenting yeast mashes (behaviour of Bacillus Delbrücki at different temperatures), A., ii, 848.

Hennecke, H., new process for titrating iodine, A., ii, 281. Henrard, I. T. S

See Johan Frederik Eijkman.

Henri, Victor, action of enzymes, toxins, antitoxins, and agglutinins, A., ii,

physico-chemical researches

hæmolysis, A., ii, 265. Henri, Victor, and André Mayer, composition of colloidal granules, A., ii, 14.

Henri, Victor.See also (Mllc.) P. Cernovodeanu.

Henrich, Ferdinand [August Karl], a correction [a-nitrosoresorcinol monoethyl ethers], A., i, 201.

Henrich, Ferdinand [August Karl], the Wiesbaden thermal springs and their radioactivity, A., ii, 6, 221.

apparatus for separating nitrogen quickly and completely from a mixture of gases containing it, A., ii, 24.

Henrich, Ferdinand, and Günther Bugge, radioactive constituents of Wiesbaden thermal springs, A., ii, 568.

Henrich, Ferdinand, and F. Schierenberg, an oxidation product of aminoorcinol monomethyl ether, A., i, 93.

Henriques, Valdemar, and C. Hansen, proteid synthesis in the animal body, A., ii, 180.

Henry, Ed., fixation of atmospheric nitrogen by dead leaves, A., ii, 111. decomposition of fallen leaves, A., ii,

Henry, Louis, aminoethyl ether, A., i, 119.

fusibility in the series of normal diprimary glycols, A., i, 254.

normal C₉ secondary alcohols, A., i,

derivatives of aaa-trichloroisopropyl

alcohol, A., i, 558. derivatives of n-hexoic acid, A., i, 561.

condensation of nitromethane with alkyl derivatives of aminomethyl alcohol, A., i, 609, 661.

of s-tetrachloroisopropyl formal, A., i, 634.

stoichiometrical laws and the atomic theory, A., ii, 81.

Henry, Thomas Anderson. See Wyndham Rowland Dunstan.

Henschke, Fritz, condensation of phenol with formaldehyde, A., i, 429.

Henze, Martin, hæmocyanin, A., i, 164. muscle of octopods, A., ii, 270.

Hepner, Albert. See August Michaelis. Hepp, Eduard. See Otto Fischer.

Hepter, J. See H. Goldmann.

Herbette, Jean, new form of thallium tartrate; isomorphous mixtures of thallium and potassium tartrates, A., i, 566.

Hérissey, *Henri*, preparation of crystalline gentiogenin, A., i, 805.

Hérissey, Henri. See also *Emile* Bourquelot.

Heritage, Gertrude. See Elmer Peter Kohler.

Hermann, Hugo, ultimate analysis of organic substances, A., ii, 767.

Hermann, Peter, anilides of rhamnose and arabinose, A., i, 327.

Hermann, Richard, nitrophenyldiguanides, A., i, 950.

Herold, Fr. See Heinrich Kiliani.

Herold, Ignaz, causticising potassium sulphate, A., ii, 584.

Herrenschmidt, H., purification of sodium vanadate liquors; the processes of double decomposition for the industrial separation of metals, A., ii, 41.

Herrick, James Bryan.See Abderhalden.

Herrmann, Erich, occurrence of lithium in the human body, A., ii, 735.

Herrmann, Felix, compounds of gold with organic sulphur groups, A., i, 733.

Herrmann, Karl. See Willy Marckwald.

Herter, Christian Archibald, influence of fever on the reducing action of the organism, A., ii, 103.

Hertzka, Richard, condensation of di-benzyl ketone with aldehydes under the influence of hydrochloric acid, A.,

Hervieux, Ch. See Charles Porcher.

Herz, Albert. See Emil Knoevenagel. Herz, Paul, by-products from the preparation of piperonalindigotin and its

oxidation, A., i, 778. erz, Walter [Georg], and Herbert Herz, Fischer, distribution of soluble substances between water and amyl alcohol, A., ii, 79.

distribution of soluble substances between water and aromatic hydrocarbons, A., ii, 304.

Walter, and M. Knoch, solubilities in mixtures of solvents. II., A., ii, 510.

solubilities in mixed solvents. Solubility of calcium hydroxide in aqueous glycerol, A., ii, 709.

the molecular weight of mercuric silver iodide, A., ii, 822.

Herz, Walter. See also Albert Ladenburg.

Herzberg, Gustav. See Georg Schroeter. Herzberg, W., detection of wood-fibre, A., ii, 657.

Herzig, Josef. and Jacques Pollak,

brazilin and hæmatoxylin, A., i, 605. Herzig, Josef, and Rudolf Tscherne, methylated tannin, A., i, 354.

Herzog, Franz. See Conrad Willgerodt.

Herzog, Johannes, caryophyllin, A., i,

Herzog, Reginald Oliver, velocity of enzymatic reactions. II., A., i, 164.

Hesehus, Nicolaus A., heat actions of radium bromide, naphthalene, and camphor, A., ii, 297.

Hess, A., determination of volume change on liquefaction, A., ii, 373.

Hess, Hans. See Carl Graebe.

Hess, Walter. See Otto Fischer.

Hesse, A., a new burette for testing normal solutions, A., ii, 55.

a simple method for the estimation of the fat in butter, A., ii, 125.

estimation of fat and water in butter by Gerber's method, A., ii, 869.

Hesse, [Julius] Oswald, lichens and their characteristic constituents. A., i, 138.

some archil lichens and their chromogens, A., i, 140.

coto bark, A., ii, 752.

Hessenland, M. See Karl Auwers.

Heteren, Willem Jacob van, tin amalgams, A., ii, 39.

supposed allotropy of gold, A., ii, 260. Heubner, Otto. See Max Rubner.

Heubner, Wolfgang, fibrinoglobulin, A., i, 725.

mytolin, a proteid from muscle, A., ii, 841.

physiological action of physostigmine, A., ii, 847.

Hewitt, John Theodore, and John Jacob Fox, studies in the acridine series. Part II. Action of methyl iodide on (2:8-diamino-5-phenylbenzoflavine 3:7-dimethylacridine), Т., 1058: P., 215.

Hewitt, John Theodore, and Herbert Victor Mitchell, the nitration of substituted azophenols, T., 225; P., 61.

the constitution of o-hydroxyazo-com-Preparation of benzenepounds. azodimethylcoumarin, P., 298.

azo-derivatives from a naphthamethylcoumarin, P., 302.

Hewitt, Thomas Edwin, colorimetric estimation of phosphorus [in iron], A., ii, 353.

Heyden, Friedr. See Chemische Fabrik von Heyden.

Heyn, E, and O. Bauer, copper, tin, and oxygen, A., ii, 169.

Hibbert, Eva. See Edmund Knecht. Hickey, Charles H. See Gregory Paul Baxter.

Hicks, William Longton. See Arthur Walsh Titherley.

Hidden, William Earl, minerals [tengerite? &c.] from Llano County, Texas, A., ii, 535.

Hiendlmaier, H. See Karl A. Hofmann.

Higley, George Oswin, and Wilbur Pardon Bowen, excretion of carbon dioxide during exercise, A., ii, 44.

LXXXVIII. 11.

Hildebrandt, Hermann, piperidide, A., i, 80. o-thymotin-

pharmacological studies on synthetical bases of the piperidine series, A., i,

pharmacology of ammonium bases, A., ii, 743.

pharmacology of some condensation products of p-aminoacetophenone with aldehydes, A., ii, 743.

pharmacology of sulphones, A., ii,

Hill, Charles Alexander, lead in pharmacopœial chemicals, A., ii, 356.

Hill, Henry Barker, and Otis Fisher Black, 4-nitro-5-pyrazolone, A., i,

Hill, Henry Barker, and William Jay Hale, condensation of nitromalonaldehyde with benzyl methyl ketone, A., i, 200.

Hill, Hibbert Winslow, strong sterilisable dialysing membrane, A., ii, 682. Hill, Leonard Erskine. See Charles

Edward Ham. Hille, Waldemar. See Julius Tröger. Hillebrand, WilliamFrancis,

monsite (?) from a new locality, A., ii, 97.

two tellurium minerals from Colorado, A., ii, 723.

[Hillebrand, William Francis, Charles Dudley, Henry Newlin BenjaminStokes, Clifford Richardson], report from committee on uniformity in analysis. I., A., ii, 197.

Hillebrand, William Francis. See also

Waldemar Lindgren.

Hills, James Stuart, and WilliamPalmer Wynne, linin, T., 327; P.,

Hiltner, Lorenz, and L. Peters, seedling diseases of sugar-beet and mangolds, A., ii, 413.

Hinden, Fritz, condensers with ball mouth-piece, A., ii, 632.

Hines, Murray Arnold. See Gregory Paul Baxter.

Hinkins, J. E., formation of acids by enzymes, A., ii, 183.
 Hinrichs, Carl G., detection of nitrates

by diphenylamine, A., ii, 763.

Hinrichs, Gustav Dethlef, the true atomic weight of nitrogen, A., ii, 517.

Hinrichsen, Ferdinand Willy, [with Oscar Lohse and Marie Reimer], unsaturated compounds. II., A., i, 132.

Ferdinand Willy, Hinrichsen. and Eugen Sachsel, formation and solubility of double chlorides of iron and the alkali metals, A., ii, 92.

Hinrichsen, Ferdinand Willy. See also Richard Abegg.

Hinsberg, [Heinrich OscurDaniel], methylation of dibenzenesulphonebenzidine, A., i, 241.

action of sulphur on aniline and aniline hydrochloride, A., i, 339. [thioanilines], A., i, 518.

dihydroazines, A., i, 840.

Hinsberg, Oscar, and J. Kessler, separation of primary and secondary amines, A., i, 338.

action of alkylene haloids on mand p-dibenzenesulphophenylenedi amines, A., i, 722.

Hiorns, Arthur H., alloys of copper and

bismuth, A., ii, 461.

Hirt, W. B., and Frederick William Steel, a rapid volumetric method for the estimation of phosphoric acid, A.,

Hissink, D. J., Deli tobacco, A., ii, 414. Hissink, D. J., and H. van der Waerden, Pemberton's method for the estimation of phosphoric acid, A., ii, 419.

Hlavnička, Ottokar Josef, titration of

phosphoric acid, A., ii, 419.

Hodgkinson, William Richard Eaton, and Arthur Herbert Coote, apparatus for heating substances in a vacuum at constant temperatures, A., ii, 488.

Höber, Rudolf [Otto Anselm], influence of salts on the resting current of frog's

muscle, A., ii, 270.

Höchtlen, F. See Karl A. Hofmann. Hönigschmid, Otto. See Hans Meyer.

Hoering, Paul, oxides of propenylphenol ethers and their conversion into the isomeric ketones, A., i, 592.

dibromides of aromatic propenyl compounds. III. Behaviour of anethole dibromide and isosafrole dibromide

on oxidation, A., i, 902.

dibromides of aromatic propenyl compounds. IV. Substitution in, and elimination of bromine atoms from,

dibromides, A., i, 903. dibromides of aromatic propenyl com-V. Oxides of propenyl compounds and their reactions, A., i, 903.

Hörlein, H. See Ludwig Knorr.

Hofer, Hans, and Martin Moest, [electrolysis of potassium acetate], A., i, 8.

Hoff, Jacobus Henricus van't, oceanic salt deposits. XLII. Formation of glauberite, A., ii, 464.

Hoff, Jacobus Henricus van't, and Walter Charles Blasdale, formation of oceanic salt deposits. XLIII. Calcium content of the constant solutions at 25°, A., ii, 641.

Hoff, Jacobus Henricus van't, and Ludwig Lichtenstein, formation AntonXL. Limits of oceanic salt deposits. existence of tachyhydrite, A., ii, 262.

Hoff, Jacobus Henricus van't, and Wilhelm Meyerhoffer, formation of oceanic salt deposits. XXXIX. Temperatures of transformation below 25°, A., ii, 175.

Hoff, Jacobus Henricus van't, Gerardus Leonardus Voerman, and Charles Blasdale, formation of oceanic salt deposits. XLI. Temperature of formation of potassium pentacalcium sulphate, A., ii, 319.

Hoffbauer, O. See Alexander Tschirch. Hoffman, Alfred. See Marston Taylor Bogert.

See

Hoffman, William Edwin, jun. John Bishop Tingle.

Hoffmann, Friedrich, and K. Langbeck, influence of one substance on the solubility of another substance, A., ii, 374.

Hoffmann, George Christian, souesite, a native iron-nickel alloy from British Columbia, A., ii, 328.

Hoffmann, J. E., dampness of grain, A., ii, 753.

Hofmann, Alexander. See Carl Hell. Hofmann, Friedrich.See ArthurHantzsch.

Hofmann, J. A. See Torald Sollmann. Hofmann, Karl A[ndreas], action of acetylene on mercuric chloride solution, A., i, 2, 268.

action of sulphur on aniline and aniline hydrochloride, A., i, 427.

explosive mercury compounds, A., i, 513.

Hofmann, Karl A., and H. Feigel, decompositions of ethanemercarbide with alkali sulphites and sulphur chloride, A., i, 867.
Hofmann, Karl A., K. L. Gonder, and

Valentin Wölfl, induced radioactivity,

A., ii, 71.

Hofmann, Karl A., O. Heine, and F. Höchtlen, blue iron-cyanogen com-

pounds, A., i, 38.

Hofmann, Karl A., and H. Hiendlmaier, simple method for the preparation of pyridine perchromate for demonstration purposes, A., i, 821.

perchromates, A., ii, 716.

Hofmann, Karl A., and W. Metzener, ultramarine, A., ii, 589.

Hofmann, Karl A., and F. Resenscheck,

blue iron-cyanogen compounds, II., A., i, 756.

Hofmann, Karl A., and E. Seiler, preparation of hexachloroethane, A., i, 730.

Hofmann, Kurt. See Robert Stollé. **Hofmann**, Robert, proof of the formation of complexes between acids with the help of the laws of isohydric solutions, A., ii, 235.

Hofmeier. Gustav. See Alexander Gutbier.

Holborn, Ludwig [Friedrich Christian], and L. Austin, specific heat of gases at high temperatures, A., ii, 228.

Holde, David, Leo Ubbelohde, Julius Marcusson, natural heptadecoic

acid, A., i, 318.

Holdermann, E., zincum boricum or oxyboricum, A., ii, 34.

Holdermann, Karl. See Roland Scholl. Hollard, Auguste, and L. Bertiaux, [analysis of] commercial lead, A.,

analysis of commercial tin and its

alloys, A., ii, 67.

Holleman, Arnold Frederik, simultaneous formation of isomeric substitution derivatives of benzene. Nitration of dichlorobenzenes, A., i, 41.

nitration of disubstituted benzenes,

A., i, 42.

preparation of pure o-toluidine and a method for ascertaining its purity, A., i, 272.

nitration of fluorobenzene. II., A., i, 515.

Frederik, Holleman, Arnoldand] Johannes Willem Beekman, fluorobenzene and some of its derivatives, A., i, 41.

Holleman, Arnold Frederik, and Coenraad Lodewijk Jungius, examination of o-nitrotoluene for the presence of small quantities of p-nitrotoluene, A., ii, 864.

Holleman, Arnold Frederik, F. H. van der Laan, and H. J. Slijper, pre-paration of cyclohexanol, cyclohexanone, and derivatives, A., i, 443.

Holleman, M., action of potassium cyanide on ω -nitrostyrolene [β -nitrostyrene], A., i, 42.

secondary phenylnitroethanol, A., i, 58.

o-fluoronitrobenzene and other aromatic fluoro-derivatives, A., i, 424.

action of potassium cyanide on potassium m-nitrobenzenesulphonate, A., i, 595.

Holley, Clifford D., and J. T. Weaver, liquid mixtures of minimum boiling point, A., ii, 675.

Hollmann, Reinhard Friedrich, decomposition of hydrated mixed crystals. II., A., ii, 154.

Holm, F. H., B-alanine, A., i, 29. B-alacreatine (β-guanidopropionic acid), A., i, 29.

Holmberg, B., ester-acids of sulphursubstituted carbonic acids with aliphatic hydroxy-acids, A., i, 323.

Holmes, Willis Boit. See Alexander

Holt, Alfred, jun. See Charles Hutchens Burgess and David Leonard Chap-

Holtz, Wilhelm, very unequal electrodes; valve cells; metal vegetation, A., ii, 670.

Homfray, (Miss) Ida Frances, molecular refractions of some liquid mixtures of constant boiling point, T., 1430; P., 225.

molecular refractions of dimethylpyrone and its allies and the quadrivalency of oxygen, T., 1443; P., 226.

Honcamp, Fr. See Albin Köhler.

Honda, J., skimmianine, an alkaloid from Skimmia japonica, A., i. 152.

Honda, Kōtarō, and Sumu Shimizu, Villari's critical point in the case of nickel, A., ii, 76.

Hopfgartner, Karl, standardisation of potassium permanganate solutions by means of silver, Λ ., ii, 484.

Hoppe, J. See Walter Dieckmann.

Hortvet, Julius, composition and analysis of maple syrup and maple sugar, A., ii, 122.

Hoton, L., solubility of glycerides in acetic acid and its application to the analysis of butter, A., ii, 426.

detection of cocoanut oil in lard, Λ ., ii, 870.

Houben, [Heinrich Hubert Maria] Josef, synthesis of aldehydes by means of formic acid, A., i, 600.

action of magnesium alkyl haloids on amines and on ammonium, amine, and hydrazine salts, and a new method of formation of hydrocarbons, A., i, 873.

Houdas, Jules. See L. Guignard.

Houghton, Elijah Mark, pharmacology of ethyl salicylate, A., ii, 409.

Howard, David Lloyd, separation of strychnine and brucine, A., ii, 779.

Howden, R. See Fred Ibbotson. Howitz, Joh., and M. Bärlocher, 6hydroxyquinolones and some alkyl haloid derivatives of 5-bromo-6-hydroxyquinoline, A., i, 375.

Howitz, Joh., and Wilhelm Schwenk, derivatives of 8-quinolinealdehyde,

A., i, 471.

Howitz, Joh., and Kurt Witte, replacement of bromine by chlorine in quinoline derivatives and halogenated 8-hydroxyquinolones, A., i, 469.

Hüfner, [Carl] Gustav von, and William Küster, hæmochromogen and carbon

monoxide, A., i, 252.

Hüfner, Gustav von, and B. Reinbold, absorptiometric estimation of the amount of nitric oxide combined by unit weight of methæmoglobin, A., i, 252.

Hüthig, O. See Heinrich Walbaum. Hüttner, K., gases dissolved in minerals, A., ii, 172.

Hüttner, K., and Gustav Tammann, melting points and transition points of some salts, A., ii, 229.

alloys of antimony and bismuth, A., ii,

327.

Hugounenq, Louis [Marie-Joseph], and Albert Morel, condensation of natural leucine and carbamic acid, A., i, 178.

the carbimide of natural (l) leucine, A., i, 264.

carbamide derivatives of natural (l) leucine, A., i, 332.

hæmatogen, A., i, 556.

Huiskamp, Willem, presence of fibrinoglobulin in fibrinogen solutions, A., i, 499.

Hulett, George Augustus, solubility of gypsum as affected by size of particles and by different crystallographic surfaces, A., ii, 247.

Hulett, George Augustus, and H. W. Berger, volatilisation of platinum, A., ii, 42.

Humann, Alfred. See Rudolf Nietzki. Hundeshagen, Franz, behaviour of vanadium compounds towards metallic gold and gold solutions, A., ii, 639.

 Hunt, Reid, influence of thyroid feeding on poisoning by acetonitrile, A., ii, 847.
 Hunter, Albert Edward. See Frederic

Stanley Kipping. Hunter, Andrew, specificity of precipitins, A., ii, 539.

precipitins for snake venoms and snake sera, A., ii, 539.

Hunter, Matthew A., velocity of decomposition of nitrous oxide, A., ii, 805.

Hunter, W. H. See Henry Augustus
Torrey.

Hurst, H. E. See John Sealy Edward Townsend.

Hurt, Hugo. See Carl Mai.

Hussak, Eugen, atopite from Brazil, A., ii, 398.

occurrence of palladium and platinum in Brazil, A., ii, 598.

Hutchins, Edgar Burton, jun., chemistry of the tellurates, A., ii, 701.

I.

Ibbotson, Fred, and R. Howden, estimation of chromium in steel, A., ii, 119, 120.

Ibele, J. See Emil Besthorn.

Idaszewski, Kasimir S. See Guido Bodländer.

Ilsky, Longinus, combination of hydrogen bromide with itaconic anhydride, A., i, 323.

Imhoff, M. See Felix Kaufler.

Impens, Emile, local anæsthesia produced by alypin, A., ii, 842.

Inchley, Orlando, pilocarpine and other reagents in relation to precipitin immunity, A., ii, 601.

Inchley, Orlando. See also Walter Ernest Dixon.

Ingham, Leslie Howard, electrolytic estimation of nitric acid with a rotating anode, A., ii, 61.

use of a rotating anode in the electrolytic estimation of zinc, A., ii, 63.

Ingle, Herbert, the available plant food in soils, T., 43.

Irvine, James Colquhoun, and Adam Cameron, a contribution to the study of alkylated glucosides, T., 900; P., 191.

Irvine, James Colquhoun, and (Miss) Agnes Marion Moodie, the alkylation of mannose, T., 1462; P., 227.

of mannose, T., 1462; P., 227.

Irvine, James Colquhoun. See also
Thomas Purdie.

Issaew, Wladimir, yeast catalase, A., ii, 547.

malt oxydase, A., ii, 646.

Issoglio, Giovanni, isomeric oxypyridines

from \(\textit{\beta}\)-ketones, A., i, 609.

Issoglio, \(Giovanni\). See also \(Icilio\)

Guareschi.

Istomin, A. W., addition of iodine chloride to isobutylene, A., i, 165.

Itallie, Leopold van, evaluation of aloes, A., ii, 779.

the existence of a cyanogenetic compound in *Thalictrum aquilegifolium*, A., ii, 852.

Iwanoff, W. N., new burette for volumetric analyses, A., ii, 349.

J.

Jackson, Charles Loring, and Henry A. Carlton, certain derivatives of tetrabromo-o-benzoquinone, A., i, 907. Jackson, Charles Loring, and Latham Clarke. bromine additivepounds of dimethylaniline, A., i, 768. curcumin, A., i, 804.

rosocyanin, A., i, 804.

additive compounds of quinones and tertiary amines, A., i, 908.

Jackson, Charles Loring, and Frederick William Russe, behaviour of tetrabromo-o-benzoquinone towards ketones and aldehydes, A., i, 217.

Jackson, Charles Loring, and Philip A. Shaffer, action of methyl alcohol on hexabromo-o-quinocatechol ether, A.,

Jackson, Herbert, and Dudley Northall-Laurie, the action of carbon monoxide on ammonia, T., 433; P., 118; discussion, P., 118.

Jackson, W. H., method of transmission

of the excited activity of radium to the cathode, A., ii, 792.

See Carl Fried-Jacobius, Ludwig. heim.

Jacobs, Charles B., deposition of alloys from mixed solutions, A., ii, 626.

Jacobsen, Jules, pyknometer for small quantities (0.1-0.5 gram) of solid substances, A., ii, 232.

Jacobson, Paul [Heinrich], triphenyl-

methyl, A., i, 186.

Jacoby, Martin, receptivity of cells in normal and immunised animals, A., ii, 47.

Jaeger, F. M., isomeric dichloronitrobenzenes, A., i, 583.

o-nitrobenzyltoluidine, A., i, 585.

miscibility in the solid state, and isomorphism, in the case of carbon compounds, A., ii, 513.

Wilhelm, and Helmuth von Steinwehr, calorimetric measurement of heats of combustion, A., ii, 677.

Jänecke, Ernst, detection and estimation of traces of mercury in urine, with the aid of the Nernst balance, A., ii, 66.

Järvinen, K. K., estimation and separation of calcium in presence of phosphoric acid, A., ii, 62.

estimation of magnesium and phosphoric acid as magnesium pyrophosphate, A., ii, 555.

Jaffé, Max, p-methylaminobenzoic acid, A., i, 344.

behaviour of p-dimethylaminobenzaldehyde in animal metabolism, A., ii, 186.

Jahn, Artur. See Paul Jannasch.

Jahn, Hans [Max], depression of the freezing point in dilute solutions of highly dissociated electrolytes, A., ii, 145.

Jahn, Stephan, ozone. I. Equilibrium between ozone and hydrochloric acid, A., ii, 16.

Jakowlew, Iwan. See Carl Adam Bischoff.

Jalowetz, Eduard, isomaltose, A., i, 262.

James, Thomas Campbell. See John Joseph Sudborough.

Jamieson, George Samuel, the natural iron-nickel alloy, awaruite, A., ii,

Jamieson, George Samuel. See also Samuel Lewis Penfield and Henry Lord Wheeler.

Jannasch, Paul [Ehrhardt], expulsion of ammonium salts after precipitation in their presence, A., ii, 611.

supplementary remarks on the hydroxylamine method, A., ii, 613.

Jannasch, Paul, and Wilhelm Cohen,

quantitative separations in presence of hydroxylamine. V., A., ii, 612.

Jannasch, Paul, and Artur Jahn, reduction of chlorates, bromates, and iodates with a view to the estimation of the halogens, A., ii, 416.

Jannasch, Paul, and Otto von Mayer, quantitative separation of gold from other metals by hydrazine or hydroxylamine salts, A., ii, 557.

reaction of hydrazine and hydroxylamine salts with salts of the platinum metals and separation of these from

gold, A., ii, 557.

Jannasch, Paul, and Friedrich Rühl, separation of iron from manganese and magnesium, and of aluminium and chromium from manganese, zinc, nickel, and magnesium by hydroxylamine in ammoniacal solution. IV., A., ii, 612.

Jannasch, Paul, and Johannes Schilling, quantitative separation of iron and thorium from uranium by hydroxylamine in ammoniacal solution. VI., A., ii, 613.

Janssen, R. L. Sec Alexander Gutbier. Japp, Francis Robert, and Joseph Knox, some derivatives of anhydracetonebenzil, T., 673; P., 152.

the dihydrocyanides of benzil and phenanthraquinone. Second notice,

T., 681; P., 153.

a condensation product of mandelo-

nitrile, T., 701; P., 153.

Japp, Francis Robert, and James Wood, action of hydrazine on unsaturated

γ-diketones, T., 707; P., 154. condensations of phenanthraquinone with ketonic compounds, 712.

Jaquerod, Adrien, and François Louis Perrot, use of helium as thermometric substance and its diffusion through quartz, A., ii, 10.

expansion and density of some gases at high temperatures: application to the determination of their molecular weights, A., ii, 506.

melting point of gold, and expansion of some gases at high temperatures. I. and II., A., ii, 627, 720.

Jasinsky, Andreas. See Carl Adam Bischoff.

Jassonneix. See Binet du Jassonneix. Jatzewitsch, M. G. See Michael I. Konowaloff.

Jaubert, George F., action of boric acid on the alkali peroxides; formation of perborates, A., ii, 26.

preparation of oxygen, A., ii, 311.

Jaubert, George F., [with Gaston Lion], sodium perborate; hydrogen peroxide in statu nascendi, A., ii, 585.

Jaufmann, Josef, radioactivity of atmospheric precipitations and of surface waters, A., ii, 662.

Jeans, J. H., determination of the size of molecules from the kinetic theory of gases, A., ii, 14.

Jene, K., estimation of sulphur in burnt pyrites, A., ii, 350.

estimation of carbon in ferrosilicon, A., ii, 355.

electrolytic estimation of zinc, A., ii, 653.

Jenkins, John H. B., and David Gibson Riddick, the microscopic examination of metals, A., ii, 118.

Jenner, N., apparatus for absorption of hydrogen sulphide in iron and steel analysis, A., ii, 282.

Jensen, Orla, volatile fatty acids in cheese; biology of the cheese ferment, A., ii, 114.

estimation of the volatile fatty acids in palm oils and butter, A., ii, 772.

Jeroch, Willi. See Otto Ruff.

Jerome, William J. Smith, influence of fruit on the precipitation of the uric acid of the urine, A., ii, 543.

Joannis, [Jean] Alexandre, action of potassammonium on barium bromide, A., ii, 450.

Jodlbauer, A., and Hermann von Tappeiner, photochemical action of mercuric oxalate (Eder's solution) in absence of oxygen and in presence of fluorescent compounds, A., ii, 565. participation of oxygen in the action of fluorescent substances, A., ii, 603.

Jodlbauer, A. See also Hermann von Tappeiner.

Johannsen, Otto. See Otto Ruff.

Johansson, Johan Erik, J. Billström, and C. Heijl, output of carbon dioxide after the administration of various sugars, A., ii, 329.

Johns, Karl O. See Treat Baldwin Johnson.

Johnson, Frederick Murray Godschall. See James Wallace Walker.

Johnson, Manuel. See Carl Dictrich

Johnson, Treat Baldwin, [with Samuel. Hopkins Clapp], pyrimidines; 5-amino-6-oxy-2-ethylthiolpyrimidine. XI., A., i, 835.

Johnson, Treat Baldwin, and Karl O. Johns, pyrimidines; action of aqueous and alcoholic ammonia and aniline on some halogen and thiol-pyrimidines. X. A., i. 836.

X., A., i, 836.

Johnson, Treat Baldwin. See also Henry Lord Wheeler.

Johnstin, Ruth M. See Elmer Peter Kohler.

 Johnston, John. methylation of p-aminobenzoic acid by means of methyl sulphate. Preliminary note, P., 156.
 Johnston, John. See also James Walker.

Jolles, Adolf [F.], colorimetric estimation of iron in blood, A., ii, 67, 206. estimation of catalases in blood, A., ii, 215.

Jolles, Adolf, and Moritz Oppenheim, blood-ferments, A., ii, 265, 600.

Jolly, W. A. See Swale Vincent.

Jones, David Trevor, note on certain derivatives of cyclopropene, T., 1062; P., 216.

Jones, Harry Clary, atomic weight of radium and the periodic system, A., ii, 789.

Jones, Harry Clary, and Harry Preston Bassett, determination of the relative velocities of the ions of silver nitrate in mixtures of the alcohols and water and on the conductivity of such mixtures, A., ii, 8.

approximate composition of the hydrates formed by certain electrolytes in aqueous solutions at different concentrations. X., A., ii, 445.

influence of temperature on the amount of water of crystallisation as evidence supporting the theory of the existence of hydrates in solution, A., ii, 509.

approximate composition of the hydrates formed by a number of electrolytes in aqueous solutions, together with a brief general discussion of the results thus far obtained. XIII., A., ii, 687.

Jones, Harry Clary, and Charles G. Carroll, conductivities of certain electrolytes in water, methyl and ethyl alcohols, and mixtures of these solvents; relation between conductivity and viscosity, A., ii, 73.

Jones, Harry Clary, and Augustus P. West, temperature-coefficients of conductivity in aqueous solutions and the effect of temperature on dissociation,

A., ii, 794.

Jones, Humphrey Owen, a further analogy between the asymmetric nitrogen and carbon atoms, T., 135; P., 10.

the stereoisomerism of substituted ammonium compounds, T., 1721; P., 237; discussion, P., 238.

the stereochemistry of nitrogen, A., ii, 1.

Jones, Humphrey Owen. See also (Miss) M. B. Thomas.

Jones, Walter, occurrence of guanase in the spleen of oxen and its non-occurrence in the spleen of pigs, A., ii, 644.

Jones, Walter, and Milton Charles Winternitz, adenase, A., ii, 333.

Jong, Anne Willem Karel de, essential oil of patchouli; action of sulphuric acid on oil of patchouli, A., i, 802.

milk of Castilloa clastica, A., ii, 52. estimation of alkaloids in Coca leaves, A., ii, 778.

Jordis, Eduard [Friedrich Alexander], theory of colloids, A., ii, 153, 447. hydration and hardening, A., ii, 155.

silicates of the alkaline earths, A., ii, 248.

silicic acid. III., A., ii, 317.

silicate analysis. I., A., ii, 610. "setting" and "hardening" o

cement, A., ii, 709.

Jordis, Eduard, and E. H. Kanter, silicates. IV., A., ii, 88, 161, 248.

Jorissen, Armand, presence of chromium and vanadium in coal from Liége, A., ii, 535.

Jorissen, Willem Paulinus, and Wilhelm Eduard Ringer, oxidation of benzaldehyde in the presence of acetic anhydride, A., i, 354.

action of radium rays on mixtures of hydrogen and chlorine, A., ii, 219.

Jouck, Karl, the cyanogenetic glucosides in the leaves of the cherry-laurel (Prunus Laurocerasus) and in the bark of the bird-cherry (P. Padus), A., i, 912.

Jowett, Hooper Albert Dickinson, preparation and properties of 1:4:5trimethylglyoxaline, T., 405; P., 116.

the constitution of pilocarpine. Part V. Conversion of isopilocarpine into pilocarpine, T., 794; P., 172.

bromomethyl heptyl ketone, P., 117. chemical examination of Cascara bark, A., ii, 192.

Jowett, Hooper Albert Dickinson, and Charles Etty Potter, the constitution of barbaloin. Part I., T., 878; P., 181; discussion, P., 182.

Jowett, Hooper Albert Dickinson. See also George Barger and Wyndham

Rowland Dunstan.

Juch, Viktor, behaviour of hydroxysalicylic acid [quinolcarboxylic acid] towards oxidising agents, A., i, 701. Judd, (Miss) Hilda Mary. See Martin

Onslow Forster.

Jüngermann, E., reactions of isoamylanthrone chloride and bromide, A., i, 795.

A., i, 795.

Jüngst, Edward, and Rudolf Mewes, preparation of silicides, borides, aluminides, &c., A., ii, 316.

Jüptner [von Jonstorff], Hanns (Freiherr), free energy of formation, A., ii, 16.

Juillard, Paul, nitro-derivatives of orange IV. I. and II., A., i, 843.

Jungfleisch, Émile [Clément], the phosphorescence of phosphorus, A., ii, 244.

Jungfleisch, Émile, and Marcel Godchot, lactyl-lactyl-lactic acid and the dilactide of inactive lactic acid, A., i, 259.

d-lactic acid, A., i, 318. d-lactide, A., i, 630.

Jungius, Coenraad Lodewijk, conversion of diazoamino-p- into aminoazo-p-toluene in the solid state, A., i, 555.

isomeric changes of some dextrose derivatives, and the mutarotation of the sugars, A., i, 573.

Jungius, Coenraad Lodewijk. See also Arnold Frederik Holleman.

Junius, Adolf, molybdates, A., ii, 825. Juppen, Carl, and Stanislaus von Kostanecki, 7:4'-dihydroxyflavonol, A., i, 79.

Just, M. See Albin Köhler.

K.

K., estimation of silicon in 50 per cent. ferro-silicon, A., ii, 420.

Kaas, Karl, constitution of β-isocinchonicine, A., i, 151.

constitution of α-iso-ψ-cinchonicine and of \$\beta\$-isocinchonicine, A., i, 296.

Kačer, Philipp, and Roland Scholl, some diazonium salts of the anthraquinone series, A., i, 102.

Kačer, Philipp. See also Roland Scholl. **Kadiera**, Victor, action of sulphuric acid on diphenylamine, A., i, 934.

Heinrich.WalterKämmerer, Dieckmann.

Kahlbaum, Georg W[ilhelm] A[ugust], and Max Steffens, spontaneous action of metals on sensitive films of photographic plates without direct contact, A., ii, 295.

Kahlbaum, Georg W. A., and E. Sturm, alteration of specific gravity, A., ii, 680.

Kahlenberg, Louis [Albert Berthold], recent investigations bearing on the theory of electrolytic dissociation, A., ii, 139.

Louis, Kahlenberg, andHermanliberation of hydrogen Schlundt, during the action of sodium on mercury, A., ii, 387.

Kalb, Ludwig. See Richard Willstätter.

Kalle & Co., [indophenol from p-phenylenediamine and o-acetylaminophenol], A., i, 157.

haloid acid salts of peptones, A., i,

brown sulphur dye from 2:4:5-triaminotoluene, A., i, 540.

trihydroxyphenylrosinduline, A., i, 554, 840.

bromodialkylacetamides, A., i, 638.

Kamerlingh Onnes, H., and C. Zakrzewski, validity of the law of corresponding states for mixtures of methyl chloride and carbon dioxide, A., ii, 149.

Kanitz, Aristides, influence of temperature on the assimilation of carbon dioxide, A., ii, 848.

Kanter, E. H. See Eduard Jordis.

Karaoglanoff, Z., oxidation and reduc-

tion in the electrolysis of solutions of salts of iron, A., ii, 674.

Kareff, N. See Maurice Doyon.
Karlik, V., apparatus for gas analysis,
A., ii, 279.

Kasansky, Alexander, action of allyl iodide on ethyl succinate in presence of zinc; y-diallylbutyrolactone, A., i,

Kaschinsky, Paul, separation of iron and aluminium from manganese, calcium, and magnesium in ash analysis, A., ii, 423.

Kassner, Georg [Max Julius], oxidation phenomena, A., ii, 19.

Kastle, Joseph Hocing, method for the determination of the affinities of acids colorimetrically by means of certain vegetable colouring matters, A., ii, 154.

Kastle, Joseph Hoeing, and Walter Pearson Kelley, rate of crystallisation of plastic sulphur, A., ii, 21.

Katayama, Tomio, is the availability of phosphoric acid in bone-dust modified by the presence of gypsum? A., ii,

Kauffmann, Hugo [Josef], modern position of the benzene theory, A., i,

investigation of fluorescence, A., ii,

Kauffmann, Hugo, and Alfred Beisswenger, solvent and fluorescence, A., īi, 131.

Kehrmann's explanation of change of fluorescence, A., ii, 218.

the ring system of benzene.
A., i, 280.

Kauffmann, Hugo, and Ad. Grombach, the ring system of benzene. VIII., A., i, 280.

triphenylcarbinols, A., i, 773.

Kauffmann, Maurice, gelatin in metabolism, A., ii, 735.

Kaufler, Felix, and M. Imhoff, dibromoanthracene tetrabromide, A., i,

Kaufler, Felix. See also Robert Gnehm. Kaufmann, A. See Iwan Koppel.

Kausch, Oscar, new methods of producing ozone by means of electricity, A., ii, 698, 811.

Kautzsch, Karl. See Emil Fischer.

Kay, Francis William, and William Henry Perkin, jun., experiments on the synthesis of the terpenes. V. Derivatives of o-cymene, T., 1066; P., 216.

Kaye, Frederick. See Philip Schidrowitz.

Kayser, E., lactic acid fermentation, A., ii, 750.

Kehrmann, [Johann August Ludwig] Friedrich, azoxonium compounds. II. and III., A., i, 930, 949.

Kehrmann, Friedrich, and H. de Gottrau, of hydroxylamine hydrochloride on naphthaphenoxazone, A., i,. 670.

Keil, Gustav. See Karl Auwers.

Kelley, Walter Pearson. See Joseph Hocing Kastle.

Kellogg, J. W. See Burt Laws Hartwell.

Keppeler, Guslav, estimation of acetone by the iodoform process, A., ii, 360.

Kernot, Giuseppe, nitrotolylglycollic [nitrotolyloxyacetic] acids, A., i, 286.

Kernot, Giuseppe, and E. Petrone, condensation of benzyl chloride with the aminobenzoic acids, A., i, 283.

Kersten, M. See Oscar Doebner.

Kessler, J. See Oscar Hinsberg.

Kester, Frederik Edward, Joule-Thomson effect in carbon dioxide, A., ii, 303.

Kestner, E. See Pavel Iw. Petrenko-Kritschenko.

Keutner, presence and distribution of nitrogen-fixing bacteria in the sea, A., ii, 189.

Kiesel, K., the specificity of certain digestive ferments, A., ii, 540.

Kieser, A. See Wilhelm Manchot.

Kijner, Nic. M., transformations of amides of α-haloid acids under the action of bromine and alkali hydroxide, A., i, 332.

cyclobutanone, A., i, 355.

aminocyclopropane, A., i, 517.

cyclobutyldimethylcarbinol and its transformations, A., i, 772. preparation of ethyl tetramethylene-

1:1-dicarboxylate, A., i, 786.

Kijner, Nic. M., and W. Amosoff, cyclobutyldiethylcarbinol and its compounds, A., i, 772.

Kiliani, Heinrich, digitonin, A., i, 364.

digitalonic acid, A., i, 859.

Kiliani, Heinrich, and Fr. Herold, dihydroxypropanetricarboxylic and αγdihydroxyglutaric acids, A., i, 739.

Kiliani, Heinrich, and Peter Loeffler, constitution of metasaccharinic acid, A., i, 737.

dihydroxyglutaric acids, A., i, 858.

Kilroe, J. R., mechanical analysis of soils and sub-soils by centrifugal action; with notes on treatment of samples, A., ii, 68.

Kind, Walter. See Robert Stollé.

King, Arthur Scott, emission spectra of metals in the electric furnace, A., ii, 217.

Kionka, Heinrich, gout, A., ii, 742. Kippe, Otto. See Richard Stoermer.

Kippenberger, Carl, new forms of [analytical] laboratory apparatus, A., ii, 608.

Kipper, Hermann, use of phenyl ether in the Friedel-Crafts reaction, A., i, 648.

Kipper, Hermann. See also Fritz Vllmann.

Kipping, Frederic Stanley, isomeric salts of the type NR₁R₂R₃. A correction. Isomeric forms of d-bromo- and dchloro-camphorsulphonic acids, T., 628; P., 124.

organic derivatives of silicon, P., 65. isomerism of α -bromo- and α -chloro-

camphor, P., 125.

Kipping, Frederic Stanley, and Albert Edward Hunter, l-phenylethylamine, P., 126.

Kircher, Adolf, alkaloids from certain species of Datura which induce mydriasis, A., i, 717.

Kirkby, *P. J.*, union of hydrogen and oxygen at low pressures through the passage of electricity, A., ii, 236.

union of hydrogen with oxygen at low pressures caused by the heating of platinum, A., ii, 695.

Kirpal, Alfred, pyridine-2:3:4-tricarbox-

ylic acid, A., 1, 234.

Kirpitschnikoff, S., oxidation of the higher homologues of aniline on the fibre, A., i, 540.

Kirschner, Aage, estimation of butterfat and cocoanut oil in margarine, A., ii, 213.

Kirschner, M. See Karl Löffler.

Kishi, Yoshinori. See Mitsuru Kuhara. Kissin, Wulf. See Carl Adam Bischoff. Kissling, Richard, heating of mineral

oils when shaken with concentrated sulphuric acid, A., ii, 863.

Kitt, Moritz, elæomargaric acid, A., i, 10.
Klages, [Wilhelm] August [Hermann],
[p-methoxyphenylethylcarbinol],
A., i, 344, 645.

phenylmethylethylene oxide and its conversion into hydratropaldehyde, A., i, 523.

Klages, August, and Richard Sautter, optically active benzene hydrocarbons and phenolic ethers, A., i, 579.

Klarfeld, Heinrich, action of water on hexylene dibromide (from mannitol), A., i, 166.

Klauser, Oskar. See Herman Decker. Kldiaschwili, Alexander, diehloroacetyldextrin, A., i, 634.

Kleeman, R. See William Henry Bragg.

Kleine, A., apparatus for estimating sulphur in iron and steel, A., ii, 856.

Kleine, G. See Ernst Schmidt. Kliegl, Alfred, condensation of benzalde-

hyde with toluene, A., i, 186. phenylfluorene, A., i, 187.

Klimont, Isidor, fat of the fruits of the Dipterocarpus species, A., ii, 126. composition of solid fats of plants, A., ii, 475. Kling, André, oxidation of acetol acetylcarbinol), A., i, 3.

chlorination of methyl ethyl ketone,

A., i, 172.

mechanism of the chlorination of mixtures of ketones and water in presence of marble, A., i, 327.

hydrates of acetol [acetylcarbinol], A., i, 402.

action of alkalis on aqueous solutions of acetol, A., i, 503.

propionylcarbinol and its derivatives,

A., i, 503.

acetylmethylcarbinol (β-hydroxy-γketobutane), A., i, 504.

aqueous solutions of acetylcarbinol, A., i, 625.

ketonic alcohols, A., i, 732.

Klinkerfues, Friedrich, estimation of potassium, A., ii, 204, 859.Klobb, [Constant] Timothée, a dihydric

alcohol related to phytosterol, A., i,

Klöffler, H. See G. Blume.

Klotz, Oskar, soaps in certain pathological conditions, A., ii, 187.

Klüger, Alfred, ethoxyacetaldehyde and its condensation product with formaldehyde, A., i, 683.

Knecht, Edmund, symmetrical trinitroxylenol, A., i, 53.

constituents of Manchester soot, A.,

Knecht, Edmund, and Eva Hibbert, use of titanium trichloride in volumetric analysis. II., A., ii, 872.

Knoch, M. See Walter Herz.

Knöll, Wilhelm. See Rudolf Friedrich Weinland.

Knoevenagel, [Heinrich] Emil [Albert], condensing action of organic bases, A., i, 61.

condensation products from fatty aldehydes and negatively-substituted acetic acids, A., i, 169.

ethyl citrylideneacetoacetate, A., i, 170.

nitriles of hydroxy- and amino-carboxylic acids, A., i, 179.

Knoevenagel, Emil, and FriedrichAlbert, condensation of vanillin with ethyl acetoacetate and its analogues, A., i, 62.

Knoevenagel, Emil, and Robert Arnot, condensation of salicylaldehyde with ethyl cyanoacetate, ethyl benzoylacetate, or acetylacetone, A.,

Knoevenagel, Emil, and Albert Herz, condensation of cinnamaldehyde with ethyl malonate and acetylacetone, A., i, 63.

Knoevenagel, Emil, and Ernst Langensiepen, condensation of salicylaldehyde and of β -hydroxy- α -naphthaldehyde with ethyl acetonedicarboxylate, A., i, 64.

Knoevenagel, Emil, and Siegbert Mottek, condensing action of organic bases,

A., i, 61.

Knoevenagel, Emil, and Fritz Schröder. condensation of B-hydroxy-a-naphthaldehyde with ethyl acetoacetate and its analogues, A., i, 63.

Knoevenagel, Emil, and LeonhardWalter, condensation of aliphatic nitro-compounds with aromatic aldehydes by means of organic bases, A.,

Knoop, Franz, formation of aromatic fatty acids in the animal body, A., ii,

Knoop, Franz, and Adolf Windaus, relationships between carbohydrates and the nitrogenous products of metabolism, A., i, 509.

constitution of histidine, A., i, 834.

Knoop, Franz. See also Adolf Windaus. Knorr, Ludwig, synthetical bases from methylmorphol and thebaol and their behaviour towards reagents which decompose methylmorphimethine, A., i, 813.

thebainone from codeinone, A., i, 922.

Knorr, Ludwig, H. Hörlein, and Paul Roth, piperidoethyl ether, A., i,

piperazine derivatives from methylchloroethylamine and chloroethylpiperidine, A., i, 834.

Knorr, Ludwig, and Georg Meyer,

aminoethyl ether, A., i, 747.

Knorr, Ludwig, and Robert Pschorr, degradation of morphothebaine to non-nitrogenous phenanthrene derivatives, A., i, 814.

decomposition products of thebainone, A., i, 922.

Knorre, Georg [Karl] von, employment of persulphate for quantitative separations, A., ii, 285.

estimation of tungsten, A., ii, 286. estimation of sulphuric acid by means of benzidine hydrochloride, and the estimation of sulphur in pyrites, A., ii, 351.

Knott, Cargill Gilston, magnetisation and resistance of nickel wire at high temperatures, A., ii, 228.

Knox, Joseph. See Francis Robert Japp. Koch, A. \hat{E} . See F. A. Norton. Koch, Anton. See Edgar Wedekind.

Koch, Arthur A. See Gustav Fernekes.

Koch, Carl. See Carl Paal.

Koch, John, determination of refractive indices of hydrogen, carbon dioxide, and oxygen in the infra-red, A., ii,

Koch, Otto. See Herman Decker.

Koch, Pcter. See Paul Pfeiffer.

Koch, Waldemar, origin of creatinine, A., ii, 182.

Köhler. See Du Roi.

Köhler, Albin, Fr. Honcamp, M. Just, Justus Volhard, M. Popp, and Otto Zahn, assimilation of calcium and phosphoric acid from various calcium phosphates by growing animals, A., ii, 265.

Köhler, Hugo. See Otto Wallach.

Koelichen, Karl. See Friedrich Wilhelm Küster.

WilhelmF. See EmilKoelker. Fischer.

König, Berthold, spatial formula for benzene, A., i, 185.
König, James. See also Lothar Wöhler.

König, [Franz] Josef, estimation of the fertility and manurial requirements of soils, A., ii, 278.

decomposition of vegetable foods by Bacteria, A., ii, 747.

König, Josef, and J. Bettels, the carbohydrates of marine Algae and their products, A., ii, 851.

König, Josef, and P. Rintelen, proteids of wheat gluten and its relations to the baking properties of wheat flour, A., ii, 113.

König, Josef, Alb. Spieckermann, and Fr. Seiler, decomposition of fodder and foods by micro-organisms. V. Composition of the products formed by the Bacteria, A., ii, 472.

Koenigs, Ernst. See Emil Fischer.

Koenigs, Wilhelm, and Karl Bernhart, reduction of 4-methyl-3-ethylpyridine with sodium and alcohol, A., i,

3:4-diethylpyridine, 3:4-diethylpiperidine, and 3-ethylquinuclidine, A., i, 824.

Koenigsberger, Johann Georg, and O. Reichenheim, electrical conductivity and absorptive power for heat radiations of metallic sulphides and oxides occurring naturally, A., ii, 624.

Köppe, Hans, laking of red corpuscles; estimation of the volume of the bloodcorpuscles, A., ii, 331.

Koeppen, Albert, betaine ethyl ester hydrochloride, A., i, 176.

preparation of trimethylamine by methylation of ammonia by means of formaldehyde, A., i, 328.

Koerber, U. See Carl Johann Blacher. Köthner, Paul, atomic weight of iodine, A., ii, 310.

Köthner, Paul, and E. Aeuer, atomic weight of iodine, A., ii, 81, 156.

Kohler, Elmer Peter, action of organomagnesium compounds on ciunamylideneacetophenone, A., i, 358.

reaction between unsaturated compounds and organic magnesium compounds. VI. Reactions with ethyl benzylidenemalonate, A., i, 700.

Kohler, Elmer Peter, and Gertrude Heritage, reaction between organic magnesium compounds and unsaturated compounds. II. Reactions with derivatives of cinnamic acid, A., i, 207.

reaction between unsaturated compounds and organic magnesium IV. Reactions with compounds. esters of a-phenylcinnamic acid, A., i, 208.

Kohler, Elmer Peter, and Ruth M. Johnstin, reactions between organic magnesium compounds and unsaturated compounds. III. Reactions with compounds containing bromine, A., i, $\bar{2}15.$

Kohler, Elmer Peter, and Marie Reimer, reaction between unsaturated compounds and organic magnesium compounds. V. Reactions with α-cyanocinnamic acid, A., i, 347.

Kohlrausch, Friedrich [Wilhelm Georg], solubility of some sparingly soluble salts in water at 18°, A., ii, 152.

Kohlschütter, [Johannes] Volkmar, and K. Vogdt, solid solutions of indifferent gases in uranium oxide, A., ii, 394, 826.

Kohn, Moritz, derivatives of diacetonealkamines. IV., A., i, 928.

hydroxy-β-isohexylamine, A., i, 929. Kohn, Moritz. See also Adolf Franke. Kohn, Siegfried, action of dilute sulphuric acid on propionepinacone, A., i, 167.

Kohn-Abrest, Emile, different states of oxidation of aluminium powder, A., ii, 637.

Kolb, Adalbert, and Hermann Ahrle, use of organic acids for the precipitation and separation of thorium dioxide from cerium, lanthanum, and didymium oxides, A., ii, 288.

Kolb, Adalbert, and Emil Davidson, action of hydrochloric acid on potassium

chlorate, A., ii, 59.

Kollock, (Miss) Lily Gavit, and Edgar Fahs Smith, use of the rotating anode and mercury cathode in electroanalysis. I., A., ii, 859.

Kollock, (Miss) Lily Gavit. See also Edgar Fahs Smith.

Kondakoff, Iwan L., menthols, A., i, 798. stereoisomeric

Kondakoff, Iwan L., and Iwan Schindelmeiser, synthetical and natural phellandrene, A., i, 801.

Konek von Norwall, Fritz (Edler), and Arthur Zöhls, sodium peroxide in organic analysis, A., ii, 60.

Koning, C. J., biological and biochemical studies on milk, A., ii, 273.

the decomposition phases of milk, A., ii, 473.

the acidity of milk, A., ii, 647.

Konowaloff, Michael 1., resemblance between iron salts of organic acids and salts of nitro-derivatives, A., i, 8.

nitrating action of nitric acid on saturated hydrocarbons. IX. Nitration of o-xylene and its products, A., i, 762.

Konowaloff, Michael I., and Stanislaw Dobrowolsky, diphenylpropanes, especially aa-diphenylpropane, A., i, 763.

nitrating action of nitric acid on saturated hydrocarbons. XII. Nitration of homologues of diphenylmethane in the side-chain, A., i, 764.

Konowaloff, Michael I., and Ch. Gurewitsch, nitrating action of nitric acid on saturated hydrocarbons. X. Nitration in acetic acid solution, A., i, 763.

Konowaloff, Michael I., and M. G. Jatzewitsch, nitrating action of nitric acid on saturated hydrocarbons. Non-nuclear nitration of homologues of diphenylmethane, A., i, 763.

Konowaloff, Michael I., and S. Woinitsch-Sianoschensky, preparation of new polymethyleneimines by Ladenburg's method, A., i, 826.

Konschegg, Artur, a new methylene-indoline base, A., i, 924.

Konsortium für Elektrochemische Industrie, electrolytic preparation of sodium, A., ii, 819.

Kopetzki, O., movement of nitrogenous compounds and pentoses in beet products during fabrication, A., ii, 194.

Kopp, Emile. See Emilio Noelting. Koppel, Iwan, chromous sodium thiocyanate, A., i, 638.

Koppel, Iwan, Reszö Goldmann, and A. Kaufmann, compounds of quadrivalent

vanadium. III., A., ii, 593.
Koppel, Iwan, and A. Kaufmann, the preparation of metallic vanadium and some vanadium compounds, A., ii, 593.

Koppel, Ivan, [with H. Wetzel and Alfred Gumperz], formation and solubility of analogous double salts, A., ii, 689.

Koppeschaar, W. F., new method of estimating magnesium carbonate in

limestone, A., ii, 421.

Koraen, Gunnar, carbon dioxide production in muscular work, A., ii, 329. Korbuly, Michael. See Franz Tangl.

Korndörfer, Georg, glycocyamine and glycocyamidine, A., i, 29. creatinine, A., i, 152.

Korschun, Georg, synthesis of 2:3:5trimethylpyrrole, A., i, 373.

Korte, Reinhold Frederick, solid solutions, T., 1503; P., 229.

Władislaus. See Georg Kosinenko, Berju.

Kossel, Albrecht [Carl Ludwig Martin Leonhard], formation of protamines in

the animal body, A., ii, 467.

Kossel, Albrecht, and Henry Drysdale Dakin, further researches on protamines, A., i, 620.

Kossowitsch, P., mutual action of salts in the mineral nutrition of plants, A., ii, 548.

estimation of the carbon dioxide given off by roots during their development, A., ii, 549.

Kostanecki, Stanislaus von, [2-hydroxydibenzyl], A., i, 433.

Kostanecki, Stanislaus von, and Stanislaus Nitkowski, synthesis of fisetin, A., i, 915.

Kostanecki, Stanislaus von, Arnold Rost, and Wladislaus Szabrański, 2-hydroxydibenzyl, A., i, 341.

Kostanecki, Stanislaus von, and Friedrich Rudse, an isomeride of quercitol, A., i, 367.

Kostanecki, Stanislaus von, and Berthold Schreiber, an isomeride of kaempferol, A., i, 808.

Kostanecki, Stanislaus von, and Jacob Sulser, stilbene derivatives, A., i,

Kostanecki, Stanislaus von, and Anton von Szlagier, 7:2'-dihydroxyflavonol, A., i, 77.

Kostanecki, Stanislaus von, and Albert Widmer, 7:3'-dihydroxyflavonol, A.,

Kostanecki, Stanislaus von. See also Isaak Berstein, Marie Breger, Anna Edelstein, Casimir Funk, Abraham Gutzeit, and Carl Juppen.

Kotake, Y., fate of vanillin in the animal

body, A., ii, 645.

Kotschubey, A., composition of benzidine chromate, A., i, 549.

Kovař, Frantisek, [graphite from Moravia; nigrine (?) from Bohemia], A., ii, 173.

[meerschaum and jarosite], A., ii, 175.

Kraemer, Henry, the copper treatment of water, A., ii, 108.

Krafft, [Wilhelm Ludwig] Friedrich [Emil], boiling point vacuum; a new constant and its meaning, A., ii,

Krafft, Friedrich, and Ludwig Bergfeld, lowest temperature of evaporation of metals in the vacuum of the cathode light, A., ii, 144.

Krafft, Friedrich, and Paul Lehmann, molecular weight determination by the rise of the boiling point in the cathode light vacuum, A., ii, 143.

Krasnosselsky, T., respiration and fer-mentation of mould fungi in roll cultures, A., ii, 108.

Kraus, Charles August. See Edward Curtis Franklin.

Krause, M. See Ludwig Brieger. Krawkoff, S., action on the soil of the mineral constituents of plant residues soluble in water, A., ii, 606.

Krécsey, Béla, apparatus for preparing liquid sulphur dioxide, A., ii, 312.

Kreider, David Albert, iodine titration voltameter, A., ii, 569.

Kreider, J. Lehn, apparatus for estimating volatile substances by loss of weight, A., ii, 280.

behaviour of typical hydrated bromides when heated in an atmosphere of hydrogen bromide, A., ii, 636.

Krejčí, Augustin, [alteration product of topaz], A., ii, 177.

Krell, A. See Alexander Gutbier.

Kremann, Robert [Konrad], melting point curve for mixtures of anthracene and picric acid, A., i, 270.

fusion of dissociating compounds and the degree of dissociation of the fused substance, A., ii, 76.

influence of substitution in the components on the equilibrum of binary solutions, A., ii, 77.

additive compounds of nitrosodimethylaniline, A., ii, 78.

kinetics of reactions in mixtures of water and alcohol, A., ii, 307.

kinetics of reactions in heterogeneous systems; hydrolysis in non-homogeneous systems, A., ii, 307.

catalytic ester exchanges. I. Contribution to the theory of saponification, A., ii, 630.

hydrolysis of esters in heterogeneous systems, A., ii 688

Kress, K., action of certain poisons on the isolated small intestine of dogs and rabbits, A., ii, 847.

Kreutz, Adolf. See Emil Erlenmeyer, jun.

Krieger, Albert. See Roland Scholl. Krimberg, R. See Wladimir von Gulewitsch.

Krische, Paul. See Wilhelm Manchot. Kroch, August, tension of carbon dioxide in sea water and the reciprocal influence of the carbon dioxide of the sea and of the atmosphere, A., ii, 26.

Krsnjavi, B. See Robert Luther.

Krüger, Friedrich, application of the Wehnelt interrupter in the measurement of dielectric constants by Nernst's method, A., ii, 432.

Krüger, Martin, and Alfred Schittenhelm, amounts and origin of purine bases in human fæces. II., A., ii, 645.

Krüger, Martin, and Julius Schmid, . estimation of uric acid and of purine bases in human urine, A., ii, 776.

Krüss, Paul, ultra-violet absorption of organic dyes, A., ii, 293.

Krug, Otto, amount of sodium salts naturally occurring in wine, A., ii, 864.

Krummacher, Otto, solubility and heat of solution of carbamide; energy equilibrium, A., i, 266.

Kuchenbecker, Adolf. SeeTheodorZincke.

Kühling, [Friedrich Theodor] Otto, electrolysis of glycine, A., i, 417.

action of dilute nitric acid on guaiacolsulphonic acid, A., i, 888.

condensation products of alloxan with saturated ketones, A., i, 944.

Kühling, Otto, and Franz Falk, lactam formation from γ -lactones and the stability of the pyrrolidone nucleus, A., i, 372.

Kümmell, Gottfried, dissociation of ternary electrolytes, A., ii, 226, 502.

Küppers, Ernst. See Heinrich Biltz. ister, Friedrich Wilhelm [Albert], polysulphides. II., A., ii, 387. Küster,

Küster, Friedrich Wilhelm, [with Georg Dahmer], determination of molecular weight in solid solutions. Vaporisation of isomorphous mixtures of p-dichlorobenzene and pdibromobenzene, A., ii, 230.

solubility of barium sulphate, A., ii, 248.

Küster, Friedrich Wilhelm, [with Franke and W. Geibel, contact method for the manufacture of sulphuric acid, A., ii, 82.

Küster, Friedrich Wilhelm, Max Grüters, and W. Geibel, determination of the neutralisation point by conduct-II., A., ii, 55. ivity measurement.

Küster, Friedrich Wilhelm, and Eduard Heberlein, polysulphides. I., A., ii,

Küster, Friedrich Wilhelm, [with Karl Koelichen], polysulphides. III. Periodic phenomena during the electrolysis of polysulphides, A., ii, 698.

Küster, Friedrich Wilhelm, and Siegmar Münch, table for the prepara-tion of normal solutions of hydrochloric acid according to the density, A., ii, 198.

density determinations with a pipette; adjustment of titrimetric solutions by volume weight, A., ii, 232.

attempts to prepare absolute nitric acid, A., ii, 243.

Küster, Friedrich Wilhelm, [with Walter Würfel], determination of molecular weights in solid solutions, A., ii, 80.

William, hæmatin, A., i, 622.

Küster, William. See also Gustav von Hüfner.

Kufferath, August, electrolytic estimation of copper, A., ii, 64.

Kuhara, Mitsuru, and Yoshinori Kishi, action of ammonia and of amines on chloral, A., i, 861.

Kuhtz, E. See Robert Pschorr. Kullgren, Carl Fredrik, velocity of change in catalytic reactions, A., ii,

Kunckell, Franz [Eduard], derivatives of 2:4-diketotetrahydroquinazoline, A., i, 382.

p-chloroacetylphenoxyacetic acid and ethyl p-chloroacetylphenylacetate, A., i, 646.

Kunckell, Franz, and Wilhelm Theopold, bromotetrahydroquinoline, A., i, 297.

Kunkel, Adam Josef, so-ealled normal arsenic, A., ii, 542.

Kurbatoff, W. A., structure of hardened steel, A., ii, 392.
Kurnakoff, Nicolai S., new form of pyro-

meter, A., ii, 10.

Kurnakoff, Nicolai S., and N. J. Stepanoff, alloys of magnesium with tin and with lead, A., ii, 710.

Kurrein, Herbert, action of ethyl oxalic chloride on ethyl sodiomalonate, A., i, 413.

Kutsch, William Adelbert. See Ernst Hermann Riesenfeld.

Kutscher, Friedrich [oxidation of nucleic acids], A., i, 621.

Kutscher, Friedrich, and Alfred Lohmann, end-products of pancreatic IV., A., ii, 466. autolysis.

Kutscher, Friedrich, and MartinSchenck, oxidation of proteids with calcium permanganate. II. Oxidation of gelatin, $ilde{A}$., i, 251.

oxidation of thymonucleic acid with calcium permanganate, A., i, 621.

oxaluria, A., ii, 104. Kutscheroff, M., the vanillin reaction for the detection of ketones, A., ii.

Kyas, Otto. See Johann Vanha.

L.

Laan, F. H. van der. Frederik Holleman. See Arnold

Laar, Johannes Jacobus van, verification of a recent equation of Van der Waals, A., ii, 148.

some phenomena which can occur in the case of partial miscibility of two liquids, one of them being anomalous, especially water, A., ii, 234.

concentrated solutions, A., ii, 234.

abstract and concrete conceptions (osmotic pressure and thermodynamic potential), A., ii, 374.

exact expression for the so-called molecular change of critical temperature, A., ii, 434.

different forms and transformations of the boundary curves in the case of partial miscibility of two liquids, A., ii, 507.

exact expression for the course of the spinodal curves and of their plait points for all temperatures, in the case of mixtures of normal sub-

stances, A., ii, 507. shape of the plait-point curve for mixtures of normal substances, A., ii, 507.

molecular rise of the lower critical temperature of a binary mixture of normal components, A., ii, 675. thermodynamic potential and its

application to problems of chemical equilibrium, A., ii, 683.

Labbé, Henri, and E. Morchoisne, elimination of urea in healthy subjects, A., ii, 102.

Labergerie, cultivation of Solanum Commersonii at Verrières (Vienne, France), A., ii, 756.

Labhardt, Hans. See Karl Reinking. Laborde, J. [B. Vincent], estimation of glycerol in wines, A., ii, 768.

Lacroix, [Antoine François] Alfred,basic magnesium carbonates from the volcanic eruption at Santorin in 1866, A., ii, 464.

occurrence of Redonda phosphate in Martinique, A., ii, 536.

Lacroix, Hunkiarbéyendian, formates, A., i, 716.

Lacy, Burritt S. See Theodore William Richards.

Ladenburg, Albert, atomic weight of iodine, A., ii, 310.

Ladenburg, Albert, and Walter Herz, benzylmalimides, A., i, 272.

Ladner, Gustav. See Julius Schmidt. Laemmel, Rudolf, atomic heat of solid elements, A., ii, 300.

Laer, Henri van, non-inverting yeasts, A., ii, 547.

Lagatu, H., physico-chemical analysis of soils, A., ii, 557.

classification and nomenclature of arable soils according to their mineral constitution, A., ii, 758.

Lagerlof, Daniel, thermochemical studies, A., ii, 76, 677.

Lagodzinski, Kasimir, action of a mixture of glacial acetic acid and hydriodic acid

on quinones, A., i, 601. Lajoux, Henri, chemical analysis and cryoscopy of milk, A., ii, 559.

Lake, Hilda. See Eric Drabble.

Laloue, G. See Eugène Charabot.

Lambert, P., absorption spectrum of manganous salts, A., ii, 638.

Lambrecht, Rudolf, and Hugo Weil, a colourless hydrochloride of rosaniline, A., i, 97.

[colourless salts of triphenylcarbinol and diphenylcarbinol], A., i,

malachite-green and crystal-violet, A., i, 243.

Landau, Anastazy, alkalinity of blood, A., ii, 330.

Landenberger, Albert. See Conrad Willgerodt.

Lando, Max. See George Bell Frankforter.

Towie Gutmann. See Paul Lando. Pfeiffer.

Landolt, Hans [Heinrich], addendum to the Sixth Report of the Committee [of the German Chemical Society] for fixing atomic weights, A., ii, 308.

Landolt, Hans, Wilhelm Ostwald, and Otto Wallach, Sixth Report of the Committee [of the German Chemical Society] for fixing atomic weights, A., ii, 155.

Landrieu, *Philippe*, heat of formation of the oximes, A., ii, 301.

Landrieu, Philippe, equilibrium between acetone and hydroxylamine hydrochloride, A., ii, 445.

thermochemistry of phenylhydrazones, A., ii, 628.

Willy,Landsberger, estimation glycerol by the extraction method, A., ii, 558.

Landsiedl, Anton, determination melting point, A., ii, 626.

Landsiedl, Anton. See also Max Bamberger.

Landsteiner, Karl, theory of colloids, A., ii, 447.

Lane, Joseph Henry.SeeRaphaelMeldola

Lang, Hugo, condensation of phenylacetone with phenanthraquinone, A.,

o-benzoylbenzoic acid, A., i, 895.

Lang, Julius, chemical lecture experiments, A., ii, 810.

Lang, William Robert, and Charles Macdonald Carson, the interaction of hydrogen sulphide and sulphur dioxide, P., 158.

Langbeck, K. See Friedrich Hoffmann. Lange, W. See Walther Borsche.

Langensiepen, Ernst. See Emil Knoevenagel.

Langer. See R. Segalle.

Langevin, P., the ions of the atmosphere, A., ii, 141.

Langevin, P., and M. Moulin, registration of the ions in the atmosphere, A., ii, 141.

Langguth, St., reduction of aromatic amino-acids to the corresponding alcohols, A., i, 593.

Langley, John N., and Rudolf Magnus, movements of the surviving intestine, A., ii, 733.

Langmuir, Arthur C., estimation of rosin in shellac, A., ii, 214.

Langstein, Leo, the carbohydrate group in proteids, A., i, 496.

carbohydrates from serum globulins.

III., A., i, 555. Lanin, See CartAdamBischoff.

Laprade, F. See Jules Aloy.

Lapworth, Arthur. See Douglas Anderson Bowack.

Laqueur, Ernst, action of the rennet ferment on milk and casein, A., ii, 848. Larguier des Bancels. See Bancels.

Lassar-Cohn, tap for use with alkaline

liquids, A., ii, 631.

Lassar-Cohn and Fritz Schultze, action potassium hypochlorite, hypobromite, and hypoiodite on dipotassium salicylate, A., i, 893.

Lasserre, A., action of acetaldehyde and acetone on mercuric acetate, A., i, 740.

Lattey, Robert Tabor, mutual solubilities of diethylamine and water, A., i, 747. **Launoy,** L., toxicity of amylene $\alpha\beta$ -

chlorohydrin, A., ii, 49.

Lauterwald, Franz, variations in the non-fatty solids of milk resulting from interrupted milking, A., ii, 773.

Lavaczeck, Paul. See Julius Tafel. Lavalle, Francisco P., estimation of sugar with Fehling's solution, A., ii, 558.

Lavaux, James, action of methylene chloride and aluminium chloride on

toluene, A., i, 43. separation of the three dimethylanthracenes obtained in the action of methylene chloride and aluminium chloride on toluene, A., i, 125.

action of acetylene tetrabromide and aluminium chloride on toluene, A.,

i, 640.

constitution of as-di-p-tolylethane, 2:7:9:10-tetramethylanthracene dihydride, and2:7-dimethylanthracene, A., i, 698.

Laveran, Charles Louis Alphonse, treatment of trypanosomiasis by arsenious acid and "trypanroth," A., ii, 272, 408.

Law, Herbert Drake, electrolytic oxidation of aliphatic aldehydes, T., 198;

P., 7; discussion, P., 8.

Herbert Drake, and Frederick Mollwo Perkin, electrolytic oxidation of the hydrocarbons of the benzene series. I. Hydrocarbons containing the methyl group, A., i, 40.

electrolytic oxidation of hydrocarbons of the benzene series. Part II. Ethylbenzene, cumene, and cymene,

A., i, 761.

electrolytic analysis of antimony, A., ii, 767.

Law, Herbert Drake. See also Alfred Chaston Chapman.

Lawroff, D., peptic and tryptic digestion of proteids. II., A., ii, 178.

Lawson, Andrew Cowper, orbicular gabbro from California, A., ii, 178.

Leach, Albert E., composition of turmeric, A., ii, 127.
Leach, Albert E., and Hermann C.

Lythgoe, estimation of ethyl and methyl alcohols in mixtures by the immersion refractometer, A., ii, 655.

Leach, Frederick Peacock, limonene nitrosocyanides and their derivatives, T., 413; P., 117.

Leather, John Walter, estimation of small quantities of iron, A., ii, 422.

Lebach, Gustav. See Martin Freund. Lebeau, Paul [Marie Alfred], employment of metalammonium compounds

in organic chemistry; preparation of fatty hydrocarbons, A., i, 401.

physical properties of propane, A., i, 501.

employment of metalammonium compounds in organic chemistry; formation of primary amines, A., i,

Lebeau, Paul. See also Henri Moissan. Le Blanc, Max [Julius Louis], electrolysis with alternating currents; passivity of metals, A., ii, 137. Le Blanc, Max, and Carlo Cantoni, the

Castner mercury process of obtaining chlorine and alkali, A., ii, 696.

Lecanu. See Allain Lecanu.

Lecarme, Jean. See Gabriel Bertrand. Le Chatelier, Henry [Louis], effect of nitrogen on steel, A., ii, 639.

Leclerc du Sablon, carbohydrate reserves of evergreen trees, A., ii, 605.

See Oskar Drude. Ledien, Franz.

Ledru. See Paul Freundler.

Leduc, [Sylvestre] Anatole, precision attained in the determination of the atomic weights of hydrogen and nitrogen, A., ii, 310.

diamagnetism of bismuth, A., ii, 371. Leeden, Rudolf van der. See Otto

Leenhardt, Ch., velocity of crystallisation of supersaturated solutions, A., ii, 630.

Leent, Frederik Hendrik van, the reactions concerned in the estimation of the iodine value, A., ii, 124.

Leersum, P. van, microchemical analysis of Cinchona barks, A., ii, 620.

Lees, Frederic Herbert. See Frederick Belding Power.

Lefèvre, Jules, development of green plants in light, in absence of carbon dioxide, in an artificial soil containing

amides, A., ii, 648. Leffmann, Henry, detection of asaprol [naphthol-\beta-sulphonate]; estimation of methyl alcohol in presence of form-

aldehyde, A., ii, 864.

Léger, Eugène, methylnataloe-emodin and nataloe-emodin, A., i, 532.

Lehmann, Hans. See Hermann von

Tappeiner.

Lehmann, Martin. See Arthur Hantzsch. Lehmann, Paul (Erlangen), and Hermann Stadlinger, table for the rapid calculation of the original extractive matter of beer wort, A., ii, 123.

Lehmann, Paul(Heidelberg). See

Friedrich Krafft.

Lehner, Alfred. See Fritz Ullmann.

Leishman, William Boog, stimulins, A., ii, 844.

Leishman, William Boog. WilliamSandilands Harrison, Arthur Briton Smallman, and Forbes Mason Grantt Tulloch, blood changes following antityphoid inoculation, A., ii, 599.

Lemcke, N. See Leo W. Pissarjewsky. Lemmermann, Otto, influence of different amounts of soil on the development of plants, A., ii, 413.

Lemoult, Paul [Aimé Louis], reversion of some secondary cyclic amines, A., i, 48.

action of phosphorus pentachloride on tertiary cyclic amines; synthesis of dyes and formation of phosphorus, A., i, 194.

general relations between the heats of combustion of organic compounds and their constitutional formulæ; calculation of the heats of combus-Part II., A., ii, 441.

Lemoult, Paul. See also Curtis.

Lenard, Philipp [Eduard Anton], emission of light from the vapours of alkali metals and their salts, and the centres of this emission, A., ii, 565.

Lenton, Walter Henry, assay of opium and its preparations, A., ii, 491.

Lenzner, Alfred. See Hans Stobbe. Leo, Hans, gastric digestion of proteids, A., ii, 838.

Richard. See August Leonhardt, Michaelis.

Leontowitsch, A. W., sodium hexatungstate, A., ii, 325.

Lepel, Franz von, oxidation of atmospheric nitrogen by aid of the electric arc, A., ii, 581.

Lepetit, Roberto, condensation product from hæmatoxylin and formaldehyde,

A., i, 148.

Lépine, Raphael, and Boulud, influence of local temperature on glycolysis in the capillaries, A., ii, 46.

reduction of oxyhæmoglobin, A., ii, 403.

distribution of saccharine matters in the plasma and in the blood corpuscles, A., ii, 642.

glycuronic acid of blood, A., ii, 730. Lerch, F. von, thorium X and the induced thorioactivity, A., ii, 790.

Leroux, Henri, decabydro-\beta-naphtholand octahydronaphthalene, A., i, 278.

decahydro-β-naphthyl ketone decahydro-\beta-naphthylamine, A., i,

Le Roux, P., action of very low temperatures on the phosphorescence of certain sulphides, A., ii, 131.

LXXXVIII. 11.

Lesage, L. See Robert Fosse.

Lesch, Karl, and Anton Michel, oxidation of octaglycol isobutyrate, A., i, 403.

Léser, Georges. See Philippe Barbier. Lespieau, Robert, B-bromobutyric acid, A., i, 9.

action of hydrogen cyanide on epiethylin (ethyl glycide ether), A., i,

ethoxycrotonic acid and ethylerythritic acid, A., i, 319.

tetracarbon hydroxy-acids obtained by the action of hydrogen cyanide on epibromohydrin. epichlorohydrin, and epiethylin (ethyl glycide ether), A., i, 406.

synthesis of the lactone of erythric acid, A., i, 566.

cryoscopic measurements with hydrogen cyanide, A., ii, 303.

Lespieau, Robert, and G. Chavanne, liquefaction of allene and allylene, A., i, 401.

Le Sueur, Henry Rondel, the action of heat on α-hydroxycarboxylic acids. Part II. α-Hydroxymargaric acid, αhydroxypalmitic acid, α-hydroxypentadecylic acid, and a-hydroxymyristic acid, T., 1888; P., 285.

Letsche, Eugen. See Otto Dimroth. Leuba, Auguste F., action of oxalic acid on lead ferrocyanide, A., i, 422. analysis of copper ferrocyanide, A., ii, 556.

Leuchs, Hermann, synthesis of hydroxypyrrolidinecarboxylic acids (hydroxyprolines), A., i, 545. Leuner, Karl. See Hans Stobbe.

Levene, Phoebus A., preparation and analysis of nucleic acids. VII., A., i. 105.

hydrolytic cleavage of proto-albumose, A., i, 252.

preparation and analysis of nucleic acids. VIII. On the nucleic acid of the spleen, A., i, 847.

end-products of pancreatic autolysis, A., ii, 732.

Levene, Phoebus A. See also John A. Mandel.

Levi, Mario Giacomo, passivity of nickel, A., ii, 591.

Levi, Mario Giacomo, and V. Bettoni, function of the catalyst in the Deacon process for the manufacture of chlorine, A., ii, 515.

Levi, Mario Giacomo, and Mario Voghera, electrolysis in acetone and in pyridine, A., i, 572.

Levi, Mario Giacomo. See also Raffaelo Nasini.

64

Levier, Alex. See Paul Dutoit.

Levin, Max, gold-thallium alloys, A., ii,

alloys of gold and nickel, A., ii, 532. Levin, Max, and Gustav Tammann, manganese-iron alloys, A., ii, 822.

Levin, Max. See also Rudolf Ruer.

Levites, S. A., deaminoalbumins, A., i,

Lévy, Albert, and Adrien Pécoul, estimation of carbon monoxide in confined atmospheres, A., ii, 203.

Levy, Alfred Goodman, estimation of chloroform vapour in air, A., ii, 121.

Levy, Leonard Angelo, and Henry Arnott Sisson, some new platinocyanides, P.,

Levy, Walter. See Arthur Rosenheim. Lewis, Gilbert Newton, hydration in solution, A., ii, 509.

autocatalytic decomposition of silver oxide, A., ii, 578.

Lewis, Reginald J. See Cecil Napier Hake.

Lewis, William Henry. See Frederick Daniel Chattaway.

Lewkowitz, Hermann. Friedrich Weinland. See Rudolf

Ley, Heinrich, internally complex metallic salts [copper glycine], A., i, 175.

mercury nitroform and the constitution of salt solutions, A., i, 316.

colloidal copper oxide, A., ii, 524.

Ley, Heinrich, and G. Wiegner, metastable states in reactions between gaseous and solid substances, A., i, 749.

Leys, Alexandre, reactions of certain ethylenic compounds with mercuric acetate in glacial acetic acid solution; mercury resorcinolmercuriacetate and phloroglucinoltrimercuriacetate, A., i, 433.

action of aldehydes on mercuric oxide in alkaline solution; distinction between acetaldehyde and formaldehyde, A., ii, 655.

L'Hôte, Louis, use of nickel vessels in laboratories, A., ii, 608.

Lichtenstein, Ludwig See Anton. Jacobus Henricus van't Hoff.

Lichtenstern, Richard, condensation of synthetical isovaleraldehyde formaldehyde, A., i, 509.

Lidholm, Hj., separation of silver from lead, A., ii, 204.

Lieben, Adolf, action of dilute acids on

pinacones, A., i, 167. Liebenoff, Carl, dissociation of electrolytes, A., ii, 499.

Liebermann, Carl [Theodor], and G. Häse, the pyrrole-blue group, A., i, 841. Liebermann, Carl, and Simon Lindenbaum, mesophenyl derivatives anthracene, A., i, 522.

Liebermann, Carl, and Leonhard Mamlock, action of bromine on the anthranols, A., i, 521.

iodo-hydriodo-compounds of non-nitrogenous derivatives of anthraquinone, A., i, 531.

Liebermann, Leo, estimation of fat, A., ii, 774.

Liebermann, Leo, and Paul Liebermann, is the presence of a catalase necessary for the guaiacum reaction? A., i,

Liebig, Hans von, condensation of benzil with resorcinol. I. Non-fluorescent substances, A., i, 781.

Liesche, Otto. See Georg Lockemann.

Lilienfeld, Maurice, chemotropism of the root, A., ii, 474.

Lilienthal, manurial value of molasses as compared with ammonium sulphate and 40 per cent. potassium salts, A., ii, 650.

Lindemann, Ludwig, Bence-Jones proteid, Å., ii, 186.

Lindenbaum, Simon. See Carl Liebermann.

Lindenberg, Willy. See ConradWillgerodt.

Linder, Ernest, and Harold Picton, solution and pseudo-solution. IV., T., 1906; P., 240.

Lindet, Léon [Gaston Aimé], stimulating and paralysing influences of certain substances in the production of rust, A., ii, 36.

Lindet, Léon, and Louis Ammann, influence of bran on the estimation of gluten and on the suitability of flour for bread-making, A., ii, 780.

Lindet, Léon, and P. Marsais, comparative production of alcohol and carbon dioxide during fermentation, A., ii, 109.

Lindgren, Waldemar, and WilliamFrancis Hillebrand, minerals from Arizona, A., ii, 96.

Ling, Arthur Robert, and Theodore Rendle, volumetric estimation reducing sugars, A., ii, 487.

Lingle, David Judson, restorers of the cardiac rhythm, A., ii, 835.

Linne, Bruno. See Balthasar Pfyl. Lion, Gaston. See George F. Jaubert.

Lipman, Jacob G. See Elward Burnett Voorhees.

Lipp, Andreas, and Eduard Widnmann, action of formaldehyde on 1:2-dimethyl-\(\Delta^2\)-tetrahydropyridine, A., i, 610.

Lipp, Andreas, and Eduard Widnmann, action of formaldehyde on 1:2-dimethyl-Δ2-tetrahydropyridine. 3-Acetyl-1-methylpiperidine(1-methyl-3-piperyl methyl ketone), A., i, 662.

Lippert, Walter, influence of atmospheric moisture on the oxygen absorption of oils. III., A., i, 258.

Lippmann, Edmund Oskar von, the occurrence of vanillin, A., i, 66.

Lippmann, Eduard, and Rodolfo Fritsch, condensation of aldehydes with ketones, A., i, 443.

Lipschitz, Alfred, and Rudolf von Hasslinger, action of dilute acids on ferrous sulphide, A., ii, 253.
Lipschitz, Alfred. See also Guido Gold-

schmiedt.

Litterer, Gustave, oil derived from leaves and stems of the sweet orange (Citrus Aurantium), A., i, 802.

oil derived from the leaves and stems of the lemon tree (Citrus Limonum), A., i, 802.

Litterscheid, Franz M., action of methylamine and of dimethylamine on furfuraldehyde, A., i, 76.

Litterscheid, Franz M. See also Ernst Schmidt.

Littlebury, WilliamOswald. See Robert Howson Pickard.

Lloyd, S. J., tribromophenol bromide: its detection, estimation, rate of formation, and reaction with hydriodic acid, A., i, 277.

estimation of phenol, A., ii, 209.

Lobello, R., Bettendorf's test for arsenic, A., ii, 763.

Lobello, R. See also Ezio Comanducci. Lobry de Bruyn. See Bruyn.

Locke, Frank Spiller, action of potassium and sodium on the indirect excitability of muscle, A., ii, 270.

Lockemann, Georg, detection of arsenic by means of the Marsh apparatus, A., ii, 353.

catalytic decomposition of arsenie hydride, A., ii, 386.

Lockemann, Georg, and Otto Liesche, preparation of acraldehyde by the boric acid method, A., i, 570.

Lockhart, L. B. See Charles Baskerville.

Lockyer, (Sir) Joseph Norman, and F. E. Baxandall, enhanced lines of titanium, iron, and chromium in the Fraunhoferic spectrum, A., ii, 69. the group IV. Lines of silicon, A., ii, 129.

are spectrum of scandium and its relation to celestial spectra, A., ii, 392.

Locquin, René, a-ketonic acids and esters (homopyruvic compounds), A., i, 11. oximes and dioximes of a-diketones, A., i, 19. α -diketones, A., i, 20.

See also Louis Bou-Locquin, René. veault.

Loeb, Adam. See Julius Baer.

Loeb, Jacques, antagonism of salts, A.,

Loeb, Leo, blood congulation. VI., A., ii, 330.

Loeb, Morris, crystallisation of sodium iodide from alcohols, A., ii, 634.

Loeb, Oswald, action of alcohol on the heart of warm-blooded animals, A., ii,

Loebl, Emmo. See Rudolf Scheuble. Löffler, Karl, \$\beta\$-coniceine, A., i, 917. Löffler, Karl, and M. Kirschner, deriv-

atives of 2-picolyl- and of 2-picolylmethyl-alkines. III., A., i, 938. Loeffler, Peter. See Heinrich Kiliani.

Löhlein, Walter, Volhard's titrimetric method for the estimation of pepsin and trypsin, A., ii, 780.

Löhnis, F., nitrification and denitrification in arable soil, A., ii, 109. decomposition of calcium cyanamide,

A., ii, 412. nitrogen bacteria, A., ii, 601.

changes in the nitrogen in soils, A., ii, 854.

Loevenhart, Arthur Solomon, catalytic decomposition of hydrogen peroxide, A., ii, 335.

Loew, [Carl Benedict] Oscar, flowering of bamboo, A., ii, 344.

poisonous action of sodium fluoride on plants, A., ii, 606.

lime requirements of plants, A., ii, 751.

lime requirements of various vegetable organs, A., ii, 751.

lime manuring, A., ii, 760.

Loew, Oscar, and Keijirō Asō, different degrees of availability of plant nutrients, A., ii, 347.

Löw-Beer, Oscar. See Heinrich Goldschmidt.

Otto, and Nathaniel Henry Alcock, physiology of the kidney. IV. Mechanism of salt diuresis, A., ii,

Loewi, Otto, W. M. Fletcher, and V. E. Henderson, physiology of the kidneys. III. Mechanism of caffeine diuresis, A., ii, 739.

Loewi, Otto, and Hans Meyer, action of synthetical substances allied to adrenaline, A., ii, 846.

Loewi, Otto. See also V. E. Henderson.

Loewy, Adolf, and Carl Neuberg, diamines, A., i, 158.

cystinuria. I., A., ii, 103.

Loewy, Adolf, and Hermann Schrötter, investigations on the circulation in man, A., ii, 401.

Alfred.FriedrichLohmann,

Kutscher.

Lohmann, C. E. Julius, extraction apparatus for large quantities vegetable powders, A., ii, 309.

Lohmann, Johann. See AlexanderGutbier.

Lohnstein, Theodor, estimation of fat, lactose, and proteids in milk, A., ii, 773.

See Ferdinand Willy Lohse, Oscar. Hinrichsen.

London, E. S., chemistry of digestion.

I., A., ii, 730. London, E. S., and A. Th. Sulima, chemistry of digestion in animals. II. Digestion of proteids in the alimentary tract, A., ii, 838.

Long, John Harper, specific rotation of

salts of casein, A., i, 498.

Longinescu, George G., polymerisation in the liquid and solid states, A., ii, 79.

Lossen, Wilhelm [Clemens], preparation of o-chlorophenol, A., i, 126.

Lottermoser, [C. A.] Alfred, absorption compounds of colloidal silver and other inorganic colloids with organic colloids, A., ii, 318.

coiloidal salts. I. Silver salts, A., ii,

Louise, Émile [Alphonse Camille], and F. Moutier, toxicology of mercury diphenyl, A., ii, 601.

Love, Andrew, leucocytosis of typhus fever, A., ii, 338.

Lovén, Johan Martin, optically active a-phenylethylamines (a-aminoethylbenzenes), A., i, 875.

Lowe, William Foulkes, accuracy of the dry assay of galena in an iron crucible,

A., ii, 205.

Lowry, Thomas Martin, the design of gasregulators for thermostats, T., 1030; P., 181; discussion, P., 181.

dynamic isomerism, A., ii, 16.

application to electrolytes of the hydrate theory of solutions, A., ii, 686.

wry, Thomas Martin. William Robert Bousfield. Lowry, See also

Lucas, Richard, absorption of oxygen by platinum, A., ii, 396.

contraction exhibited by certain substances on ignition, A., ii, 574.

the contact process of manufacturing sulphuric acid, A., ii, 701.

Lucas, Richard. See also Guido Bodländer and Erich Müller.

Lucchèse, Louis, rapid estimation of silicon in ferrosilicon, A., ii, 118. analysis of ferrosilicons; use of sodium peroxide in platinum crucibles, A., ii, 119.

Lüthje, Hugo, formation of sugar from

proteid, A., ii, 99.

Luginin, Wladimir Fedorowitsch, latent heat of vaporisation of carvacrol and anethole, A., ii, 801.

Lukin, Mstislaw, sterilisation of milk with hydrogen peroxide, with special reference to Budde's process, A., ii,

647, 758.

Luksch, Alfred, condensations of oaldehydocarboxylic acids with ketones,

Lumière, Auguste, Louis Lumière, and Henri Barbier, antipyrylsemicarbazide, A., i, 475.

acetylation in aqueous solutions, A., i, 642.

Lumière, Auguste, Louis Lumière, and Chevrotier, preparation properties of protoplasmic extracts of blood corpuscles, Å., ii, 642. Lumière, Auguste, Louis Lumière, and

F. Perrin, action of dicyanodiamide the primary aromatic amine hydrochlorides, A., i, 249.

aromatic nitrocarbonic esters and their reduction products, A., i, 588.

action of chloro-formodiethylamide on nitrophenols and reduction of the corresponding derivatives, A., i, 588.

Lumière, Auguste, Louis Lumière, and Alphonse Seyewetz, hyposulphites of aromatic bases, A., i, 157.

composition of gelatin impregnated with potassium dichromate and rendered insoluble by subsequent exposure to light, A., i, 847.

composition of gelatin rendered insoluble by exposure to light in presence of chromic acid or chromates,

A., i, 848.

anti-oxidation of solutions of sodium sulphite, and anti-oxidising agents, A., ii, 379.

decomposition and preservation of sodium hyposulphite as anhydrous powder and in aqueous solution, A., ii, 706.

Lumsden, John Scott, the reduction products of anisic acid, T., 87; P., 14. the physical properties of heptoic,

hexahydrobenzoic, and benzoic acids and their derivatives, T., 90; P.,

Lunge, Georg, theory of the lead chamber process, A., ii, 157.

estimation of combined sulphuric acid by the processes of Lunge and of Silberberger, A., ii, 350.

assay of concentrated nitric acids by the specific gravity, A., ii, 651.

Lunge, Georg, and Ernst Berl, reactions between nitric oxide and oxygen or atmospheric air, A., ii, 84.

Lunge, Georg, and Hermann Grossmann. Parr's method for estimating the heat of combustion, A., ii, 628.

int, Joseph, spectrum of silicon; spectrum of fluorine, A., ii, 782.

Lusk, Graham, and Arthur R. Mandel, diabetes mellitus, A., ii, 187.

Lust, Franz Alexander, anti-substances against crotin in the normal organism, A., ii, 48.

Lustig, Fritz. See Wilhelm Prandtl. Luther, Robert [Thomas Diedrich], the unit of combining weights, A., ii,

chemical transfer of metallic potentials, A., ii, 668.

Luther, Robert, and Francis Joseph Brislee, anodic P. D.-current curve for hydrochloric acid at platinum electrodes, A., ii, 135.

Luther, Robert, and B. Krsnjavi, complex compounds of carbonic acid with

heavy metals, A., ii, 705.

Luther, Robert, and George VictorSammet, chemical and electrical examination of the equilibria: HIO₃+ 5HI,⇒3I₂+3H₂O and HBrO₃+5HBr $\Leftrightarrow 3Br_2 + 3H_2O$, A., ii, 508.

Luther, Robert, and Fritz Weigert, reversible photochemical reactions in homogeneous systems; anthracene and dianthracene. II., A., ii, 785.

Luttringer, Armand. See Edmond Emile Blaise.

Lutz, L., leucine and tyrosine as sources of nitrogen for plants, A., 276.

comparative assimilability of ammonium salts, amides, amines, and nitriles, A., ii, 548.

Lutz, [Jacob] Oskar, Giustiniani's benzyl-

malimide, A., i, 191. Lutz, Oskar, and A. Tschischikoff, indirect estimation of carbon dioxide in salts, A., ii, 203.

Lythgoe, Hermann C., optical properties of castor oil, cod-liver oil, neatsfoot oil, and a few essential oils, A., ii, 619.

Lythgoe, Hermann C. See also Albert E. Leach.

M.

Maar, Vilh. See Christian Bohr.
Maass, Emil, reduction of metanicotine with sodium and absolute alcohol, A., i, 543.

Mabery, Charles Frederic, and, in part, O. H. Palm and Otto J. Sieplein, composition of petroleum. I. Hydrocarbons in Ohio Trenton limestone II. Hydrocarbons petroleum. Canadian petroleum with high boiling III. Hydrocarbons in Santa Barbara crude oil. IV. Separation of solid paraffin hydrocarbons petroleum without distillation. The solid paraffin hydrocarbons that collect in oil wells in Pennsylvania. V1. Composition of commercial paraffin. VII. Composition of commercial vaseline, cosmoline, and similar products, A., i, 313.

Macallum, Archibald Byron, distribution of potassium in animal and vegetable cells, A., ii, 270. the silver reaction in animal and

vegetable tissues, A., ii, 736.

McBain, James W., dissociation of cadmium iodide, A., ii, 371.

McCabe, Charles R., gravimetric estimation of sulphur in iron and steel, A., ii, 761.

McCandlish, Douglas. See JuliusBerend Cohen.

McClelland, John A., secondary radiation, A., ii, 495.

secondary radiation (Part II.) and atomic structure, A., ii, 496.

McClelland, W. H. See Harry Monmouth Smith.

MacConkey, Alfred, lactose fermenting bacteria in fæces, A., ii, 601.

Newby, radioactiv-McCoy, Herbert ity as an atomic property, A., ii,

McCrae, John, analyses of some animal excrements, A., ii, 348.

McCrudden, Francis H. See J. E. Goldthwait.

Macdonald, John Smyth, basophil granules in nerve, A., ii, 405

migration of potassium and the injury current, A., ii, 545.

McGowan, George, and Robert Brooke Floris, estimation of arsenic in fuels, A., ii, 354.

Mach, Felix, solubility of soil con-

stituents, A., ii, 54.

Mach, Felix. See also Th. Dietrich.

Mache, Heinrich, radioactivity of the thermal springs, A., ii, Gastein 367.

Mache, Heinrich, and Stefan Meyer, radioactivity of the Bohemian mineral springs: Karlsbad, Marien-Teplitz-Schönau-Dux, Franzensbad, and of St. Joachimsthal, A., ii, 498.

radioactivity of some springs in the Southern Viennese Thermal Zone,

A., ii, 787.

McIntosh, Douglas, the basic properties of oxygen at low temperatures. Additive compounds of the halogens with organic substances containing oxygen, T., 784; P., 64, 120.

basic properties and the quadrivalence

of oxygen, A., i, 254.

basic properties of oxygen: compounds of organic substances containing oxygen with nitric, sulphuric, and chlorosulphonic acids, A., i, 677.

McIntosh, Douglas. See also Howard Turner Barnes and Bertram Dillon

Mack, Wilhelm Robert, peptone in seeds, A., ii, 474.

McKenzie, Alexander, studies in asymmetric synthesis. III. The asymmetric synthesis of l-lactic acid. The optical activity of fermentation lactic acid, T., 1373; P., 224.

McKenzie, Alexander, and HerbertBryan Thompson, racemisation phenomena during the hydrolysis of optically active menthyl and bornyl esters by alkali, T., 1004; P., 184.

Mackenzie, Arthur Stanley, deflexion of α-rays from radium and polonium,

A., ii, 790.

Mackie, W., estimation of carbon dioxide in air, A., ii, 355.

Macleod, John James Rickard, and J. **Dolley**, experimental glycosuria, A.,

ii, 544.

Macleod, John James Rickard, and H. D. Haskins, estimation of carbamates, A., ii, 123.

Madsen, Thorvald, toxins and anti-toxins. IV., A., ii, 407.

Madsen, Thorvald, and Hideyo Noguchi, toxins and anti-toxins. II. and III., A., ii, 407.

Madsen, Thorvald, and L. Walbum, toxins and anti-toxins. I., A., ii, 407.

Madsen, Thorvald. See also Svante August Arrhenius.

Maetzke, Georg, digestion in dogs with artificial anus, A., ii, 837.

Maey, [Hermann Rudolf] Eugen, specific volume as the determining criterion of chemical combination in metal alloys. II., A., ii, 146.

Magnus, Rudolf; the surviving intestine, A., ii, 466.

Magnus, Rudolf. See also John N. Langley.

Magnus-Alsleben, Ernst, the toxicity of the normal intestinal contents, A., ii. 746.

Magri, Giuseppe. See Ubaldo Antony. Mahler, E. von, detection of saccharin, A., ii, 127.

Mai, Carl, detection of arsenic in the ashes of cremated bodies, A., ii, 61. estimation of arsenic in toxicology, A., ii, 763.

Mai, Carl, and Hugo Hurt, the evolution of hydrogen for Marsh's arsenic test, A., ii, 61.

electrolytic estimation of small quanti-

ties of arsenic, A., ii, 284.

Mai, Carl, and C. Rath, constituents of the fruits of Copaifera Mopane, A., ii,

Maignon, F., alcohol and acctone in the tissues and fluids of the body, A., ii, 406.

Maignon, F. See also C. Vaney.

Maigret, E., solubility of lime and magnesia in solutions of sodium chloride with or without sodium hydroxide; application to the separation and estimation of the two substances, A., ii, 482.

Mailhe, Alphonse, catalytic action of finely divided metals, A., i, 501. hydrogenation of aldoximes, A., i, 571. reduction of ketoximes; new synthesis of amines, A., i, 635.

Mailhe, Alphonse. See also PaulSabatier.

Maillard, Louis C., scatoxyl and the origin of scatolic pigments, A., ii, 271. Majone, Vincenzo, benzylphenyl sali-

cylate, A., i, 278.

Makower, Walter, molecular weights of radium and thorium emanations, A., ii, 220.

method of transmission of the excited activity of radium to the cathode, A., ii, 792.

Malcolm, John, inter-relationship of calcium and magnesium excretion, A., ii, 271.

Malfitano, G., the physical units of proteid matter and the part played by lime in their coagulation, A., i, 846.

the colloidal state, A., ii, 14. electrolytic conductivity of colloidal solutions, A., ii, 72.

colloidal ferric chlorides, A., ii, 459. Malkomesius, Philipp, and Albert, humic acid, A., i, 119.

Malkomesius, Philipp. See also Theodor Zincke.

Mallinekrodt, Edward, jun., and Edward A. Dunlap, meconic acid in the U.S.P. opium assay and certain meconates, A., ii, 777.

Malvezin, Philippe, diastases in wine

diseases, A., ii, 749.

Mameli, Efisio, action of magnesium ethyl iodide on piperonaldehyde; new synthesis of isosafrole, A., i, 203. ethylpiperonyl ether, A., i, 203.

Mameli, Efisio, and Ezio Alagna, action of magnesium propyl iodide on piperonaldehyde, A., i, 889.

prperonaidenyde, A., 1, 609.

Mamlock, Leonhard. See Carl Liebermann.

Manasse, Albert. See Carl Neuberg. Manchot, Wilhelm, and A. Kieser,

double silicides of aluminium, A., ii, 165.

Manchot, Wilhelm, and Paul Krische, action of ammonium sulphide on ketones and the conversion of thiopinacones into hydrocarbons, A., i, 142.

Mandel, Arthur R., paralactic acid, A., ii, 182.

11, 102

Mandel, Arthur R. See also Graham Lusk.

Mandel, John A., and Phoebus A. Levene, distribution of glucothionic acid in the animal organism, A., ii, 736.

Manley, John Job. See Victor Herbert

Veley.

Mann, Guido, use of the orcinol reaction for the detection of sugar in urine, A., ii, 487.

Mannheim, *Emil*, tetra-alkylarsonium bases, A., i, 758.

Manning, Charlotte R. See Francis Gano Benedict.

Manuelli, Antonio. See Giuseppe Bruni. Maquenne, Léon [Gervais Marie], preparation of β-methylglucoside, A., 1, 415.

apparatus to show the production of ozone during the combustion of coal gas, A., ii, 382.

Maquenne, Léon, and Louis Philippe, constitution of ricinine, A., i, 80.

Maquenne, Léon, and Eugène Roux, constitution, saccharification, and reversion of starch paste, A., i, 511.

Maragliano, Giuseppe. See Angelo Angeli.

March, François. See Albin Haller.

Marchadier, L., indirect fermentative oxidations; course of the reaction in the oxidation of quinol, A., i, 342.

Marchese, C. See Giovanni Romeo.

Marchlewski, [Paul] Léon [Theodore], identity of phylloerythrin, bilipurpurin, and cholehæmatin, A., i, 500. chlorophyll, A., i, 540.

the origin of cholehæmatin (bilipurpurin), A., i, 847.

Marchlewski, Léon. See also H. Gold-mann and Józef Buraczewski.

Marckwald, Eduard. See Fritz Frank. Marckwald, Willy, radiotellurium, A., ii, 159, 623.

actinium and emanium, A., ii, 497.

Marckwald, Willy, Heinrich Greinacher, and Karl Herrmann, radioactivity constant of radiotellurium, A., ii, 623.

Marckwald, Willy, and Richard Meth, amide formation between optically active acids and bases; the optically active α-aminoethylbenzenes, A., i, 272.

Marckwald, Willy, and David M. Paul, transformation of racemic compounds into the corresponding optically active forms, A., i, 285.

Marcusson, Julius. See David Holde.

Marek, J., a simple gas pressure regulator, A., ii, 448.

Maret, Al. See Otto C. Billeter.

Margosches, Benjamin Max, estimation of alkalis in silicates by L. Smith's method, A., ii, 421.

use of benzene or toluene as indicator in iodometry, A., ii, 552.

Margosches, Benjamin Max. See also Hugo Ditz.

Marguery, Félix, unsymmetrical compounds of the malonic series, A., i, 507.

synthesis of aromatic β -ketonic esters, A., i, 527.

Marie, Charles, phosphorus acid derivatives of ketones and aldehydes, A., i, 17.

electrolytic reduction of the nitrocinnamic acids, A., i, 554.

Marino, Luigi, iridium sesquisulphate and its alums, A., ii, 43.

electromotive behaviour of molybdenum and its analogies with that of chromium, A., ii, 796.

Markovits, Th. von. See Karl Auwers.

Markownikoff, Wladimir W., cyclic compounds; oxidation of 1-methyl-2-cyclohexanone, A., i, 141.

cyclic compounds; heptanaphthene (methylcyclonexane) and its derivatives, A., i, 760.

obituary notice of, T., 597.

Marquis, Raymond, nitration of methyl pyromucate; nitropyromucic acid, A., 1, 77.

Marquis, Raymond, researches in the furan series, A., i, 224.

benzhydroxamic and dibenzhydroxamic acids, A., i, 524.

Marre, Francis, and Fr. Stolle, the active components of Fehling's solution, A., i. 738.

Marsais, P. See Léon Lindet.

Marsh, James Ernest, and Robert de Jersey Fleming Struthers, condensation of ketones with mercury cyanide, T., 1878; P., 248.

Marsh, James Ernest. See also Robert de Jersey Fleming Struthers.

Martin, Charles James, fibrin ferments in snake venom, A., ii, 411.

Martin, Charles James. See E. H. Embley.

Martin, Geoffrey, contribution to the theory of solution, A., ii, 234. the condition which determines the

chemical similarity of elements and radicles, A., ii, 693.

causes why an element often passes from one grade of combination to another without giving rise to intermediate compounds, A., ii, 809.

Martine, Camille. See Albin Haller.

Martinsen. See Henri Moissan.

Martinsen, Haavard, kinetics of the nitration reaction, A., ii, 149.

Martz, Ernst. See Carl Graebe. See Richard Will-Marx, Wilhelm. stätter.

Mascarelli, Luigi, double salts of iodoxyderivatives with mercuric chloride and bromide, A., i, 869.

Maselli, Concetto, condensation of phenacylaniline with certain chloroethers, A., i, 776.

estimation of certain hydrazides, A., ii, 560.

Mason, H. P., new filter tube, A., ii, 381. Mason, John Ernest, and John Wilson, note on the incandescent mantle as a catalyst and its application to gas analysis, P., 296.

Massol, Gustave, thermal study of the acid function of pyruvic acid; influence of ketonic oxygen, A., ii, 302.

Massol, L. See E. Boullanger.
Massoulier, Pierre, ionisation in flames, A., ii, 140.

Mathews, Albert Prescott, nature of chemical and electrical stimulation. II. The tension coefficient of salts and the precipitation of colloids by electrolytes, A., i, 845.

the toxic and anti-toxic action of salts, A., ii, 106.

Mathewson, C. H., compounds of sodium with tin, A., ii, 634.

Mathias, Émile [Ovide Joseph], heat of vaporisation of liquefied gases, A., ii, 37Ż.

Mathieu, L., spontaneous oxidation of ethyl alcohol, A., i, 730.

Matignon, Camille [Arthème], thermochemistry of neodymium, A., ii,

anhydrous neodymium chloride, A., ii, 525.

condition of a chemical reaction forming a monovariant system, A., ii,

properties of some anhydrous chlorides of rare metals, A., ii, 391, 458.

Matignon, Camille, and FrancoisBourion, transformation of oxides and oxygenated metallic salts into anhydrous chlorides; application to analysis, A., ii, 459.

Matignon, Camille, and Gaston Desplantes, oxidation of metals in the cold in presence of ammonia, A., ii, 322.

Matignon, Camille, and René Trannoy, combinations of samarium chloride with gaseous ammonia, A., ii, 165.

preparation of binary compounds of metals by the alumino-thermic method, A., ii, 588.

Matsubara, Köichi, and William Henry Perkin, jun., experiments on the synthesis of the terpenes. Part IV. Synthesis of Δ^3 -normenthenol(8), $\Delta^{3,8(9)}$ - normenthadiene, normenthanol(8), $\Delta^{8(9)}$ -normenthene, &c., T., 661; P., 131.

Matter, Otto. See Emil Erlenmeyer, jun.

Matthaei, Gabrielle L. C. See F. Frost Blackman.

Matthies, W., glow discharge in vapours of the mercuric haloids, A., ii, 669.

measurement of potentials in iodine vapour, A., ii, 793.

Mattisson, Max. See Amé Pictet.

Matuschek, Joh., preparation of nitro-

products of organic compounds, A., i, 256.

action of ammonium chloride on potassium ferricyanide, A., i, 422.

a method for the preparation of a mixture of nitric oxide and nitric peroxide, A., ii, 84.

action of sodium nitrate on native sulphides, A., ii, 457.

Matz, See Carl Adam Benjamin.Bischoff.

Maué, Anton. See Theodor Zincke.

Maurenbrecher, A. D. See Bernhard Tollens.

Mauthner, Ferdinand, phenothioxins, A., i, 461.

Mauthner, Ferdinand. See also Paul Friedländer.

Mauz, Paul. See Otto Sackur.

Maximowitsch, Sergius, a new process for making electrolytic iron, A., ii, 253.

Maxwell, Samuel Steen, effect of salt solutions on cilia, A., ii, 269.

Mayer. See Paul Petit.

Mayer, Adolf [Eduard], humic acids of grey sand and brown sandstone, A., ii. 55.

Mayer, André. See Victor Henri.

Mayer, Charles, condensation of imines with aldehydes and ketones, A., i,

condensation of imines with ketones and nitromethane, A., i, 357.

condensation of benzylideneaniline with ethyl acetonedicarboxylate, A., i, 429.

properties of B-anilinoketones derived from fatty ketones, A., i, 791.

Mayer, Fritz. See Martin Freund.

Mayer, Otto, [silver dichromate]; A., ii,

Mayer, Otto von. See Paul Jannasch. Mayer, Paul. See Carl Neuberg. Mayer, W., and Bernhard Tollens,

fucosephenylosazone, A., i, 746.

Mazaraki, Wladimir. See Carl Adam

Mazé, Pierre, and A. Perrier, assimilation of certain ternary substances by vegetables, A., ii, 112.

Mazzara, Girolamo, and Alessandro Borgo, dichloropyrrole and dichlorodibromopyrrole. IX., Α., 659.

chloropyrrole and chlorotribromopyrrole. X., A., i, 817.

action of sulphuryl chloride on methyl pyrrole-2-carboxylate. XI., A., i, 817.

action of sulphuryl chloride on 2methylindole (methylketole), A., i, 827.

action of bromine on chloroindole and of sulphuryl chloride on scatole, A., i, 925.

action of sulphuryl chloride on indole, A., i, 925.

Mazzucchelli, Arrigo, electrolytic potential of chromous salts (electrochemical equilibrium between various degrees of oxidation). II., A., ii, 570.

preparation of carbon compounds containing two consecutive double

linkings, A., i, 633.

Meakin, Harold, and Charles Edwin Wheeler, the opsonic index in phthisis, A., ii, 845.

Mebus, Artur, ethyl methylethyloxalacetate and some of its derivatives, A., i, 507.

Medvedeff, An. K., derivative of glycuronic acid and p-nitrophenylhydrazine, A., i, 491, 612.

Meerburg, Pieter Adriaan, the system: potassium iodate, iodic acid, and water at 30°, A., ii, 17.

determinations in the system : cupric chloride, ammonium chloride, and water, A., ii, 17.

some determinations in the systems: KIO₃—HIO₃—H₂O, NaIO₃—HIO₃ $-H_2O$, and $NH_4IO_3-HIO_3-H_2O$, A., ii, 508.

Mees, Charles Edward Kenneth. See Samuel Edward Sheppard.

Mehring, *Heinrich*, estimation of the loss by ignition in soil analysis, A., ii, 615.

[Ernst] Wilhelm [Gustav], Meigen, calcium carbonate. II. Precipitation, A., ii, 454.

Meinertz, Joseph, the liver in phosphorus poisoning, A., ii, 470.

Meinertz, Joseph. See also Albert Neumann.

Meingast, Fritz, condensation of lævulic acid with isobutaldehyde,

Meisenheimer, Jakob, formation of salts of benzoin, A., i, 291.

Meisenheimer, Jakob, and Friedrich **Heim**, action of alkalis on phenylnitroethylene, A., i, 269.

Meisenheimer, Jakob. See also Eduard Buchner.

Meister, Lucius, & Brüning. See Farbwerke vorm. Meister, Lucius, & Brüning.

Méker, Georges, new laboratory burners and their adaptation to the production of high temperatures, A., ii, 142.

Meldola, Raphael, and Lewis Eynon, a method for the direct production of certain aminoazo-compounds, \underline{T} ., 1.

Meldola, Raphael, and Joseph Henry Lane, note on \(\beta\)-NH-ethenyldiaminonaphthalene, P., 24.

Meldola, Raphael, and Frank George Coad Stephens, dinitroanisidines and their products of diazotisation, T., 1199; P., 218.

Melikoff, Petr G., perborates, A., ii,

Melikoff, Petr G., and Eugen Eltschaninoff, qualitative reactions for columbium and tantalum, A., ii, 358.

Meltzer, S. J., and John Auer, rate of absorption fromintra-muscular tissue, A., ii, 181.

studies on magnesium salts. Anæsthesia by subcutaneous injections, A., ii, 743.

Meltzer, S. J., and William Salant, effect of intravenous injections of bile on blood-pressure, A., ii, 836.

Melville, Wm.See Alfred Holmes White.

Mendel, Lafayette Benedict, and Harold C. Bradley, physiology of molluses. I., A., ii, 179.

physiology of molluses. II. Inorganic constituents of the liver of Syco-

typus, A., ii, 737.

Mendel, Lafayette Benedict, and Oliver E. Closson, elimination of creatinine, A., ii, 186.

Mendel, Lafayette Benedict, and Philip H. Mitchell, utilisation of carbohydrates without intervention of alimentary digestion processes, A., ii,

Mendel, Lafayette Benedict, and Elbert William Rockwood, utilisation of proteids without the intervention of digestion, A., ii, 45.

Mendel, Lafayette Benedict, and Frank Pell Underhill, paths of absorption

from the liver, A., ii, 737. **Mendel**, Lafayette Benedict. See also

Thomas Burr Osborne.

Menschutkin, Nicolai A., influence of indifferent solvents on the alkylation of organic bases, A., i, 663.

Emanuel, cyanodialkylacetylcarbamides, A., i, 178.

imino-CC-dialkylbarbituric acids (5:5dialkylmalonylguanidines), A., i, 179, 751.

preparation of barbituric acid and its homologues, A., i, 179. preparation of a non-poisonous saponin,

A., i, 365.

cyano-derivatives of pyrimidine, A., i, 670.

endoiminotriazoles, A., i, 949.

Mering, Josef von. See Emil Fischer. Merling, Georg, [with Robert Welde and Aladar Skita], constitution of the cyclohexenonecarboxylic esters, A., i, 349.

WaltherMerriam, Edmund S. See Nernst.

Merriman, Richard William. See Siegfried Ruhemann.

Meslin, Georges, coefficient of magnetisation of bismuth; some points of reference in the diamagnetic scale, A., ii, 228.

Meslin, Georges, ionisation and the coefficient of magnetisation of aqueous solutions, A., ii, 433.

Meszlényi, Emil, molybdenum compound of nicotine, A., i, 371.

Metcalf, Wilmot Vernon, solid peptone membranes on a water-surface, and the cause of their formation, A., ii, 512.

Meth, Richard. See Willy Marckwald. Mettler, Arthur J. See Henry Clapp Sherman.

Mettler, Carl, electrolytic reduction of aromatic carboxylic acids to the corresponding alcohols, A., i, 436. m-halogen-benzaldehydes, A., i, 790.

Metzener, W. See Karl A. Hofmann. Metzl, A. See Georg Vortmann.

Meulen, Henri ter, the nature of the sugars of certain glucosides, A., i, 803.

Meunier, Léon. See François Couturier. Meusser, Adolf, solubility of potassium chloride, bromide, and iodide in water, A., ii, 317.

Meusser, Adolf. See also Franz Mylius. Mewes, Rudolf. See Edward Jüngst.

Meyer, Arthur, apparatus for the cultivation of anaerobic bacteria and for the estimation of the oxygen-minima for germination, growth, and spore-production of bacteria, A., ii, 848. Meyer, Carl. See August Michaelis.

Meyer, Diedrich, [manurial] action of different forms of calcium and magnesium, A., ii, 197.

Meyer, Eberhard. See Robert Behrend. Meyer, Edgar, and Ernst Müller, cause of the ionisation of air in contact with phosphorus, A., ii, 141.

Meyer, Ernst [Sigismund Christian] von, dimolecular nitriles, A., i, 155.

Meyer. Fernand, preparation of aurous iodide by the action of iodine on gold, A., ii, 42.

Meyer, Georg. See Ludwig Knorr.

Meyer, Gustave M., and William John Gies, pigments of the purple pitcher plant, A., ii, 193.

Meyer, Hans (Prag), isomeric esters of aromatic keto-acids, A., i, 133. esterification by means of sulphuric

acid. II., A., i, 137. pyridinecarboxylic 2:6-substituted

acids, A., i, 155. quinoline-2-carboxylic chloride, A., i, 666.

Meyer, Hans (Prag), and Otto Hönigschmid, caryophyllin, A., i, 456.

Meyer, Hans (Marburg). See Otto Loewi and Friedrich Stolz.

Meyer, Heinrich L. See Gustav Heller. Meyer, Julius, calculation of atomic weights, A., ii, 238. Meyer, Julius, theory of auto-oxidation, A., ii, 697.

atomic weight of silicon. II., A., ii, 815. eyer, Julius. See also W. Becker, Meyer, Julius.

Hans Eggeling, and P. Engler. Meyer, Richard Emil, 9-phenylxanthen,

A., i, 226.

Meyer, Richard Emil, and Oskar Spengler, action of alcoholic potassium hydroxide on phenanthraquinone, A., i, 219, 362.

constitution of the phthalein salts, A., i, 440.

Meyer, Richard Josef, bibliography of the rare earths, A., ii, 249.

Meyer, Richard Josef, and Alfred Gumperz, uniform nature of thorium, A., ii, 257.

See Heinrich Mache. Meyer, Stefan.

Meyerhoffer, Wilhelm, breaks in the solubility curves, A., ii, 13.

Meyerhoffer, Wilhelm. See also Jacobus Henricus van't **Hoff**.

Meyersberg, Paul, reduction of dimethyltrimethylene glycol (ββ-dimethylpropane-αγ-diol) by means of fuming hydriodic acid, A., i, 166.

Meystowicz, Simon von. See Carl Adam

Bischoff.

Mezger, Otto, detection of boric acid, A., ii, 764.

Michael, Arthur, phenylcarbimide as a reagent for determining the constitution of tautomeric compounds, A., i, 195.

history of the theory of the formation and constitution of ethyl sodioacetoacetate, A., i, 506.

ethyl formylacetate and ethyl a-formyl-

propionate, A., i, 563.

syntheses with ethyl sodioacetoacetate, A., i, 564.

Claisen's cinnamic acid synthesis, A., i, 646.

syntheses with ethyl sodiomalonate and similar compounds, A., i, 855.

Michael, Arthur, and Oskar Eckstein, formation of C-acyl derivatives from ethyl cyanoacetate by means of pyridine and quinoline, A., i, 176.

Michaelis, [CarlArnold] August, nitrosoand azo-derivatives of 3-pyrazolones,

A., i, 244.

Michaelis, August, [with Johann] Beh-Wilhelmrens, Wilhelm Hahn, and Meyer], 3-pyrazolones, A., i, 377.

Michaelis, August, [with JohannBehrens, Richard Leonhardt, Heinrich Simon, and Karl Wahle], azo-compounds of phenylpyrazoles and their halogen and thio-derivatives, A., i, 392.

Michaelis, August, [with Richard Blume, Eduard Brust, Wilhelm Danzfuss, Albert Hepner, and Wilhelm Preuner], 5-aminopyrazole and iminopyrines, A., i, 476.

Micheels, H., and P. de Heen, influence of radium on the respiratory energy of germinating grains, A., ii, 431, 474.

Michel, Anton. See Karl Lesch.

Micheli, F. Jules. See Ed. Sarasin.

Michnowitsch, Paul, β-phenyl-β-ethylethylenelactic [β -hydroxy- β -phenylvaleric] acid, A., i, 526.

Micklethwait, (Miss) Frances Mary Gore. See Gilbert Thomas Morgan.

Milbauer, Jar., action of potassium thiocyanate on metallic oxides at high temperatures, A., i, 121.

uranyl selenide and potassium chromic selenide, A., ii, 94.

Milbauer, Jar., and R. Hac, estimation of cyanogen iodide in presence of iodine, A., ii, 489.

Milchner, Richard. See Carl Neu-

Milewski, Jan. See Carl Adam Bischoff.

Millar, Edmund Theodore. See Adrian John Brown.

Miller, Edmund Howd, and Frederick van Dyke Cruser, estimation of bismuth by precipitation as molybdate, A., ii, 358.

Miller, Sarah P., estimation and separation of gold in the electrolytic way, A., ii, 67.

Milliau, Ernest, detection of cotton-seed oil in olive oil, A., ii, 126.

test for the purity of cocoanut oil, A., ii, 775.

Milliken, Carl Spencer, and Percy Goldthwait Stiles, supposed equivalence of sodium and lithium ions in skeletal muscle, A., ii, 737.

Mills, James E., molecular attraction. III., A., ii, 152.

molecular attraction. IV. formula for vapour pressure and some relations at the critical temperature, A., ii, 443.

Milroy, Ina A., influence of inactive substances on the optical rotation of dextrose, A., i, 174.

Milroy, S. A., reduced acid hæmatin, A., i, 400.

Milroy, Thomas Hugh, response of the developing retina to light and radium, A., ii, 728.

Mingaye, JohnCharles Henderson, Mount Dyrring, Barraba, and Cowra meteorites A., ii, 399.

Minguin, Jules, influence of the ethylenic linkage in an [optically] active

molecule, A., i, 321.

dissociation of strychnine salts determined by their rotatory power; rotatory power in homologous series; influence of the double linking, A., ii, 130.

Minssen, Hermann, diffusion in acid and neutral media, especially in humus

soils, A., ii, 758.

Minunni, Gaetano, action of amyl nitrite on phenyl-m-nitrobenzylidenehydrazine, A., i, 91.

Minunni, Gaetano, and Roberto Ciusa, action of chlorine on brucine in glacial acetic acid solution, A., i, 230.

reduction of α-dibenzylideneacetonehydroxylamineoxime, A., i, 245.

Minunni, Gaetano, and Felice Ferrulli, chloro-derivatives of strychnine, A., i, 229.

Mironenko, Wladimir. See Carl Adam Bischoff.

Misteli, Wilhelm, incomplete combustion of gases; cause of the luminosity of flame, A., i, 849.

Mitchell, Herbert Victor, preparation of benzenazocoumarin; its bearing on the constitution of p-hydroxyazo-compounds, T., 1229; P., 220.

Mitchell, Herbert Victor. See also John

Theodore Hewitt.

Mitchell, J. Pearce. See Stewart Woodford Young.

Mitchell, Philip H. See Lafayette Benedict Mendel.

Mittler, Siegfried Toeche. See Leopold Rügheimer.

Mixter, William Gilbert, new allotropic form of carbon and its heat of com-

bustion, A., ii, 519.

Moeckel, K., distribution of fat, and the total fat in a fat dog, A., ii, 467.

Mönkemeyer, K., alloys of zinc and antimony, A., ii, 171.

bismuth telluride, A., ii, 828.

Moest, Martin. See Hans Hofer. Mohr, Ernst [Wilhelm Max], Lossen's

Mohr, Ernst [Wilhelm Max], Lossen's reaction, A., i, 274.

evidence for the possibility of resolving an optically active compound without actually resolving it and without the aid of optically active substances, A., i, 428.

a condensation product of phenylmethylpyrazolone, A., i, 676. Hofmann's reaction, A., i, 890.

Moir, James, the solubility of zinc hydroxide in alkalis, P., 310.

Moissan, [Ferdinand Frédéric] Henri, new synthesis of oxalic acid, A., i, 507.

the preparation of pure boron trifluoride and silicon tetrafluoride and some physical constants of these compounds, A., ii, 26.

investigation of the meteorite of Cañon

Diablo, A., ii, 43.

new experiments on the preparation of diamonds, A., ii, 160, 450.

the increase in volume of molten cast iron saturated with carbon in the electric furnace at the moment of solidifying, A., ii, 166.

the carbon silicide of the Cañon Diablo

meteorite, A., ii, 247.

some reactions of the alkali and alkaline-earth hydrides; influence of traces of moisture on the decomposition of the alkali hydrides by carbon dioxide or acetylene, A., ii, 818.

Moissan, Henri, and G. Chavanne, some constants of pure methane; the action of solid methane on liquid fluorine, A., i, 253.

some physical constants of calcium and calcium amalgam, A., ii, 163.

Moissan, Henri, and Paul Lebeau, action of fluorine on oxygenated compounds of nitrogen, A., ii, 517.

preparation and properties of nitroxyl fluoride (nitryl fluoride), A., ii, 518.

Moissan, Henri, and Martinsen, preparation and properties of thorium chloride and bromide, A., ii, 531.

Moldenhauer, Wilhelm, connection between electrolytic changes and the temperature of the electrodes, A., ii, 500.

Molisch, Hans, heliotropism indirectly caused by radium, A., ii, 412.

Molkereitechn. Inst. Sichler & Richter, Leipzig, sinacid-butyrometry, A., ii, 361.

Moll van Charante, Jacob, sulphoisobutyric acid, A., i, 16.

Molliard, pure culture of green plants, in a confined atmosphere, in presence of organic matters, A., ii, 750.

Monhaupt, M., detection and estimation of boric acid in butter, A., ii, 354.

Montagne, P. J., intramolecular atomic rearrangements in benzpinacones, A., i, 58, 445, 524.

Montanari, Carlo, red colouring matter of tomatoes, A., i, 293.

acidity of plant roots, A., ii, 191.

estimation of calcium and magnesium carbonates, A., ii, 204.

Montanari, Carlo, absorptive power of soils for bone and mineral superphosphates, A., ii, 759.

Moodie, (Miss) Agnes Marion. James Colquhoun Irvine.

Moody, Gerald Tattersall, causes of variegation in Keuper marls, A., ii,

Moody, Seth E., iodometric determination of aluminium in aluminium chloride aluminium sulphate, A., ii, 765.

Moore, Benjamin, hydrochloric acid in the gastric juice in cancer, A., ii,

Moore, Benjamin, and Herbert E. Roaf, physical chemistry of anæsthesia, A., ii, 272.

Moore, George T., new method for the purification of water supplies, A., ii, 107.

Moore, J. E. S. See J. E. Farmer.

Moore, Richard B. See Herman Schlundt.

Mooser, W., [new alkaloid in] earth-nut, A., i, 79.

Morawetz, Wilhelm, condensation of methylethylacraldehyde with isobutaldehyde, A., i, 262.

Morawitz, P., the proteids of the blood, A., ii, 837.

Morchoisne, E. See Henri Labbé.

Moreau, Georges [Gaston Émile], new class of ions, A., ii, 9.

Moreigne, Henri, colour reaction of uric acid with phosphotungstic acid; preliminary treatment of urine before estimating urea, A., ii, 212.

Morel, Albert. See Maurice Doyon and Louis Hugounenq.

Morgan, Gilbert Thomas, triboluminescence in the acridine series, A., ii, 786.

Morgan, Gilbert Thomas, and Arthur Clayton, influence of substitution on the formation of diazoamines and aminoazo-compounds. Part IV. 5-Bromo-as(4)-dimethyl-2:4-diaminotoluene, T., 944; P., 182.

Morgan, Gilbert Thomas, and (Miss) Frances Mary Gore Micklethwait, the diazo-derivatives of the benzenesulphonylphenylenediamines, 73; P., 8; discussion, P., 9.

the diazo-derivatives of monoacylated aromatic para-diamines, T., 921; P., 179; discussion, P., 180.

the arylsulphonyl-p-diazoimides, T.,

1302; P., 222.

the diazo-derivatives of 1:5- and 1:8benzenesulphonylnaphthylenediamines, P., 303.

Morgan, Gilbert Thomas, and Francis E. Richards, azo-colouring matters derived from ar-tetrahydro-a-naphthylamine, A., i, 616.

Morgan, Gilbert Thomas, and William Ord Wootton, influence of substitution on the formation of diazoamines and aminoazo-compounds. Part III. Azoderivatives of symmetrically di-substituted primary meta-diamines, T., 935; P., 179.

Morgen, August, Carl Beger, and Gustav Fingerling, influence of fat and other substances on milk production when given in addition to a scanty basal food, A., ii, 649.

Moriya, G., lactic acids in the animal organism, A., ii, 181.

Morley, Edward Williams, quantity of moisture left in a gas after its passage over phosphoric oxide, A., ii, 381.

Morozewicz, Józef, beckelite, a calcium cero-lanthano-didymo-silicate, A., ii,

Morrell, Robert Selby, and Albert Ernest Bellars, action of hydrogen peroxide on carbohydrates in the presence of ferrous sulphate. V., T., 280; P., 79.

some compounds of guanidine with

sugars, A., i, 577.

Morris-Airey, H., and E. D. Spencer, temperature-coefficient of electrical resistivity of carbon at low temperatures, A., ii, 668.

Morse, Harmon Northrup, and Joseph Christie Whitney Frazer, pressure and freezing points of solutions of sucrose, A., ii, 575.

Morse, Harmon Northrup, and Levi Shoemaker Taylor, electrical method for the combustion of organic compounds, A., ii, 480.

Moser, Alexander. See Fritz Haber.

Moser, L., titration of copper by potassium iodide, and applicability of the method in presence of iron and arsenic, A., ii, 64, 422.

Moss, Richard Jackson, state in which helium exists in pitchblende, A., ii,

Mosse, Max, staining reactions of animal cells, A., ii, 182.

Mosse, Max. See also Hermann Silbergleit.

Motion, John. See Edward C. Worden. Mott, Wm. Roy. See Hector Russell Carveth and Harrison Eastman Patten.

Mottek, Siegbert. See Emil Knoevenagel.

Mouilpied, Alfred Theophilus de, the condensation of phenylglycinoacetic esters in presence of sodium alkyloxides, T., 435; P., 63. Moulin, M. See P. Langevin.

Mourawiew-Winigradoff, Anna.See Fritz Ullmann.

Moureu, Charles, chemical composition of the radioactive gaseous mixtures evolved from the waters of thermal springs; presence of helium, A., ii, 5.

Moureu, Charles, and Amand Valeur, action of methyl iodide on sparteine, A., i, 608.

stereoisomerism of sparteine methiodides, A., i, 608.

action of ethyl iodide on sparteine, A., i, 609.

symmetry of the sparteine molecule, A., i, 659.

sparteine, A., i, 716. Mouson, J. G. See Otto Fischer. Moutier, F. See Emile Louise.

Moycho, Stefan, and Franz Zienkowski, methylcamphenylol, A., i, 654. camphene, A., i, 710.

Much, H. See Wilhelm Biltz.

Mudge, George P., pigmentation and intravascular coagulation, A., ii, 539.

Mühlhausen, Gottfried. See Theodor Zincke.

Müller, "basic slag-ammonia," a new manure; its composition and results of manurial experiments in 1904, A., ii, 650.

Müller, Arthur, solubility of metallic hydroxides in glycerol, A., i, 254.

Müller, Carl. See Julius von Braun. Müller, [Max] Erich, and Richard Lucas, cathodic pulverisation of tel-

lurium, A., ii, 672.

Müller, Erich, and Fritz Spitzer, electrolytic oxidation of ammonia to nitrites, A., ii, 242, 314.

electrolytic reduction of nitrates to nitrites, A., ii, 314.

electrolytic preparation of nitrite from nitrate, especially at silver cathodes, A., ii, 703.

Müller, Erich. See also Consortium für Elektrochemische Industrie and Fritz Foerster.

Müller, Ernst. See Edgar Meyer.

Müller, Karl, essential oils from liverworts, A., i, 713.

chemical composition of the cell membrane in various cryptogams, A., ii, 648.

Müller, Max. See Alexander Naumann.

Müller, O. See Alexander Tschirch. Münch, Eduard. See Robert Stollé.

Münch, Siegmar. See Friedrich Wilhelm Küster and Theodor Zincke.

Müther. See Conrad von Seelhorst.

Muir, Robert, and Carl H. Browning, chemical combination and toxic action as exemplified in hamolytic sera, A., ii, 107.

Muller, Joseph Auguste, source of the excessive moisture found in certain combustions, A., i, 756.

action of ketone reagents on sodium carbonylferrocyanide, A., i, 757. estimation of lead and antimony as

sulphides, A., ii, 118.

analysis of lead minerals, A., ii, 119. estimation of carbon, hydrogen, and nitrogen in cyanides, A., ii, 767.

Muller, Paul Thiebaud, chemical changes in bone marrow after intraperitoneal injection of Bacteria, A., ii, 468.

Muller, Paul Thiébaud, and Charles Fuchs, determination of specific heats of solutions; molecular heats of good and bad electrolytes, A., ii, 504.

Muller, Paul Thiébaud. See also Albin Haller.

Mulzer, Paul, behaviour of iodoform in

the body, A., ii, 409. Mumm, Otto. See Heinrich Biltz.

Mummery, William Rest. See Frederick Thomas Harry.

Mundici, Curio Manio. See Mario Betti.

Munk, Julius, action of dilute sulphuric acid on the glycol obtained by reduction of propionaldol, A., i, 559.

Muraro, F., estimation of lecithin in grape stones and in wine, A., ii, 564.

Murlin, J. R., gelatin as a substitute for proteid in food, A., ii, 180.

Murmann, Ernst, analysis of bar copper (reply to Hampe's criticism), A., ii, 42Î.

Mylius, Franz [Benno], and Rudolf Dietz, zinc chloride; solubility of salts. XIV., A., ii, 321.

Mylius, Franz, and Adolf Meusser, use of quartz vessels in the laboratory, A., ii, 316.

See Karl Andrlík. Mysik, B.

N.

Nance, J. Trengrove, the existence of a carbide of magnesium, P., 124.

Narbutt, J. See Alex. D. Bogojawlensky.

Nasini, Raffaelo, fundamental laws of stoichiometry and the atomic theory; the Faraday lecture by W. Ostwald, A., ii, 514.

Nasini, Raffaelo, Francesco Anderlini, and Mario Giacomo Levi, radioactivity of the boric acid suffioni of Tuscany and the amount of the emanation contained therein, A., ii, 786.

Nasini, Raffaelo, Francesco Anderlini, and Roberto Salvadori, Italian terrestrial emanations. II. Gases from Vesuvius, the Flegrei Plains, the Albule waters of Tivoli, and the springs of Viterbo, Pergine, and Salsomaggiore, A., ii, 538.

Nathan, Leopold, Arthur Schmid, and Willy Fuchs, influence of metals on fermenting liquids, A., ii, 340, 847.

Naumann, Alexander [Nicolaus Franz], [and, in part, with Wilhelm Eidmann, Max Müller, Paul Schulz, and Ernst Voigt], reactions between salts in non-aqueous solutions. II. In acetone, A., ii, 29.

Naumann, Alexander, and Adolf Rücker, influence of silver nitrate on the solubility of silver nitrite, A., ii, 522.

Naumann, Alexander, [and Johannes Schroeder], reactions of salts in nonaqueous solutions. III., A., ii, 30.

Naumann, Kurt. See Julius Tafel.

Naylor, William Arthur Harrison, and E. J. Chappel, examination of drugs for arsenic, A., ii, 117.

for arsenic, A., ii, 117.

Nef, John Ulric, dissociation of the glycols and of the glycerols. I. and II., A., i, 3.

fundamental conceptions underlying the chemistry of the element carbon, A., i, 109.

Neilson, Charles Hugh, and Orville H. Brown, further proof of ionic action in physiological processes, A., ii, 45.

Neilson, Charles Hugh, and Oliver P. Terry, effect of dextrose and certain salts on the rate of transformation of glycogen into dextrose, A., ii, 736.

effect of hypnotics and antipyretics on the rate of catalysis of hydrogen dioxide by kidney extract, A., ii, 738.

Neilson, Charles Hugh. See also Orville H. Brown.

Neimann, Ernst. See Carl Neuberg. Neimann, Wilhelm. See Carl Neuberg. Nernst, [Hermann] Walther, formation of nitric oxide at high temperatures, A., ii, 24.

determination of chemical equilibrium from explosion processes. II., A., ii, 444.

Nernst, Walther, and Edmund S. Merriam, theory of the residual current, A., ii, 674. Nernst, Walther, and H. von Wartenberg, dissociation of carbon dioxide, A., ii, 629.

Neuberg, Carl, the phenylmethylhydrazine reaction of fructose, A., i, 90. amyloid, A., i, 162.

the pyrrole reaction, A., ii, 127.

chemistry of cancer. II. Abnormal fermentative occurrences, A., ii, 338. estimation of glycuronic acid, A., ii, 658.

detection of lævulose in the presence of glucosamine, A., ii, 769.

Neuberg, Carl, and Max Federer, d-phenylamylhydrazine, A., i, 299. resolution of racemic substances. II., A., i, 299.

Neuberg, Carl, and Paul Grosser, a new compound of sulphur in dogs' urine, A., ii, 739.

Neuberg, Carl, and Albert Manasse, isolation of amino-acids, A., i, 647.

Neuberg, Carl, and Paul Mayer, cysteine. II., A., i, 567.
d-, l-, and r-protein-cystines, A., i, 568

Neuberg, Carl, and Richard Milchner, the behaviour of carbohydrates in autolysis, A., ii, 45.

Neuberg, Carl, [and Ernst Neimann], diamines. II. New synthesis of diamines, A., i, 686.

synthesis of hydroxy- and diaminoacids. II. Diaminosuberic acid and diaminosebacic acid, A., i, 687.

Neuberg, Carl, and Wilhelm Neimann, new reactions and derivatives of glycuronic acid. VII., A., i, 411. synthesis of condensed glycuronic acids. VIII., A., i, 412.

estimation of condensed glycuronic acids. IX., A., ii, 426.

acids. IX., A., ii, 426.

Neuberg, Carl, and Dora Rauchwerger, new test for cholesterol, A., ii, 122.

Neuberg, Carl, and Martin Silbermann, glyceric acid derivatives. III. Configuration of glyceric acid, A., i, 408.

synthesis of aminohydroxysuccinic acid, A., i, 418.

Neuberg, Carl. See also Beitzke and Adolf Loewy.

Neumann, estimation of nitrogen in barley, A., ii, 202.

Neumann, A. See Oskar Drude.

Neumann, Albert, addenda to simple method for decarbonising substances; estimations in the decarbonised product, A., ii, 68.

Neumann, Albert, and Joseph Meinertz, estimation of sulphur by aid of sodium peroxide, A., ii, 59.

Neumann, Bernhard, a new apparatus for gas analyses, A., ii, 855.

Neumann, Walter, peptones, A., i, 726. Neumann-Wender, the mechanism of the guaiacum reaction, A., ii, 199.

Neville, Allen. See Robert Howson Pickard.

Newerowitsch, N., action of potassium hydroxide on a mixture of phenylacetylene and pinacolin: synthesis of phenylacetylenylmethyltert.-butylcarbinol, A., i, 775.

Nicloux, Maurice, alcohol in animal organs, A., ii, 181.

Nicolaier, Arthur, action of urotropine and allied compounds, A., ii, 188.

Nicolardot, Paul, ferric ethoxide, A., i,

colloidal ferric oxide, brown modifica-

tion, A., ii, 167.
Nicolas, Émile, detection of formaldeh y de

in milk, A., ii, 488.
Nicolas, Emile, and Delaud, apparatus for the estimation of nitrogen, A., ii,

Nicolau, Th., copper-pitch-ore from Amzalar, Roumania, A., ii, 599. titanite from Urotva, Transylvania,

A., ii, 599. Niemczycki, Stanislas, syntheses by means of zinc chloride [isobutyltoluene], A., i, 579.

Niementowski, Stefan [Dominik (Ritter)] von, synthesis of quinoline derivatives. III. Action of ethyl benzoylacetate on anthranilic acid, A., i, 611.

Niementowski, Stefan von, \mathbf{and} Seifert, diquinolyls, A., i, 300.

Niementowski, Stefan von. See also Wl. Baczyński.

Nierenstein, Maximilian, tannins producing a "bloom" [on leather], A., i, 365, 805.

the carbonyl group as tannophore, A., i, 805.

constitution of tannin, A., i, 914.

Nierenstein, Maximilian. See also Arthur George Perkin.

Nietzki, Rudolf [Hugo], and Alfred Humann, 2-nitro-3:6-dihydroxy-pbenzoquinone-5-sulphonic acid, A., i,

Nieuwland, Julius A., some reactions of acetylene, A., i, 557.

Nitkowski, Stanislaus. See Stanislaus von Kostanecki.

Nobbe, Friedrich, and L. Richter, treatment of soil with ether, carbon disulphide, chloroform, benzene, and hydrogen peroxide; effect on the growth of plants, A., ii, 53.

Noble, R. W. See Julius Stieglitz.

Nöll, Philipp. See Erwin Rupp.

Noël Paton, Diarmid, effect of adrenaline on excretion of sugar and nitrogen in birds, A., ii, 106.

Folin's theory of proteid metabolism, A., ii, 734.

Noël Paton, Diarmid. See also Alexander Goodall.

Noelting, [Domingo] Emilio, and Karl Dziewoński, rhodamines. I., A., i,

Noelting, Emilio, and Emile Kopp, pdichloroaminobenzene [2:5-dichloro-

aniline], A., i, 872. Noguchi, Hideyo. See Simon Flexner and Thorvald Madsen.

Nordenskiöld, Ivar, triplite from a new Swedish locality, A., ii, 174.

Nordman, Charles, registration of atmospheric ionisation by means of falling water, A., ii, 227.

Norman, George Marshall. See John Cannell Cain.

North, Barker, and W. Blakey, preparation of standard solutions of sulphuric acid, A., ii, 417.

Northall-Laurie, Dudley. See Herbert Jackson.

Norton, F. A., Durum wheat, A., ii, 754. Norton, F. A., and A. E. Koch, detection and estimation of arsenic and antimony in presence of organic matter, A., ii, 858.

Nové, H., presence of dextrose in tannin solutions, A., ii, 210.

Novotny, Karl, 110.

Novotny, Karl, titration of sodium hydroxide in presence of sodium carbonate, A., ii, 765.

Nowicki, Romuald, new gas-absorption apparatus, A., ii, 760.

Noyes, Arthur Amos, and William H. Whitcomb, solubility of lead sulphate in ammonium acetate solutions, A., ii, 523.

Noyes, William Albert, camphoric acid. XIV. Derivatives of trimethylparaconic acid, A., i, 322.

Noves, William Albert, and Howard Waters Doughty, dimethyladipic and trimethyladipic acids, A., i, 321.

Nozari, M. See Efisio Ferrero.

0.

Obermüller, Paul, determination of the decomposition-velocity of nitrocellulose, A., ii, 291.

Ockinga, K. A. See Walther Borsche. Oddo, Bernardo, action of sulphuryl chloride on mixed organo-magnesium compounds, A., i, 400.

Oddo, Giuseppe, dicamphorquinone and isodicamphorquinone, A., i, 448.

Oddo, Giuseppe, and Amedeo Colombano, solanin from Solanum sodomaeum, A., i, 455.

Oddo, Giuseppe, and Guido Cusmano, chlorination of n-propyl alcohol, A., i, 402.

Oddo, Giuseppe, and Ernesto Puxeddu, 5-aminoeugenol, A., i, 432.

5-azoeugenol and its constitution, A., i. 492.

reduction of hydroxyazo-compounds to aminophenols by phenylhydrazine, A., i, 842.

Oechsner de Coninck, William [Francois], crotonic and isocrotonic acids, A., i, 628.

uranyl chloride, A., ii, 38.

cobalt chloride tetrahydrate, A., ii,

synthesis of sodium uranyl sulphate by Spring's process, A., ii, 254. cobalt chloride, A., ii, 393.

cæsium uranyl sulphate, A., ii, 395. selenic acid, A., ii, 517.

Oechsner de Coninck, William, and Chauvenet, two double sulphates of uranyl, A., ii, 394.

lithium uranyl sulphate and magnesium uranyl sulphate, A., ii, 530.

Oechsner de Coninck, William, and Raynaud, action of sulphuric acid on organic acids, A., i, 321.

Oefele, Felix (Baron) von, substances soluble in ether in human fæces, A., ii, 102.

statistical tables of the amount of nitrogenous substances in human fæces, A., ii, 337.

Ochler, K., [azo-compounds from 3hydroxydiphenylamine], A., i, 161. disazo-dyes from δ-amino-α-naphthol-3-sulphonic acid, A., i, 162.

[bistoluene-p-sulphone-m-tolylenediamide], A., i, 829.

disazo-dyes from 6-amino-a-naphthol-3:7-disulphonic acid, A., i, 845.

Öholm, L. William, diffusion of electrolytes in water, A., ii, 147.

Oerum, H. P. T., human bile, A., ii, 337.

estimation of urinary indican by Meisling's colorimeter, A., ii, 872.

Oesterle, Otto A., chrysophanic acid, A., i, 911.

Ofner, Rudolf, separation of aldoses by secondary hydrazines, A., i, 90. action of secondary asymmetric hydr-

azines on sugar, A., i, 158, 937. detection of lævulose in the human body fluids, A., ii, 769.

LXXXVIII. 11.

Ohl, Herman. See Ernst Hermann Riesenfeld.

Ohlmer, Friedrich. See Max Bodenstein.

Okada, Sadajiro, action of phosphorus pentachloride on tartranil, A., i, 875. Olie, J., jun. See Hendrik Willem

Bakhuis Roozeboom.

Olig, A., and Josef Tillmans, the mean molecular weight of the non-volatile fatty acids of Dutch butter, A., ii, 212.

Olsen, John Charles, Ernest Seabury Clowes, and William O. Weidmann, estimation of manganese as green sulphide, A., ii, 206.

Olsen, John Charles, and Walter S. Rapalje, composition of the four sulphides of manganese, A., ii, 91.

Onnes. See Kamerlingh Onnes.

Francesco Onorato, P. See CarloPalazzo.

Oordt, Gabriel van, separation of glucinum from aluminium and iron, A., ii,

Oordt, Gabriel van. See also Fritz Haber.

Opfermann, Erich, action of formaldehyde on thiocarbanilide, A., i, 770.

Opie, Eugene L., enzymes and antienzymes of exudates, A., ii, 845.

Opolski, St., influence of light and heat on the chlorination and bromination of homologues of thiophen, A., i, 367.

Oppenheim, Moritz. See Adolf Jolles. Orchardson, Jan Quiller, and Charles Weizmann, some derivatives naphthoylbenzoic acid and of naphthacenequinone, P., 307.

Orglmeister, Gustav, [effect of feeding with material rich in arginine], A., ii, 734.

estimation of arginine with permanganate, A., ii, 777.

Orloff, E. I.. introduction of the groups 'CH2'OH and 'CH2' into primary aromatic amines and preparation of compounds of an imidic character, A., i, 189.

crystalline and liquid modifications of formanilide and p- and o-formatoluidides, A., i, 643.

analysis of solutions of hyposulphites; analysis of formalin, A., ii, 200.

Orndorff, William Ridgely, and John Edgar Teeple, bilirubin, the red colouring matter of the bile, A., i,

Orton, Kennedy Joseph Previté, transformations of derivatives of s-tribromodiazobenzene, T., 99; P., 12.

Orton, Kennedy Joseph Previté, and Joseph Edward Coates, and (in part) Miss Frances Burdett, the influence of light on diazo-reactions. Preliminary notice, P., 168; discussion, P., 169.

Orton, Kennedy Joseph Previté, and (Miss) Alice Emily Smith, transformations of highly substituted nitro-aminobenzenes, T., 389; P., 91. aka, Yūkichi, equilibrium of the

 $_{
m the}$ electrolytic dissociation of partially neutralised acids and bases, A., ii, 804.

distribution of iodine between two solvents, A., ii, 811.

reaction between silver nitrate and disodium hydrogen phosphate, A., ii, 820.

Osann, [Carl] Alfred, crystalline form of formaldehydesulphoxylate sodium (Rongalit C.), A., i, 568.

Osborne, Thomas Burr, and Isaac Foust Harris, precipitation limits with ammonium sulphate of some vegetable proteids, A., i, 555.

solubility of globulin (edestin) in salt solutions, A., i, 846.

proteids of wheat. I. The proteid soluble in alcohol, A., ii, 194.

Osborne, Thomas Burr, and Lafayette Benedict Mendel, ricin, A., ii, 188.

Osborne, Thomas Burr, Lafayette Benedict Mendel, and Isaac Foust Harris, proteids of the castor bean; isolation of ricin, A., ii, 753.

Osborne, William Alexander, the so-called antitoxic action of bivalent cations, A., ii, 746.

Oser, Adam. See Carl Graebe. Osgood, R. B. See J. E. Goldthwait. Osmond, Floris, and Ch. Frémont, mechanical properties of iron in isolated crystals, A., ii, 638.

Ost, [Friedrich] Hermann [Theodor], isomaltose, A., i, 22.

transformation of dextrose into lævulose; detection of lævulose, A., i, 684. Ostwald, Wilhelm. See Hans Landolt. Ostwald, [Carl Wilhelm] Wolfgang,

swelling of \$\beta\$-gelatin, A., i, 848. influence of acids and alkalis on the swelling of gelatin, A., i, 954.

toxicity of sea water on fresh-water animals, A., ii, 272.

Ostwald, Wolfgang. See also Martin H. Fischer.

Otori, J., decomposition of pseudomucin by concentrated boiling acids. A., i, 104.

oxidation of pseudomucin and of casein with calcium permanganate, A., i, 104.

Otori, J., picrolonates derived from substances[amines]of physiological importance, A., i, 126.

Otsuki, C. See Julius Precht.

Ott, Hans, conversion of Schiff's bases into hydrazones, semicarbazones, and oximes, A., i, 376.

Otto, Anton, [analysis of dognácskaite], A., ii, 464.

Otto, Ernst, behaviour of salt solutions in the stomach, A., ii, 403.

Otto, Richard, manurial experiments with calcium cyanamide and garden plants, A., ii, 196.

Ouvrard, Léon [Victor René], calcium chloroborates, A., ii, 635.

Overton, Ernst, action of salts on muscle and nerve, A., ii, 46.

Ρ.

Paal, Carl [Ludwig], and Conrad Amberger, palladium, A., ii, 397. palladium hydride, A., ii, 397.

colloidal metals of the platinum group. II., A., ii, 397.

rendering active of hydrogen by

colloidal palladium, A., ii, 397, 533.

Paal, Carl, and Carl Koch, 3:6-dimethylpyridazine, A., i, 91.

colloidal selenium, A., ii, 158. the brown and blue modifications of colloidal tellurium, A., ii, 158.

Paal, Carl, and Erich Weidenkaff, action of magnesium phenyl bromide on glycine ethyl ester, A., i, 436.

Padoa, Maurice, supposed radioactivity of hydrogen peroxide, A., ii, 624.

Padoa, Maurice, and B. Savarè, nature of iodide of starch, A., i, 416.

Päpke, Julius. See Carl Adam Bischoff. Paessler, [Ernst] Johannes, analysis of tanning materials, A., ii, 492.

Paganini, Pietro, detection of sawdust in

flour and bread, A., ii, 360. Painter, C. F. See J. E. Goldthwait. Pajetta, Raffaello, iodine numbers of oils, A., ii, 774.

Palazzo, Francesco Carlo, action of bromine on ethyl dimethylpyrone-

dicarboxylate, A., i, 458. Palazzo, Francesco Carlo, and A. Caldarella, nitrogen derivatives of acetylcarbinol, A., i, 937.

Palazzo, Francesco Carlo, and Eduardo Carapelle, action of hydroxylamine on ethyi diacetylmalonate, A., i, 858.

Palazzo, Francesco Carlo, and P. Onorato, 3:5-diacetyl-2:6-dimethylpyrone and the constitution of the synthetical γ-pyrone compounds, A., i, 459.

Palazzo, Francesco Carlo, and N. Salvo, action of hydroxylamine on ethyl acetylmalonate, A., i, 858.

Palazzo, Francesco Carlo. See also Alberto Peratoner.

Palladin, Wladimir, different origin of the carbon dioxide given off by plants during respiration, A., ii, 751.

Palm, O. H. See Charles Frederic

Mabery.

Panek, Kazimierz, bacteriological and chemical study of the fermentation of red beet, known as "barszcz," A., ii, 472.

Pannain, Ernesto, electrolysis of imides, A., i, 755.

Pantanelli, Enrico. See Ernst Winter-

Pappadà, Nicola, coagulation of colloidal

silicic acid. II., A., ii, 387.

Pariset, hydrolysis of hepatic glycogen produced by injection of amylase into the portal vein, A., ii, 265.

Parke, Davis & Co., preparation of acetyl hydrogen peroxide, A., i, 317.

Parker, George Howard, reversal of ciliary movement in Metazoa, A., ii, 183.

reversal of the effective stroke of cilia, A., ii, 542.

Parone, Ernesto, sodium derivatives of n-propylene glycol, A., i, 731.

Parow, E., influence of acid, steam pressure, and time on the production of dextrose and dextrin in the inversion of potato starch by mineral acids, A., i, 684.

Parravano, Nicola. See Italo Bellucci. Parsons, Charles Lathrop, equilibrium in the system GlO:SO₃:H₂O, A., ii, 34. complexity of glucinum, A., ii, 320. atomic weights of carbon and glucinum, A., ii, 710.

composition of the Pascucci, Olinto, of the blood-discs stroma and hæmolysis, A., ii, 729.

Pasquali, Adalberto. IcilioGuareschi.

phosphate, A., ii, 414.

Pastureau, presence of acetylmethylcarbinol in certain commercial vinegars, A., i, 559.

formation of acetol [acetylcarbinol] and pyruvic acid by direct oxidation of

acetone, A., i, 572.

Patein, Gustave [Constant], corrections to be applied in the estimation of lactose in cows' milk and human milk, A., ii, 122.

detection and estimation of antipyrine in pyramidone, A., ii, 658.

Patein, Gustave, and L. Daval, variations in the amount of casein contained in human milk, A., ii, 738.

Patten, Harrison Eastman, deposition of aluminium from ethyl bromide

solution, A., ii, 36.

Patten, Harrison Eastman, and Wm. Roy Mott, criticism of Clarke's new law in thermochemistry, A., ii, 11.

Patterson, Thomas Stewart, the influence of solvents on the rotation of optically active compounds. VIII. Ethyl tartrate in chloroform, T., 313; P., 78. preparation of anhydrides of chloro-

acetic acids, A., i, 168.

Patterson, Thomas Stewart, and Francis Taylor, studies in optical super-

position, T., 33. the influence of solvents on the rotation of optically active compounds. Part VII. Solution-volume and rotation of menthol and menthyl tartrates, T., 122; P., 15.

Pattinson, John, and John Thomas Dunn, some sources of error in sulphur

estimations, A., ii, 199.

Pattinson, Hugh Salvin, estimation of sulphur in pyrites by Lunge's method, A., ii, 199.

Pattinson, Hugh Salvin, and George C. Redpath, estimation of zinc in blendes and other natural and artificial products, A., ii, 356.

See Alexander Tschirch.

Paul, David M. See Willy Marchwald. Pauli, Wolfgang, physical alterations of colloids. IV. Precipitation of albumin by means of salts of heavy metals, A., i, 496.

Pauly, Hermann, action of diazonium compounds on iminazoles, A., i, 494.

Pauly, Hermann, and Arthur Binz, silk and wool as dye producers, A., i, 75.

Pavesi, Vittorio, alkaloid from Papaver dubium, A., i, 368.

Pawlewski, Bronislaw von, synthesis of derivatives of ketoquinazoline, A., i, 246.

derivatives of anthranilic acid, A., i, 437.

Pawlicki, P. See Max Scholtz.

Pécheux, Hector, properties of tinaluminium, bismuth-aluminium, and magnesium-aluminium alloys, A., ii, 526.

Peckham, Stephen Farnum, technical analysis of cements, A., ii, 204.

Peckolt, Theodore, medicinal and useful plants of Bıazil, A., ii, 113.

Pécoul, Adrien. See Albert Lévy.

Peebles, A. Roy. See Arthur Robertson Cushny.

Pégurier, Gaston, volumetric estimation of pyramidone and antipyrine in the presence of each other, A., ii, 871.

Pégurier, Gaston. See also A. Astruc.
Pélabon, Henri [Joseph Léonard Ferdinand], fusibility of mixtures of antimony sulphide with cuprous sulphide and mercuric sulphide, A., ii, 435.

Pellet, Henri [Jean Baptiste], analysis of refined molasses containing reducing sugars, A., ii, 290.

estimation of phosphoric acid in food-

stuffs, A., ii, 353.

estimation of sucrose in presence of lævulose and dextrose, A., ii, 770.

Pellet, Henri, and Ch. Fribourg, sodium nitrate containing perchlorate, A., ii, 115.

occurrence of alumina in plants, A., ii, 860.

estimation of titanic acid in soils and ashes of plants, A., ii, 862.

Pellet, Henri, and L. Pellet, direct estimation of sugar in beet by Pellet's water process; influence of air on the results, A., ii, 210.

the results, A., ii, 210. estimation of reducing substances in beet-juice, A., ii, 290.

estimation of sucrose in presence of lævulose and dextrose, A., ii, 558.

Pellet, L. See Henri Pellet.

Pellizzari, Guido, and Carlo Cantoni, diaminoguanidine, A., i, 174. action of cyanogen bromide on hydrazine, A., i, 576.

Pellizzari, Guido, and Angelo Soldi, aliphatic derivatives of 1:2:4-triazole, A., i, 672.

Pembrey, Marcus Seymour, and Richard W. Allen, Cheyne-Stokes respiration, A., ii, 263.

Penfield, Samuel Lewis, and George Samuel Jamieson, tychite, a new mineral; its artificial production and relation to northupite, A., ii, 723.

Pennington, (Miss) Mary Engle. See Edgar Fahs Smith.

Peratoner, Alberto [Antonio], γ-hydroxypyrone and some of its derivatives.
I. Non-nitrogenous derivatives, A., i, 806.

Peratoner, Alberto, and Vincenzo Castellana, constitution of hydroxycomenic acid (dihydroxypyronecarboxylic acid), A., i, 806.

Peratoner, Alberto, and Francesco Carlo Palazzo, constitution of comenic acid, A., i, 806. Peratoner, Alberto, and Rosario Spallino alkyl ethers of pyromeconic acids, A., i, 806.

Peratoner, Alberto, and Antonio Tamburello, constitution of maltol, A., i, 807.

pyridones from pyromeconic acid and maltol, A., i, 807.

Perkin, Arthur George, the determination of acetyl groups, T., 107.

the constituents of gambier and acacia catechus. II., T., 398; P., 89. cyanomaclurin, T., 715; P., 160.

purpurogallin, P., 211.

Perkin, Arthur George, and Maximilian Nierenstein, some oxidation products of the hydroxybenzoic acids and the constitution of ellagic acid, T., 1412; P., 185.

Perkin, Arthur George, and Frederick Mollwo Perkin, the electrolytic oxidation of hydroxybenzoic acids, P., 212.

Perkin, Frederick Mollwo, and W. C.
Prebble, electrolytic analysis of cobalt and nickel, A., ii, 207.
Perkin, Frederick Mollwo. See also

Perkin, Frederick Mollwo. See also Herbert Drake Law and Arthur George Perkin.

Perkin, William Henry, sen., densities, magnetic rotations, and refractive powers of 1:1-dimethylhexahydrobenzene, 1:1-dimethyl-A³-tetrahydrobenzene, and 3-hydroxy-1:1-dimethylhexahydrobenzene, T., 1491.

Perkin, William Henry, jun., the action of ethyl dibromopropane-tetracarboxylate on the disodium derivative of ethyl propanetetracarboxylate; a correction, T., 358; P., 90.

Wislicenus memorial lecture, T., 501; P., 17.

synthesis of tertiary menthol and of inactive menthene, P., 255.

Perkin, William Henry, jun., and Samuel Shrowder Pickles, the reduction of isophthalic acid, T., 293; P., 75.

experiments on the synthesis of the terpenes. Part II. Synthesis of Δ³-p-menthenol(8), Δ^{3,8(9)}-p-menthaliene, p-menthanal(8), Δ⁸⁽⁹⁾-p-menthene, and p-menthane, T., 639; P., 130.

experiments on the synthesis of the terpenes. Part III. Synthesis of aliphatic compounds similar in constitution to terpineol and dipentene, T., 655; P., 131.

Perkin, William Henry, jun., and Robert Robinson, ethy piperonylacetate, P., 287.

Perkin, William Henry, jun., and John Lionel Simonsen, the replacement of hydroxyl by bromine, T., 855; P., 188.

the synthetical formation of bridged rings. Part II. Some derivatives of

dicyclobutane, P., 256.

Perkin, William Henry, jun., and George Tattersall, glutaconic acid and the conversion of glutaric acid into trimethylenedicarboxylic acid, T., 361; P., 90.

experiments on the synthesis of the terpenes. Part VI. Derivatives of m-cymene, T., 1083; P., 217.

Perkin, William Henry, jun. See also William Goodwin, Francis William Kay, and Koichi Matsubara.

Perman, Edgar Philip, the determination of molecular weight by lowering of vapour pressure, T., 194; P., 23; discussion, P., 23.

vapour pressure by air-bubbling, A., ii, 146.

direct synthesis of ammonia, A., ii,

Perotti, Renato, employment of calcium cyanamide as manure, A., ii, 196.

use of peat for the transformation of calcium cyanamide into ammoniacal compounds, A., ii, 278.

modification of the method for isolating nitrifying micro-organisms, A., ii, 341.

estimation of cyanamide and its applications, A., ii, 870.

Perrier, A., formation and rôle of fatty substances in Fungi, A., ii, 475.

Perrier, A. See also Pierre Mazé. Perrier, Gustave, and Eugène Prost, an isomeride of trichloroacetone, A., i, 171.

Perrin, F. See Auguste Lumière. Perrin, Jean, contact electrification and colloidal solutions, A., ii, 138.

Perrot, François Louis, thermal conductivity of crystalline bismuth, A., ii, 10.

Perrot, François Louis. See also Adrien Jaquerod.

Peschudow, Wassilij. See Carl Adam Bischoff.

Peter, W. See Johannes Thiele. Peter, Walter. See Carl Graebe.

Peters, L. See Lorenz Hiltner.

Peters, R., estimation of alcohol in fusel oil, A., ii, 768.

Peters, Walter, trimethylenc-trisulphone and -disulphonesulphide, A., i, 652.

behaviour of aromatic sulphinic acids towards mercuric salts, A., i, 640.

Petersen, Julius, reduction of oleic acid to stearic acid by electrolysis, A., i, 678.

qualitative detection of silica, A., ii, 62.

Petit, Joseph. See André Brochet.

Petit, Paul, and Mayer, reactions of guaiacum resin, A., i, 655.

Petrenko, G. I., catalytic phenomena in the preparation of persulphuric acid, A., ii, 23.

silver-aluminium alloys, A., ii, 635.

Petrenko-Kritschenko, Pavel Iw., [with Eugen Eltschaninoff, E. Kestner, and Th. Dolgopoloff], ketone and aldehyde reactions, A., i, 742.

Petrenko-Kritschenko, Pavel Iw., and Th. Dolgopoloff, characterisation of aromatic aldehydes and ketones, Λ., i, 354.

Petri, Josef, some new effects produced by radium bromide on a photographic plate, A., ii, 431.

plate, A., ii, 431.

Petrie, George Ford, relationship of the pseudo-diphtheria and the diphtheria bacillus, A., ii, 341.

Petrie, James Mathew, mineral oil from

Petrie, James Mathew, mineral oil from the torbanite of New South Wales, A., i, 849.

Petrone, E. See Giuseppe Kernot.

Pettit, J. H., and Ira Obed Schaub,
estimation of organic carbon in soils,
A., ii, 202.

Peyau, H. See Karl Fischer.

Pfannenstiel, Adolf. See Richard Willstätter.

Pfeiffer, Hermann, action of light on mixtures of blood and eosin; action of fluorescent substances (eosin) on normal serum and red blood corpuseles, A., ii, 465.

Pfeiffer, Otto, coal testing, A., ii, 767.

Pfeiffer, Paul, hydrolysis of stannic chloride and stannic bromide, A., ii, 594.

Pfeiffer, Paul, [with S. Basci], tetraamminechromium salts, A., i, 854.

Pfeiffer, Paul, [with Ida Heller], monomethyl-tin derivatives. III., A., i, 123.

Pfeiffer, Paul, [with Ida Heller and Hunold Pietsch], phenyl derivatives of elements of the phosphorus group, A., i, 164.

Pfeiffer, Paul, [and, in part, Peter Koch, Towie Gutmann Lando, and Armin Trieschmann], the stereochemistry of chromium. 1., A., i, 33.

Pfeiffer, [Franz Wilhelm] Theodor [Christian], behaviour of salt solutions

in the stomach, A., ii, 837.

Pfeiffer, Theodor, Albert Einecke, and W. Schneider, effect of asparagine on the production of milk and its constituents, A., ii, 757.

stituents, A., ii, 757.

Pflüger, Eduard [Friedrich Wilhelm],
pancreatic diabetes, A., ii, 100.

origin of the sugar excreted in pancreatic diabetes, A., ii, 469.

[glycosuria], A., ii, 844.

Pflüger, Eduard, Bernhard Schöndorff, and Friedrich Wenzel, the influence of surgical operations on carbohydrate metabolism, A., ii, 44.

Pfyl, Balthasar, estimation of nitric acid in the presence of organic matter, A.,

ii, 762.

Pfyl, Balthasar, and Bruno Linne, quantitative hydrolysis of saccharose, maltose, lactose, and raffinose, A., ii, 770.

Phelps, Isaac King, hydrazine derivatives of tetrachlorophthalic acid, A., i, 528.

Philip, James Charles, influence of various sodium salts on the solubility of sparingly soluble acids, T., 987; P., 200.

Philip, James Charles, and (Miss) Dorothy Haynes, the dielectric constants of phenols and their ethers dissolved in benzene and m-xylene, T., 998; P., 200; discussion, P., 201.

Philip, James Charles, and Sydney Herbert Smith, researches on the freezing points of binary mixtures of organic substances; the behaviour of the dihydric phenols towards p-toluidine, a-naphthylamine, and pieric acid, T., 1735; P., 255.

Philippe, Louis. See Léon Maquenne.

Phisalix, C., influence of radium emana-

tions on the toxicity of venoms, A., ii,

Piccinini, Galeazzo, action of bromine on certain non-saturated compounds, A., i, 598.

Piccinini, Galeazzo. See also Icilio Guareschi and Giuseppe Plancher.

Pick, H. See Richard Abegg.

Pick, Hans, condensation of diphenic anhydride with toluene, A., i, 68.

Pickard, Robert Howson, William Oswald Littlebury, and Allen Neville, studies on optically active carbinides. Part II. The reactions between l-menthylcarbinide and alcohols, P., 286.

Pickard, Robert Howson, and Allen Neville, optically active reduced naphthoic acids. Part I. d-Δ^{2(or 3)}. Dihydro-1-naphthoic acid, T., 1763; P... 257.

Pickles, Samuel Shrowder. See William Henry Perkin, jun.

Pictet, Amé, origin of alkaloids in plants, A., i, 541.

1-methylpyrrolidine from nicotine, A., i, 543.

pyrogenic transformation of methylpyrroles into pyridine derivatives, A., i, 545.

Pictet, Amé, and Max Mattisson, strychnine oxide, A., i, 816.

Pictet, Amé. See also A. Bacovescu. Picton, Harold. See Ernest Linder.

Pierron, Paul, nitrophenyleyanamides, A., i, 125.

Pietsch, Hunold. See Paul Pfeiffer.

Piettre, M., and Antony Vila, spectroscopic study of oxyhæmoglobin, A., i, 399, 500.

methæmoglobin, A., i, 622.

oxyhemoglobin of guinea-pigs; action of fluorides, A., ii, 601.

Piettre, M. See also Antony Vila.

Piguet, Alfred. See Fritz Foerster and Alfred Werner.

Pildon, Lasar. See Carl Adam Bischoff.

Pilz, Ferdinand, siphon with a mercury valve, A., ii, 155.Pinagel, Alfred. See Carl Fried-

Pinagel, Alfred. See Carl Friedheim.

Pinner, Adolf, pilocarpine. VI., A., i, 463.

glyoxalines, A., i, 476.

pilocarpine and its transformation into a new modification, A., i, 658.

Pinner, Adolf, and A. Franz, influence of indifferent solvents on the alkylation of organic bases, A., i, 466.

Pinoff, Erw., Tollen's phloroglucinol and hydrochloric acid reaction for pentoses, A., ii, 289.

spectroscopic and colour reactions of important sugars, A., ii, 865.

Pintza, Alexandre. See Philippe A. Guye.

Pirani, Marcello von, tantalum and hydrogen, A., ii, 718.

Pissarjewsky, Leo W., magnitude of the equilibrium of the same reaction in different solvents, A., ii, 16.

Pissarjewsky, Leo W., and N. Lemcke, influence of the solvent on the equilibrium constant, and the relationship between electric conductivity and viscosity, A., ii, 684.

Pitman, John Edmund. See David Runciman Boyd.

Piutti, Arnaldo, and E. Stoppani, presence of bismuth in pyrites from Agordo, A., ii, 718.

Plancher, Giuseppe, and Giuseppe Barbieri, electrolytic preparation of ceric ammonium nitrate, A., ii, 250. Plancher, Giuseppe, and A. Caravaggi, transformation of pyrrole into indoles; synthesis of 4:7-dimethylindole, A., i, 298.

Plancher, Giuseppe, and Oreste Carrasco, action of chloroform on 2:3dimethylindole; transformation of pyrrole into pyridine, A., i, 298.

action of chloroform on 1:2:3-tri-

methylindole, A., i, 666.

3-ethylindole and 1:3:3-triethyl-2e hylideneindoline, A., i, 719.

Plancher, Giuseppe, and Galeazzo Piccinini, compounds of B-phenylhydroxylamine with aromatic aldehydes, A., i, 705.

Plancher, Giuseppe, and C. Ravenna, oxidation of pyrrole to maleimide, A., i, 333.

indoline, A., i, 611.

assimilation of carbon by plants. I. Supposed formation of formaldehyde, A., ii, 191.

Planes, Paul, colorimetric estimation of hydrogen peroxide, A., ii, 199.

Plangger, Alois, new indoline bases, A., i, 718.

Platz, Ludwig. See Walter Dieckmann. Plaut, Georg. See Otto Diels.

Playfair, (Lord) Lyon, obituary notice of, T., 600.

Plimmer, Robert Henry Aders, formation of hydrogen cyanide by the oxidation of proteids, A., i, 162.

Plotnikoff, Joh., a rule in chemical

dynamics, A., ii, 376.

relation between the logarithmic temperature constant and heat evolution, A., ii, 571.

Plotnikoff, Wladimir A., compounds of dimethylpyrone with trichloroacetic acid, A., i, 77.

electrical conductivity of ethereal solutions of phosphoric acid, A.

ii, 135. electrical conductivity of solutions in ethyl bromide; compounds of dimethylpyrone with acids, A., ii, 433.

Pochettino, Alfredo, cathode luminescence of crystals, A., ii, 430.

Pogorželsky, S. A., action of chlorine on isobutylene, A., i, 165. action of bromine on isobutylene, A.,

i, 315.

Pohl, Richard. See Max Dittrich. Pohl, Wilhelm. See Max Bodenstein.

Polenske, Eduard, testing lard and butter, A., ii, 870.

testing lard, A., ii, 870.

Pollacci, Gino, new apparatus for gas analysis, A., ii, 478.

Pollack, Walter von, condensation of aminobenzoic acids with ethyl malonate, A., i, 353.

Pollak, Jacques. See Josef Herzig.

Pollak, Leo, oxidation products glycylglycine, A., i, 750.

the individuality of trypsin, A., ii,

Pomeranz, H., action of alkali [hydroxides] on sulphur, A., ii, 698.

Poni, Petrus, and N. Costachescu, isohexanes in Roumanian petroleum, A.,

Ponndorf, Georg. See Paul Duden.

Pontio, Maurice, detection and estimation of bitumen in gutta percha, A., ii, 362.

Ponzio, Giacomo, new acids of the oleic II. Δα-Hypogæic acid, A., series. i, 405.

new acids of the oleic series. III. Derivatives of $\Delta \alpha$ -oleic acid, A., i,

Pool, Johan F. A., [chloroacetic acids], A., i, 404.

laboratory notes [chloroacetic acids and their estimation and separation], A., ii, 425.

Popp, M. See Albin Köhler.

Porcher, Charles, sugar in the blood during parturition in the goat deprived of its mammary glands, A., ii, 469.

animal lactase, A., ii, 540.

origin of lactose; removal of the mammary glands during lactation, A., ii, 600.

origin of lactose; effects of injections of dextrose during lactation, A., ii, 739.

Porcher, Charles, and Ch. Hervieux, pigments originating from scatole and the scatoxyl question, A., ii, 187.

scatole, A., ii, 740.

Porlier, A., composition of a cannon ball from the moat of the Bastille, A., ii, 713.

Posner, E. R., and William John Gies, protagon, A., i, 252.

Posner, Theodor, p-amino-acids, A., i, 577.

β-amino-β-phenylpropionic acid, A., i,

sulphonalcarboxylic acids, and the physiological activity of acid and basic derivatives of sulphonal, A., i, 852.

Posner, Theodor, [with J. S. Tscharno], unsaturated compounds. II. Addition of mercaptans to unsaturated hydrocarbons, A., i, 279.

Posternak, Swigel, composition and signification of aleurone grains, A., ii, 276.

Potter, CharlesEtty.See HooperAlbert Dickinson Jowett.

Pottevin, Henri, bacteriology of infectious gastro-enteritis, A., ii, 748.

Power, Frederick Belding, and Marmaduke Barrowcliff, the constituents of the seeds of Hydnocarpus Wightiana and of Hydnocarpus anthelminthicus. Isolation of a homologue of chaulmoogric acid, T., 884; P., 175.

the constituents of the seeds of Gynocardia odorata, T., 896; P., 176.

Power, Frederick Belding, and Frederic Herbert Lees, gynocardin, a new cyanogenetic glucoside, T., 349; P., 88.

Power, Frederick Belding, and Frank Tutin, the relation between natural and synthetical glycerylphosphoric acids, T., 249; P., 72.

Pozzi-Escot, Marius Emmanuel, azo-

derivatives of 3:3'-dihydroxy-2:2'dinaphthyl and 3:3'-dihydroxy-1:1'dinaphthyl, A., i, 101.

study and synthetical preparation of arylthiohydantoins, A., i, 159.

new characteristic reaction of cobalt, A., ii, 423.

Praetorius, Arthur, hydrolysis of methyl benzenesulphonate, A., i, 186.

Prager, Bernhardt, azo derivatives of ethyl oxalocrotonate, A., i, 391.

Prager, Bernhardt. See also Cl. Flamand.

Prandtl. Wilhelm, the spitting of alkali vanadates, A., ii, 170.

Prandtl, Wilhelm, [with Fritz Lustig], complex compounds of quinquevalent vanadium with quadrivalent elements, A., ii, 395.

Prebble, W. C. See Frederick Mollwo Perkin.

Precht, Julius, and C. Otsuki, radiation from hydrogen peroxide, A., ii, 296.

sensitiveness of photographic action due to hydrogen peroxide, A., ii, 495.

th, Julius, and Erich Stenger, fundamental principles of three-Precht, colour photography, A., ii, 566.

energy of chemical radiation through

three-colour filters, A., ii, 566. radiation-sensitiveness of silver bromide gelatin for white, green, and orange light, A., ii, 566.

Pregl, Fritz, carboxyhæmochromogen, A., i, 622.

Pregl, Fritz, cause of the fluorescent reaction of bile acids with sulphuric acid, A., i, 728.

estimation of carbon and hydrogen in organic compounds, A., ii, 420.

Pregl, Fritz. See also Emil Abderhalden.

Pretzell, Carl. See Wilhelm Autenrieth.

Preuner, Wilhelm.See August Michaelis.

Prianischnikoff, Dmitri N., effects of animonium salts on the assimilation of phosphoric acid by higher plants, A., ii, 413.

Price, Thomas Slater, Caro's permono-

sulphuric acid, P., 299.

Prideaux, Edmund Brydges Rudhall, note on the fluorides of selenium and tellurium, P., 238; discussion, P.,

note on bromine fluoride, P., 240.

Prideaux, Edmund Brydges Rudhall. See also Clive Cuthbertson.

Priestley, J. G. See John Scott Hal-

Pring, John Norman, the reduction of metallic oxides by aluminium carbide, T., 1530; P., 230.

Pringsheim, Hans H., coloured and colourless di-imines, A., i, 934. fusel oil, A., ii, 274.

origin of fusel oil; an alcohol-producing bacterium, A., ii, 848.

Pringsheim, Hans H., and James A. Gibson, use of sodium peroxide in the analysis of organic substances. A., ii, 609.

Prior, Eugen, barley, A., ii, 277.

Proctor, Charles, the estimation of saccharin, T., 242; P., 62.

Prost, Eugène. See Gustave Perrier.

Prud'homme, Maurice, action of formaldehyde and sodium hydrogen sulphite on aromatic diamines, A., i, 548.

constitution of hyposulphites, A., ii, 157.

Prym, Oscar, spleen and pancreas. II., A., ii, 404.

Przibylla, Carl. See Wilhelm Feit.

Pschorr, Robert [Franz], stable quaternary salts of apomorphine, A., i, 658.

thebainone: a ketone obtained by reduction of thebaine, A., i, 920.

Pschorr, Robert, and Hans Einbeck, 2-β-aminoethylphenol and its methyl ether, A., i, 589.

Pschorr, Robert, and E. Kuhtz, constitution of a-naphthindole, A., i, 236.

Pschorr, Robert. See also Ludwig Knorr. Puccianti, Luigi, fluorescence of sodium

vapour, A., ii, 131.

Puckner, William August, sodium hydrogen carbonate in iodometry, A., ii, 415.

estimation of acetanilide, A., ii, 871. estimation of caffeine, A., ii, 872.

Pummerer, Rudolf. See Richard Willstätter.

Purdie, Thomas, and James Colquhoun Irvine, synthesis from glucose of an octamethylated disaccharide. Methylation of sucrose and maltose, T., 1022; P., 215.

Purucker, Georg. See Albert Reichard. Purvis, John Edward, the influence of very strong electromagnetic fields on the spark spectra of ruthenium, rhodium, and palladium, P., 241.

Pushin, Nicolai A., co-ordinates of the melting-point curve, change of volume and heat of crystallisation of Cd(NO₃)₂,4H₂O in relation to pressure, A., ii, 587.

Pushin, Nicolai A., and R. M. Trechzinsky, methods of electro-analysis,

A., ii, 607.

Puxeddu, Ernesto. See Giuseppe Oddo.

Q.

Quartaroli, Antonio, gradual dissociation of mellitic acid, A., i, 652.

action of vegetable acids on phosphates,

A., ii, 549.

equilibrium among certain bases in simultaneous contact with phosphoric acid, A., ii, 821.

Quenda, Enrico. See Icilio Guareschi. Quennessen, L., absorption of hydrogen by rhodium, A., ii, 42.

comparative absorption of hydrogen by rhodium and palladium, A., ii, 172.

separation of platinum and iridium, A., ii, 615.

potassium iridochloronitrite, A., ii, 640.

R.

Rabak, Frank, resin oil of Pinus longifolia, A., i, 911.

Rabaut, Pierre Charles. See Jules Aloy.
Rabe, Paul [Carl Ludwig], and Fritz
Rahm, constitution of the so-called
Hagemann's ester, A., i, 348.

Rabe, Paul, and Karl Ritter, derivatives of meroquinine. I., A., i, 811

Raby, L., variations in the rotatory power of oil of turpentine, A., ii, 423.

Radik, Julius. See Carl Adam Bischoff. Rahm, Fritz. See Paul Rabe.

Rahn, Otto, sensitiveness of putrefactive and lactic acid bacteria towards poisons, A., ii, 189.

decomposition of fats, A., ii, 647.

Raikow, Paul N., state of combination of sulphur in proteids, A., i, 725.

action of carbon dioxide on the hydroxides and carbonates of the metals of the alkalis and alkaline earths, A., ii, 85.

detection of nitrous and nitric acids when occurring together and their approximate estimation by means of diphenylamine, A., ii, 283.

Rainer, J., the aldol from synthetic isopropylacetaldehyde [isovaleraldehyde], A., i, 16.

Rakusin, M. A., apparatus for determining the specific gravity of solid fats and waxes, A., ii, 303.

synthesis of naphtha and its origin, A., ii, 328.

optical examination of naphtha and of its distillation products. II., A., ii, 358.

behaviour of Pennsylvanian naphtha and its products towards polarised light, A., ii, 398.

optical activity of the more important vegetable oils, A., ii, 619.

modified Gintl pyknometer, A., ii, 802.

Ramsay, (Sir) William, decomposition of water by radium, A., ii, 665.

a new element, radiothorium, the emanation of which is identical with that of thorium, A., ii, 789.

determination of the amounts of neon and helium in atmospheric air, A., ii, 817.

Ramsbottom, John Edwin. See Samuel Chadwick.

Ramsden, W. B., two new aldehyde reactions, A., ii, 770.

Ranfaldi, G. See Pasquale Bertolo. Ransohoff, F. See Alexander Gutbier. Rapalje, Walter S. See John Charles

Olsen.

Raper, Henry Stanley, formation of fatty acids from lactic acid when fused with alkali hydroxides, A., i, 405.

Raschig, Fritz, theory of the lead chamber process. II., A., ii, 23, 700.

[volumetric] estimation of phosphoric acid, A., ii, 284, 553.

Rasetti, P., constitution of hexyl iodide from mannitol, A., i, 558.

methylbutylacetic [a-methylhexoic] acid, A., i, 561.

ethylpropylacetic [a ethylvaleric] acid, A., i, 562.

Raske, Karl. See Emil Fischer.

Rath, C. See Carl Mai.

Rauchwerger, Dora. See Carl Neu-

Raumer, Ed. von, use of fermentation methods for the analysis of starch syrup, A., ii, 618.

Raveau, C., state of matter in the neighbourhood of the critical point, A., ii, 628.

Ravenna, C. See Giuseppe Plancher.

Rây, Prafulla Chandra, the sulphate and the phosphate of the dimercurammonium series, T., 9.

theory of the production of mercurous nitrite and of its conversion into various mercury nitrates, 171.

Rây, Prafulla Chandra, [and Atul Chandra Ganguli], the nitrites of the alkali metals and metals of the alkaline earths and their decomposition by heat, T., 177.

the constitution of nitrites. Part I. Two varieties of silver nitrite, P.,

278.

Rayleigh, [John William Strutt], (Lord), compressibility of gases between one atmosphere and half an atmosphere of pressure, A., ii, 232, 373.

Raynaud. See William Oechsner de Coninck.

Recoura, Albert, basic ferric sulphate, A., ii, 527.

hydrolysis of concentrated solutions of ferric sulphate, A., ii, 527. transformations of hydrated ferric

sulphate, A., ii, 590.

Redpath, George C. See Hugh Salvin Pattinson.

Reeb, E. See Frédéric Schlagdenhauffen. Regensburger, P. See C. Bleisch.

Reich, Albert, action of acid amides on aldehydes, A., i, 35.

Reich, Max, action of acetamide on aldehydes, and of formamide on acetophenone, A., i, 35.

Reichard, Albert, and Georg Purucker, estimation of extract in barleys, A., ii, 428.

Reichard, C., alkaloid reactions; morphine, A., ii, 68. reactions of cocaine and morphine, A.,

ii, 127.

alkaloid reactions; quinine and cinchonine, A., ii, 561, 659.

Reichard, C., alkaloid reactions; nicotine and confine, A., ii, 563.

alkaloid reactions; sparteine, coniine, nicotine, A., ii, 563.

detection and estimation of sodium in presence of lithium by means of hydrofluosilicic acid, A., ii, 653.

alkaloid reactions, A., ii, 659.

alkaloid reactions; amorphous aconitine, A., ii, 777.

alkaloid reactions; veratrine (puriss. German Pharmacopæia IV.), A., ii,

Reichenheim, O. See Johann Georg Koenigsberger.

Reid, Ebenezer Emmet. See Horace Greeley Byers.

Reid, Edward Waymouth, osmotic pressure of hæmoglobin solutions, A., i, 846.

Reid, Herbert J. See Paul Duden. Reiff, Hermann J., measurement of high

vacua in chemical distillation, A., ii, 808.

Reimer, Marie. See Ferdinand Willy Hinrichsen and Elmer Peter Kohler.

Reinbach, Hans. See Theodor Zincke. Reinbold, B. See Gustav von Hüfner. Reinbold, B'ela. See Emil Abderhalden.

Reinganum, Max, determination of the density of chlorine at high temperatures, A., ii, 810.

Reinicke, Gustav, action of ethyl sodiomalonate on sodium salts of unsaturated acids, A., i, 787.

Reinking, Karl, Erich Dehnel, and Hans Labhardt, constitution of aldehydesulphurous acid and hyposulphurous acid, A., i, 261.

Reintke, Eugen. See Augustin Bistrzycki.

Reisch, Rudolf, production of acetic acid in alcoholic fermentation, A., ii, 548.

Reise, Adolf. See Max Dittrich. Reiss, Emil, behaviour of ferments towards colloidal solutions, A., i, 956. the catalase of milk, A., ii, 337.

Reiss, Rudolf, insoluble basic aluminium

acetate, A., i, 852.

Reissert, [Carl] Arnold, introduction of the benzoyl group into tertiary cyclic bases, A., i, 472, 925.

Reissert, Arnold, and W. Engel, dibenzoylethane-2:2'-dicarboxylic and its anhydride, A., i, 898.

Reissert, Arnold, and Georg Goll, quinoxaline and benziminazole compounds from 4-nitro-2-aminodiphenylamine, A., i, 247.

Reissert, Arnold, and Hans Heller, reduction products of ethyl 2:4-dinitrophenylacetoacetate, A., i, 59.

Reitter, Hans, and Friedrich Bender, phenylhydrazine derivatives of aconic acid, A., i, 669.

Reitzenstein, Fritz, and Otto Runge, influence of the position of methyl and nitro-groups relatively to the methane carbon atom on the colours of triphenylmethane dyes, A., i, 300.

Remfry, Percy. See Herman Decker. Rendle, Theodore. See Arthur Robert Ling.

Rengade, Étienne, cæsium methylamide, A., i, 174.

action of ethylamine and isobutylamine on cæsium, A., i, 634.

cæsamide, A., ii, 388.

action of oxygen on cæsium-ammonium, A., ii, 521.

Renouf, (Miss) Nora. See Arthur William Crossley.

Report of the Committee (of the German Chemical Society) for fixing atomic weight, A., ii, 155, 308.

Report of the International Committee on atomic weights, P., 2.

Report of the Committee on uniformity in analysis. I., A., ii, 197.

Report of the Council, T., 535; P., 99.

Resenscheck, F. See Karl A. Hofmann.
Resenscheck, Friedrich. See Alexander
Gutbier.

Reuss, A. von. See Friedrich Hamburger.

Reuter, Ferd. See Emil Fischer.

Reverdin, Frédéric, and Auguste Dresel, mononitro-derivatives of p-aminophenol, A., i, 51.

dinitro-derivatives of p-aminophenol, A., i, 430.

Reynolds, James Emerson, silicon researches. Part IX. Bromination of silicophenyl-imide and -amide, and formation of a compound including

the group, SiN, T., 1870; P., 249.

Rey-Pailhade, Joseph [Charles François]
de, philothionic hydrogen, A., i, 728.

Rhodin, John Gustaf Adolf. mass analy-

Rhodin, John Gustaf Adolf, mass analyses of Muntz metal by electrolysis; electrolytic properties of the alloy, A., ii, 483.

Rhoussopoulos, Petros. See Otto Wallach.

Richards, Francis E. See Gilbert Thomas Morgan.

Richards, Theodore William, efficiency of centrifugal purification, A., ii, 238.

Richards, Theodore William, Lawrence Joseph Henderson, and George S. Forbes, climination of thermometer lag and casual loss of heat in calorimetry, A., ii, 677. Richards, Theodore William, and Burritt S. Lacy, electrostenolysis and Faraday's law, A., ii, 299.

Richards, Theodore William, and Roger Clark Wells, revision of the atomic weights of sodium and chlorine, A., ii, 450.

Richardson, Clifford. See William Francis Hillebrand.

Richardson, Owen Willans, diffusion of hydrogen through palladium, A., ii, 233.

Richet, Charles, thalassin, the poison of sea anemones, A., ii, 746.

Richmond, Henry Droop, composition and analysis of milk, A., ii, 869.

Richter, L. See Friedrich Nobbe.

Richter, Paul Friedrich. See Peter Bergell.

Riddick, David Gibson. See John H. B. Jenkins.

Riedel, J. D., iodo-derivatives of lecithin, A., i, 164.

identification of lecithin, A., ii, 428. **Riegler**, *Emanuel*, new reagent for the detection of the colouring matters of blood or their products of decomposition, A., ii, 128.

Rieke, Reinhold. See Conrad Willgerodt.
Riesenfeld, Ernst Hermann, [with
William Adelbert Kutsch and Herman Ohl], decomposition of chromic
acid by means of hydrogen peroxide,
A., ii, 825.

Riesenfeld, Ernst Hermann, [with William Adelbert Kutsch, Herman Ohl, and Hans Emil Wohlers], perchromic acids, A., ii, 824.

Riesenfeld, Ernst Hermann, Hans Emil Wohlers, and William Adelbert Kutsch, higher oxidation products of chromium, A., ii, 461.

Riesenfeld, Hans, and Fritz Taurke, cellulose, A., i, 746.

Riess, Gustav. See Carl Bülow.

Rietz, E. See Karl Auwers.

Righi, Augusto, radioactivity of the common metals, A., ii, 431.

electrification produced by radium rays, A., ii, 792.

diminution of resistance produced in bad conductors by radium rays, A., ii, 793.

Riiber, C. N., formation of isomeric hydrocinnamylideneacetic acids, A., i, 777.

Rimatori, Carlo, gravimetric and spectroscopic analysis of zinc blendes from Sardinia, A., ii, 598.

Rimbach, [Friedrich] Eberhard, and Adolf Grewe, solubility and dissociation of double salts in water. IV. and V., A., ii, 375.

Rimbach, Eberhard, and Otto Weber, action of inorganic substances on the rotation of lævulose and dextrose, A., i, 416.

Rimini, Enrico, myristicin, A., i, 198, 656.

Rinck, Arthur. See Max Busch.

Ringer, Wilhelm Eduard. See Willem Paulinus Jorissen.

Ringleben, O. See Wilhelm Schneidewind.

Rinman, Erich L., bistriazole compounds, A., i, 387.

Rintelen, P. See Josef König.

Ritter, Adolf. See Otto Frank.

See Paul Rabe. Ritter, Karl.

Rivier, Henri. See Otto C. Billeter. Roaf, Herbert E., and E. S. Edie, prepara-

tion and estimation of lecithin, A., ii,

Roaf, Herbert E. See also Benjamin Moore.

Roberts, David James. See John Joseph.

Sudborough.

Robertson, Philip Wilfred, studies in comparative cryoscopy. Part III. The esters in phenol solution, T., 1574; P., 231.

a volumetric method of estimating the cinchona alkaloids by means of their double thiocyanates, P., 242.

Robertson, William, solubility as a measure of the change undergone by isodynamic hydrazones; (1) camphorquinonephenylhydrazone, (2) acetaldehydephenylhydrazone, T., 1298; P., 181.

Robertson, William. See also Henry Edward Armstrong.

Robin, Lucien, detection and estimation of citric acid in wines, A., ii, 124.

Robinson, Robert. See William Henry Perkin, jun.

Robyn, A., dinaphthapyranic (dinaphthaxanthyl) derivatives containing nitrogen, A., i, 608.

Robyn, A. See also Robert Fosse. Roche, Raoul. See L. Freyssinge.

Rockwood, Elbert William. See Lafayette Benedict Mendel.

Rocques, Xavier, composition of wine brandies, A., ii, 275.

colorimetric estimation of higher alcohols in brandies, A., ii, 359.

estimation of glycerol in liqueur wines, A., ii, 769.

Rodano, G. A. See Celso Ulpiani. Rodenberg, θ . See Heinrich Frerichs. Roederer, strontium-ammonium, A., ii, 455.

Röhmann, Franz, lanocerin, A., ii, 842.

Röhrig, Armin, improved apparatus for use in the Gottlieb-Röse method of estimating fat in milk, A., ii, 490.

Römer, Hermann, results of experiments on the action of phosphoric acid on

sugar beet, A., ii, 757.

Rössing, Adelbert, decomposition products formed from starch by hydrolysis with hydrochloric acid; their estimation in starch-dextrose and syrups, and their influence on the technical value of syrups, A., i, 684.

Rössler, Emil. See Erwin Rupp. Roettgen, Theodor. See Karl Windisch. Rogers, Allen, and Edgar Fahs Smith, derivatives of complex inorganic acids, A., ii, 38.

Rogers, Leonard, blood changes in plague, A., ii, 338

Rogerson, Harold, and Jocelyn Field Thorpe, some alkyl derivatives of glutaconic acid and of 2:6-dihydroxy-pyridine, T., 1685; P., 239. Rogoff, Moissei J., phenols insoluble in

aqueous alkali hydroxides, A., i, 883.

Rogowicz, Johann, solubility of barium sulphite in water and in [sucrose] solutions, A., ii, 821.

Rohde, Erwin, colour reactions of proteids with p-dimethylaminobenzaldehyde and other aromatic aldehydes, A., i, 618.

Rohde, Georg, and G. Schwab, action of methyl iodide on the isonitroso-compounds of cinchotoxine and quinotoxine, A., i, 228.

Rohland, Paul [Waldemar], hydration and hardening, A., ii, 19, 389, 511. relationships between the solubility of calcium sulphate and the hydration of gypsum and of Portland cement, A., ii, 319.

the clays as semipermeable walls, A., ii, 683.

Rohrer, Ladislaus von, electrometric determination of the acidity of urine, A., ii, 772.

Rolle, Otto. See Daniel Vorländer. Romanoff, E., action of potassium hydroxide on a mixture of phenylacetylene and menthone, A., i, 775.

Romeo, Giovanni, nitrobenzyl ethers, A., i, 435.

Romeo, Giovanni, and C. Marchese, reduction products of di-p-nitrobenzylmalononitrile, A., i, 441.

Rona, Peter. See Emil Abderhalden. Roncagliolo, Cesare, hydrazine derivatives of o-aminobenzaldehyde, A., i,

Root, Jay Emery, electrolysis of cobalt and nickel tartrates, A., ii, 208.

Roozeboom, Hendrik Willem Bakhuis, and A. H. W. Aten, equilibria between solid and liquid phases in ternary systems which are pseudo-binary; explanation of anomalous fusion and solution phenomena, A., ii, 803.

Roozeboom, Hendrik Willem Bakhuis, and J. Olie, jun., solubilities of the isomeric chromic chlorides, A., ii, 716.

Rose, Robert. See Hans Stobbe.

Rose, Thomas Kirke, certain properties of the alloys of silver and cadmium, A., ii, 86.

Rosenheim, Arthur, [formula for aldehyde hydrogen sulphites], A., i, 508.

Rosenheim, Arthur, and Hans J. Braun, halogen compounds of molybdenum

and tungsten, A., ii, 717.

Rosenheim, Arthur, and Paul Frank, [zirconichlorides of organic bases], A., i, 297.

zirconium salts, A., ii, 256.

Rosenheim, Arthur, and Walter Levy, platinum phosphorus halogen compounds and their derivatives. II., A., i, 183.

Rosenheim, Willfried Arthur, and Sarow, salts of alkylsulphurous and alkylsulphonic acids, A., i, 404.

and Rosenheim, Arthur,Richard Schnabel, action of stannic and titanic chlorides on organic hydroxyl compounds, A., i, 731.

Rosenheim, Arthur, and WilhelmStadler, formation of complex salts with thio-acids. II. Thiolmalic acids and their salts, A., i, 740.

Rosenheim, Otto, the methylation of gallotannic acid, P., 157.

Rosenthaler, Leopold, iron compounds of salicylic acid, A., i, 47. pentose reactions of saponins, A., i, 539.

the vanillin-hydrochloric acid reaction, A., ii, 489.

Rossi, Carlo, electrolysis with alternating current, A., ii, 137.

Dominik. See Rossi, CarlAdamBischoff.

Rossi, Emilio, new method for preparing oxides of nitrogen, and hence nitric acid, from compressed air by electric means, A., ii, 386.

Rossolimo, A. I., the oxidising action of impure ether, A., i, 295.

Rost, Arnold. See Stanislaus von Kostanecki.

Rostoski, Otto. See Emil Abderhalden. Rotarski, Th., reduction of nitro-com-pounds by alcohols in presence of alkali, A., i, 765.

Rotarski, Th. See also Friedrich Dreyer.

Roth, Paul. See Ludwig Knorr.

Rothberger, C. $J_{\cdot \cdot}$, and HeinrichWinterberg, poisonous symptoms in dogs with Eck's fistula, A., ii, 408.

Rothe, W. See Albert Stutzer.

Rothera, C. H., relation of cystine to sulphur metabolism, A., ii, 267.

Rothstein, J. M., boiler deposits, A., ii,

Rousseaux, E. See Charles Girard.

Roux, Eugène, reversion of amylocellulose into starch, A., i, 262. reversion of artificial starches, A., i, 328.

saccharification of artificial starches by_malt, A., i, 624.

Roux, Eugène. See also Léon Maquenne. Rowland, James Scott, and Llewellyn John Davies, estimation of phosphorus in iron ores, A., ii, 116.

Rozzi, A. See Alberto Chilesotti.

Rubner, Max, and Otto Heubner, natural nourishment of infants, A., ii, 403.

Rubow, V., lecithin in heart and kidneys in the normal condition, during starvation, and in fatty degeneration, A., ii, 336.

Rubricius, Hans, estimation of manganese in irons and steels by the persulphate method, A., ii, 766.

Rudge, W. A. Douglas, properties of radium in minute quantities, A., ii,

Rudolfi, E. See Leopold Rügheimer. Rudorf, [Carl Casimir] George, spectrum regularities and the atomic weight of radium, A., ii, 69.

Rudse, Friedrich. See Stanislaus von Kostanecki.

Rücker, Adolf. See Alexander Naumann.

Rueger, Charles E., change of colour caused by the action of certain rays on glass, A., ii, 709.

Rügheimer, Leopold, molecular weight of bismuth phosphate, A., ii. 576.

Rügheimer, Leopold, and E. Rudolfi, molecular weights of metallic chlorides, A., ii, 576,

[with Siegfried Rügheimer, Leopold,Toeche Mittler and E. Rudolfi], determination of molecular weight by use of solvents with high boiling points, A., ii, 571.

Rühl, Friedrich. See Paul Jannasch.

Ruer, Rudolf, zirconium salts; constitution of normal zirconium sulphate, A., ii, 41.

electrolytic solution of platinum, A., ii, 137.

condition in which chlorine exists in colloidal solutions of metallic hydroxides, A., ii, 169.

Ruer, Rudolf, metazirconic acid, A., ii,

electrolytic dissolution of platinum, A., ii, 795.

zirconium oxychloride as a means of testing for zirconium, A., ii, 863.

Ruer, Rudolf, and Max Levin, zirconiumsulphurie acids, A., ii, 827.

Ruff, Otto, and Kurt Albert, the action of silicochloroform on some fluorides and the preparation and properties of silicofluoroform, A., ii, 161.

Ruff, Otto, and Kurt Albert, [and, in part, Emil Geisel], silicochloroform, A., ii,

Ruff, Otto, [with Hans Einbeck, Georg Fischer, and Kurt Thiel], the chlorides of sulphur; sulphur tetrachloride and its compounds, A., ii, 22.

Ruff, Otto, and Fritz Eisner, tungsten

hexafluoride, A., ii, 255.

Ruff, Otto, and Emil Geisel, sulphammonium and its relation to nitrogen

sulphide, A., ii, 699.
Ruff, Otto, and Willi Jeroch, iodometric estimation of sulphurous acid in alkaline solution, A., ii, 200.

Ruff, Otto, and Otto Johannsen, boiling points of the alkali metals, A., ii, 818.

Ruff, Otto, and Kurt Thiel, action of hydrogen fluoride on nitrogen sulphide, and a new method of formation of thionyl fluoride, A., ii, 160.

Ruhemann, Siegfried, the combination of mercaptans with olefinic ketonic compounds, T., 17, 461; P., 123.

Ruhemann, Siegfried, and Richard William Merriman, the action of phenylpropiolyl chloride on ketonic compounds, T., 1383; P., 224. tetrazoline. Part III., T., 1768; P., 258.

Runge, Otto. See Fritz Reitzenstein. Rupe, Hans, and Gunnar Frisell, cinnamylidenecamphor and its reduction products, A., i, 220, 362.

Rupe, Hans, and Paul Schlochoff, cineolic acid. IV. Synthesis and constitution of cinenic acid, A., i, 409. methylheptenone oxides, A., i, 414. carvone, A., i, 449.

Rupe, Hans, and Georg L. M. Schwarz, chromophorous groups. II. Methineammonium dyes, A., i, 83.

Rupe, Hans, and Felix Speiser, cinnamylidenelævulic acid and its reduction products, A., i, 351.

Rupp, Erwin, formic acid and its volumetric estimation, A., ii, 291. iodic acid as an oxidising reagent, A., ii, 417.

Rupp, Erwin, iodometric estimation of sulphurous acid, A., ii, 479.

titrimetric method of estimating mercury, A., ii, 484.

estimation of phosphorus in phosphorised oil, A., ii, 763.

evaluation of officinal mercuric cyanide, A., ii, 867.

titrimetric estimation and separation of cyanides, thiocyanates, and chlorides, A., ii, 867.

Rupp, Erwin, and Philipp Nöll, estimation of mercury in organic mercury compounds, A., ii, 285.

Rupp, Erwin, and EmilRössler, volumetric estimation of ammonium salts with sodium hypobromite, A., ii, 418.

Rusche, Franz. See Robert Behrend.

Russ, Franz, action of the silent electric discharge on chlorine, A., ii, 381.

Russe, Frederick William. See Charles Loring Jackson.

Russell, Alfred Ernest. See Leonard Stanley Dudgeon.

Rutherford, Ernest, present problems of radioactivity, A., ii, 218.

properties of radium in minute quantities, A., ii, 367.

some properties of the a-rays from radium, A., ii, 495.

charge carried by the α- and β-rays of radium, A., ii, 621.

slow transformation products radium, A., ii, 664.

Rutherford, Ernest, and Bertram Borden proportion Boltwood, relative radium and uranium in radioactive minerals, A., ii, 568.

Ruths, H. See Paul Wagner.

Růžička, Vladislav, differences in staining reaction of living and dead protoplasm, A., ii, 405.

Ryffel, John Henry, estimation of β-

hydroxybutyric acid in urine, A., ii,

Rzentkowski, Kasimir von, composition of blood and exudations in disease, A., ii, 337.

S.

Sabat, Bronislas, action of radium bromide on the electrical resistance of metals, A., ii, 219.

Sabatier, Paul, and Alphonse Mailhe, the three methylcyclohexanones and the corresponding methylcyclohexanols, A., i, 275.

monochloro-derivatives of methylcyclo-

hexane, A., i, 334.

Sabatier, Paul, and Alphonse Mailhe, synthesis of three tertiary dimethylcyclohexanols and the derived hydrocarbons, A., i, 587.

catalytic decomposition of alkyl haloids by means of anhydrous metallic

chlorides, A., i, 677.

secondary reaction of magnesium alkyl

haloids, A., i, 706.

Sabatier, Paul, and Jean Baptiste Senreaction distinguishing between primary, secondary, and tertiary alcohols, A., i, 254.

application to nitriles of the method of direct hydrogenation by catalysis; synthesis of primary, secondary, and tertiary amines, A., i, 267.

new general methods of hydrogenation and of molecular reactions based on the use of finely-divided metals. I.,

A., i, 333.

general methods of hydrogenation and decomposition based on the use of finely-divided metals. Part II. Molecular decompositions and condensations, A., i, 401.

Sablon. See Leclerc du Sablon.

Sacharow, G., and Hans Sachs, hemolyticaction of photodynamic substances, A., ii, 465.

Sachs, Arthur, jordanite from Upper

Silesia, A., ii, 96.

Sachs, Franz, and Guido Bargellini, condensation of flavinduline with methylene compounds. II., A., i, 488.

Sachs, Franz, and Mario Craveri, condensations with 1:2-naphthaquinone-

4-snlphonic acid, A., i, 909.

Sachs, Franz, and Ludwig Sachs, replacement of the aldehyde oxygen atom by two univalent hydrocarbon radicles by means of Grignard's reaction, A., i, 190.

p-dimethylaminobenzaldehyde. Action of magnesium organic com-

pounds, A., i, 202.

reaction between tertiary amines and organo-magnesium compounds, A, i, 274.

Sachs, Fritz. See Alfred Benrath.

Sachs, Hans. See G. Sacharow.

Sachs, Ludwig. See Franz Sachs. Sachsel, Eugen. See Ferdinand Willy

Hinrichsen.

Sackur, Otto, the constant for the rate of decay of radium emanation, A., ii, 367.

radioactivity of thorium, A., ii, 368. Sackur, Otto, [with Paul Mauz and A. Siemens], copper-zinc alloys, A., ii,

524.

Sackur, Otto. See also Oskar Hahn.

Sadtler, Samuel S., inner crucible method for estimating sulphur and halogens in organic substances, A., ii, 760.

estimation of certain aldehydes and ketones in essential oils, A., ii, 867.

Sala, B. See Giuseppe Bruni. Salant, William. See S. J. Meltzer.

Salkind, Julius, condensation of aldehydes with ketones in presence of potassium cyanide, A., i, 732.

Salmony, Alfred, and Hugo Simonis, derivatives of dibromo- and dichloromaleic acids and their conversion into indigo, A., i, 631.

Salvadori, Roberto [Oreste Maria], reaction of ammonia with commercial calcium carbide, A., i, 513.

lecture experiments, A., ii, 694. Salvadori, Roberto. See also Raffaelo

See Francesco Carlo Palazzo. Salvo, N.

Samec, Maximilian, condensation of formisobutaldol with dimethylaniline. A., i, 489.

Sammet, George Victor. See Robert Luther.

Sammis, John Langley, action of mercaptides on quinones, A., i, 797.

Samuely, Franz. See Emil Abderhalden. Henry Julius Salomon, measurement of the potential of the electrodes in stationary liquids; the determination of changes of concentration at the cathode during electrolysis, A., ii, 134.

rôle of diffusion during catalysis by colloidal metals and similar sub-

stances, A., ii, 233.

Sand, Julius, salts of the crystal-violet group, A., i, 948.

hypochlorous acid. III. Formation and decomposition of chloric acid, A., ii, 156.

Sand, Julius, and O. Burger, complex molybdenum thiocyanates, A., i, 923.

Sandberg, Fani. See Herman Decker. Sandoz. See Chemische Fabrik vorm. Sandoz.

Sanna, Andrea, action of bromodinitrobenzene on glycine, A., i, 48.

new extractor, A., ii, 58.

Santi, Luigi, dissociation of ammonium chloride in its analytical relations, A., ii, 86.

Sapin, A., arrow poison of the Lukarets, A., ii, 413.

Saposhnikoff, Alexis V., crystallisation of tin and zinc by the electrolysis of their salts, A., ii, 395.

properties of mixtures of nitric and sulphuric acids. IV., A., ii, 583.

Sarasin, Ed., Thomas Tommasina, and F. Jules Micheli, genesis of temporary radioactivity, A., ii, 3.

Sarow, Willfried. See Arthur Rosenheim.

Satta, Giuseppe, acetone-formation in the body. II., A., ii, 406.

the distribution of nitrogen in the urine, A., ii, 407.

Sattler, Hubert, absorption and excretion of iron in the alimentary canal of dogs and cats, A., ii, 333.

Saugon, L. See Edouard Urbain.

Saurel, Paul, indifferent points, A., ii,

Sautermeister, Constantin. See Carl Bülow.

Sauton. See J. Auguste Trillat.

Sautter, Richard. See August Klages. Savage, William George, bacteriological

Savage, William George, bacternological examination of tidal mud, A., ii, 341. Savarè. B. See Maurice Padoa.

Sawamura, Shin, the large bacillus observed in flacherie, A., ii, 472.

Sawyer, Harris Eastman, potassium oxalate as a lead precipitant in sugar analysis, A., ii, 210.

Scarlat, Georg, preparation of diethylxanthine, A., i, 160.

Schachner, Alois, condensation of formisobutaldol with acetaldehyde, A., i, 171.

Schaefer, Clemens, infra-red absorption spectrum of carbon dioxide as affected by pressure, A., ii, 129.

Schäfer, Edward Albert, and Herbert Johann Scharlieb, action of chloroform on the heart and arteries, A., ii, 105.

Schäfer, Hans, electroaffinity of anions.
1. The oxalate ion, A., ii, 499.

Schär, Eduard, influence of alkaline substances on spontaneous oxidation, A., i, 434.

a new form of test-tube, A., ii, 514.

Schaller, Waldemar T., dumortierite, A., ii, 262.

mineralogical notes; [gyrolite, prehnite, anhydrite, bournonite, glaucodote], A., ii, 724.

Schaller, Waldemar T. See also Louis Caryl Graton.

Schander, Richard, formation of hydrogen sulphide by yeast, A., ii, 647.

gen sulphide by yeast, A., ii, 647. **Schaposchnikoff**, K., an empirical relationship between the densities of two liquids, A., ii, 373.

Schaposchnikoff, Władimir G., dihy-

drophenazine, A., i, 840.
Schaposchnikoff, Wladimir G., and F.
Goleff, 1:1'-dichloro-2:2'-dinaphthylamine, A., i, 644.

Schaposchnikoff, Wladimir G., and V. Svientoslavski, the copper compound of p-nitroaniline-red, A., i, 161.

Schardinger, Franz, Bacillus macerans, a bacillus which produces acetone, A., ii, 646.

Scharizer, Rudolf, constitution and genesis of iron sulphates: synthesis of sodium ferric sulphates, A., ii, 803

Scharlieb, Herbert Johann. See Edward Albert Schäfer.

Scharwin, Wassili, action of acetic anhydride and sodium acetate on phenanthraquinone, A., i, 448.

Schaub, Ira Obed. See J. H. Pettit.
Schaum, [Ferdinand] Karl [Franz],
photographic activity of ozone, A., ii,
295.

Schenck, Martin, some substances of physiological importance, A., i, 28. oxaluramide, A., i, 267.

guanidine picrolonate, A., i, 513.

nuclein bases produced during the autofermentation of pancreas, A., ii, 266.

autodigestion of some varieties of yeast, A., ii, 547.

Schenck, Martin. See also Friedrich Kutscher.

Schenck, [Friedrich] Rudolf, red phosphorus, A., ii, 244.

Schenck, Rudolf, and W. Heller, mutual relationships of the different modifications of carbon, A., ii, 519.

reactions in the reduction of iron, A., ii. 526.

Schenk, Richard, radioactive properties of air, soil, and water in and around Halle, A., ii, 432.

Schenke, Vincent, estimation of phosphoric acid by the citrate method; a source of error hitherto overlooked and a modification for avoiding it, A., ii, 479.

Schereschewski, E. See Alexander Tschirch.

Schering, E. See Chemische Fabrik auf Aktien.

Schestakoff, Peter J., action of hypochlorites on carbamide: new synthesis of hydrazine, A., i, 332.

Schestakoff, Peter J. See also Alexis A. Shukoff.

Scheuble, Rudolf, and Emmo Leebl, formation of alcohols by reduction of acid amides. II., A., i, 2.

Scheuer, Otto, preparation of oxides of nitrogen by high tension discharges in air, A., ii, 702.

Scheuer, Otto. See also Wilhelm Vaubel.

Scheunert, Arthur, influence of movement of the body on the digestion and absorption of food-stuffs in the horse, A., ii, 733.

Schidlof, A. See Charles Eugène Guye.
Schidrowitz, Philip, and Frederick
Kaye, some conditions affecting the
ester value of brandy, A., ii, 486.
estimation of higher alcohols in spirits.

I., A., ii, 486.

Schierenberg, F. See Ferdinand Henrich.

Schiff, Hugo, formation of protocatechnic anilide, A., i, 45.

crystalline chromic phosphate, A., ii, 255.

Schilling, Johannes, occurrence of tantalum and niobium, A., ii, 537.

Schilling, Johannes. See also Paul Jannasch.

Schimmel & Co., ethereal oils, A., i, 536.

Schindelmeiser, Iwan [Robert]. See Iwan L. Kondakoff.

Schittenhelm, Alfred, ferments which decompose nuclein compounds, A., i, 108.

formation and decomposition of uric acid in extracts of the organs of

oxen, A., ii, 644.

non-occurrence in the spleen and liver of oxen of a ferment which transforms guanine into xanthine; reply to Jones, Partridge, and Winternitz, A., ii, 645.

the uricolytic ferment, A., ii, 645.

Schittenhelm, Alfred, and Ernst Bendix, behaviour of guanine in the rabbit, A., ii, 188.

action of various nucleic acids on the animal organism, A., ii, 744.

Schittenhelm, Alfred. See also Emil Abderhalden and Martin Krüger.

Schlagdenhauffen, [Charles] Frédéric, and E. Reeb, organic compounds of metals in plants, A., ii, 51.

Schlegel, Hans. See Ernst Beckmann. Schlochoff, Paul. See Hans Rupe.

Schloesinger, N. A. See Leo A. Tschugaeff.

Schlötter, Max, transformation of potassium chlorate into iodate by iodine in presence of nitric acid, A., ii, 520.

Schlundt, Herman, and Richard B. Moore, radioactivity of some deep well and mineral waters, A., ii, 368.

Schlundt, Herman. See also Louis

Kahlenberg.

Schmaedel, Wolfgang von. See Richard Willstätter.

Schmatolla, Otto, estimation of acids combined with aluminium, A., ii, 357.

LXXXVIII. ii,

Schmid, Arthur. See Leopold Nathan. Schmid, Hans. See Rudolf Friedrich Weinland.

Schmid, Julius. See Martin Krüger.
Schmid, Karl. See Rudolf Friedrich
Weinland.

Schmidlin, Jules, theory of dyes, A., i,

heats of combustion of triphenylmethyl and some triphenylmethane derivatives, A., ii, 11.

action of low temperatures on colouring

matters, A., ii, 12.

Schmidlin, Julius. See Emil Fischer. Schmidt, A., radioactivity of certain fresh-water springs of the Taunus, A., ii, 220.

Schmidt, Ernst [Albert], alkaloids of some Solanacee which induce mydriasis, A., i, 717.

relations between the chemical constitution and physiological action of some ammonium bases, A., ii, 105.

Schmidt, Ernst, [with F. Flaecher], synthesis of ephedrine, A., i, 370.

Schmidt, Ernst, [with Hilderich Hartmann, G. Kleine, Franz M. Litterscheid, and Waldemar Wagner], choline, neurine, and allied compounds, A., i, 23.

Schmidt, Heinrich Willy, measurement of the emanations contained in liquids,

A., ii, 788.

Schmidt, Julius, and Gustav Ladner, studies in the phenanthrene series. XVI. 9:10-Dichloro- and 9:10-dibromo-phenanthrenes; a new mode of formation of o-dichlorobenzene, A., i, 43.

Schmidt, Otto, o-methylaminobenzaldehyde, A., i, 213.

a new method of formation of diazocompounds and a general method for determining the constitution of azodyes, A., i, 951.

Schmidt, Rudolf. See Siegfried Valentiner.

Schmidt-Nielsen, Sigval, action of radium emanations on chymosin, A., ii, 48.

Schmierer, Friedrich. See Conrad Willgerodt.

Schmitt, Ch., new method of preparation of esters of mesoxalic acid; condensation with esters of cyanoacetic acid, A., i, 508.

derivatives of mesoxalic esters, A., i,

585. chmitt.

Schmitt, E., nitrogenous impurities of glycerol and fats, A., ii, 769.Schmitz, Leonhard. See Georg Schroeter.

66

Schmoelling, Leo von, copal oils, A., ii, 775. **Schmoll,** E, the composition of caseous deposits in tubercle, A., ii, 272.

Schnabel, Richard. See Arthur Rosenheim.

Schneider, Gustav. See Roland Scholl. Schneider, Ph., plant analysis as an aid in estimating the manurial requirements, with special reference to hops, A., ii. 755.

Schneider, Ph. See also Ferdinand \mathbf{W} ohltmann.

Schneider, W., the Sichler "sinacid butyrometry," A., ii, 560.

butyrometry," A., ii, 560. Schneider, W. See also Theodor Pfeiffer. Schneidewind, Wilhelm, and O. Ringleben, action of crude and pure potassium salts with calcium in different forms, A., ii, 197.

Schoch, Eugene P., study of reversible oxidation and reduction reactions in solutions, A., ii, 19.

Schöler, Gustav, a quick-acting potash

apparatus, A., ii, 481. Schöllhorn, F. See Hermann Will.

Schöndorff, Bernhard. See Eduard Pflüger.

Schönewald, A. See Wilhelm Traube. Schönewald, Hans, and K. Bartlett, influence of various kinds of glass on the accuracy of Kjeldahl's nitrogen process, A., ii, 201.

Scholl, Hermann, photoelectric phenomena exhibited by moist silver iodide, A., ii, 297.

Scholl, Roland, and Hans Berblinger, bromination of 1:5-diaminoanthraquinone, A., i, 88.

Scholl, Roland, and Philipp Kačer, 2:3diaminoauthraquinone and azines of the anthraquinone series, A., i, 88.

Scholl, Roland, and Albert Krieger, constitution of dibromo-1:6-diaminoanthraquinone, A., i, 145.

action of aromatic bases on the nitroamino-groups of 2:7-dibromo-4:9-dinitro-1:6-dinitroaminoanthraquinone, A., i, 145.

Scholl, Roland, [and, in part, Gustav Schneider and Fritz Eberle], nitroamines of the anthraquinone series, A., i, 70.

Scholl, Roland, [with Albert Otto Weil and Karl Holdermann], nitrimines and nitriminic acids, A., i, 181.

Scholl, Roland. See also Philipp Kačer. Scholtz, Max, isomeric coninium iodides. II., A., i, 296.

standardisation of normal solutions, A., ii, 57.

titrimetric estimation of chlorates and bromates, A., ii, 651.

Scholtz, Max, and Konrad Bode, quaternary ammonium compounds of the

alkaloids, A., i, 79.
Scholtz, Max, and P. Pawlicki, stereoisomeric conhydrinium iodides, A., i, 473.

Scholze, A., 2-methyl-6-pyrophthalone, A., i, 825.

Schoorl, Nicolaas, oxidation and reduction, A., ii, 692.

Schorigin, P. See Max Trautz.

Schreiber, Berthold. See Stanislaus von Kostanecki.

Schreinemakers, Frans Antoon Hubert, mixed crystals in systems of three substances, A., ii, 154, 376, 685. ternary equilibria, A., ii, 804. potassium chromates, A., ii, 818.

ammonium chromates, A., ii, 820.

Schreiner, Oswald, colorimetric methods; a simple colorimeter for general use, A., ii, 760.

Schreiner, Oswald, and Bailey Edgar Brown, colorimetric estimation of phosphates, A., ii, 117. Schrimpff, August, improved hydrogen

sulphide apparatus, A., ii, 383.

Schröder, Fritz. See Emil Knoevenagel. Schröder, Heinrich. See Julius Wilhelm Brühl.

Schroeder, Johannes, pyridine as a solvent and ionising medium for inorganic metallic salts, A., ii, 306.

Schroeder, Johannes. See also Alexander Naumann.

Schroeter, Georg, and Gustav Herzberg, methionic [methanedisulphonic] acid, A., i, 851.

Schroeter, Georg,[with LeonhardSchmitz and Rudolf Schwamborn, symmetrical dialkyl esters of citric acid, A., i, 738.

Schroeter, Georg, [with Rudolf Schwamborn and Carl Stassen], \$\beta\$-aminotricarballylic acid, A., i, 819.

Schrötter, Hermann von. See Adolf Loewy.

Schrumpf, P., preparation of pepsin, A., i, 556.

Schryver, Samuel Barnett, autolysis. II. The influence of the thyroid, A., ii, 267. See

Schtschegolew, Michael. Adam Bischoff.

Schtscherbakoff, M. A., relation of lead iodide to water and oxygen, A., ii,

Schubetski, Ludwig. See Carl Adam Bischoff.

Schuch, Julius, estimation of fluorine, A., 1i, 552.

Schucht, Ludwig, free acid in superphosphate, A., ii, 610.

Schürhoff, P., cause of the oxidising action of urine, A., ii, 740.

Schulten, August Benjamin (Baron) de, composition of fiedlerite, A., ii, 173.

artificial production of hopeite, A., ii, 174.

artificial production of barium- and strontium-haidingerites, A., ii, 174. artificial production of barium-, lead-, and strontium-monetites, and of arsenated monetites, A., ii, 174.

artificial production of hureaulite and cadmium-hureaulite, A., ii, 175.

artificial production by a wet method of anhydrous chromates of barium, lead, and strontium, A., ii, 175.

Schultze, Ernst Heinrich, rapid estimation of calcium, potassium, and phosphoric acid, A., ii, 482.

Schultze, Fr., comparative estimations of glycerol, A., ii, 769. Schultze, Fritz. See Lassar-Cohn.

Schulz, Arthur, spectroscopic characters of hæmatoporphyrin, A., i, 252.

Schulz, Paul. See Alexander Naumann.

Schulze, Bernhard, development of rye and wheat, A., ii, 754.

Schulze, Carl, effect of soil sterilisation on plant development, A., ii, 54.

Schulze, Ernst [August], non-proteid nitrogenous constituents of agricultural plants, A., ii, 52.

Schulze, Ernst, and Ernst Winterstein, action of light on cholesterol, A., i,

mono-amino-acids obtained from seedlings of Vicia sativa and Lupinus albus, A., i, 686.

specific rotatory powers of tyrosine preparations of vegetable origin, A., i, 699.

occurrence of ricinine in young Ricinus plants, A., ii, 112.

Schulze, Heinrich, aconitine. II., A., i, 656.

Schulze, Rudolf. See Ludwig Claisen. Schumacher, Hans, apparatus for the estimation of carbon in iron by Eggertz's method, A., ii, 203.

Schumacher, Th., and E. Feder, some uses of iodic acid in volumetric analysis, A., ii, 856.

Schumm, Otto, estimation of mercury in organs, A., ii, 286. autolysis, A., ii, 840.

Schupp, Gustav. See Alfred Einhorn and Franz Henle.

Schwab, G. See Georg Rohde.

Schwahn, Heinrich F. D., preparation of metallic aluminium, A., ii, 712.

Schwalbe, Carl, preparation of benzene free from sulphur, A., i, 124.

velocity of decomposition of p-nitrobenzenediazonium chloride, A., i, 618, 843.

Dimroth's thiophen dimercuric hydroxyacetate, A., i, 656.

stability of diazotised p-nitroaniline, A., i, 952.

colorimetric estimation of thiophen, A., ii, 779.

Schwamborn. Rudolf. See GeorgSchroeter.

Schwarz, F., influence of the duration of boiling on the saponification value of beeswax, A., ii, 361, 657.

Schwarz, Georg L. M. See Hans Rupe. Schwarz, Osw., antipepsin, A., ii, 731. Schwenk, Wilhelm. See Joh. Howitz.

Schwezoff, Boris, benzene as indicator for iodimetry, A., ii, 280.

Scott, Alexander, note on the atomic weight of nitrogen, P., 309.

Scudder, Heyward, detection of methyl alcohol [in ethyl alcohol], A., ii, 615. Scurti, Francesco. See Gaspare Ampola.

Sebelien, John, manurial value of human excrement, A., ii, 114.

standardising of normal acids, A., ii, 551.

Seelhorst, Conrad von, manuring as based on ten years' experiments, A., ii, 195.

Seelhorst, Conrad von, and Fresenius, influence of soil moisture on the amounts of total and proteid nitrogen in oat straw, A., ii, 194.

Seelhorst, Conrad von, and Müther, water in the soil and the consumption of water by plants, A., ii, 606.

Seelig, Albert, ether-glycosuria, and the effect of intravenous oxygen infusion on it, A., ii, 469.

Seemann, Ferdinand, estimation and separation of silica and fluorine, A., ii, 555.

Seemann, John, oxidation of gelatin and of egg-albumin with calcium permanganate, A., i, 619.

Segalle, R., [with Langer], preparation of ammonium dichromate, A., ii, 707. Segelitz, L. See Oscar Doebner.

Segin, Adalbert, action of bacteria on

sugars, A., ii, 341. Seib, Otto, estimation of the citratesoluble phosphoric acid in superphos-

phates, A., ii, 554. Seidell, Atherton. See Frank Kenneth

Cameron. Seifert, M. See Stefan von Niemen-

towski. Seil, Harvey Ambrose.

See Marston Taylor Bogert.

See Karl A. Hofmann. Seiler, E.

Seiler, Fr. See Josef König. Seligmann, E., action of camphor on the circulation, A., ii, 409.

Sell, William James, the chlorination of methyl derivatives of pyridine. Part I. 2-Methylpyridine, T., 799; P., 165; discussion, P., 166.

Sellards, A. W. See Edward Bartow. Sellier, Eugène, estimation of ammonia in vegetable products, beets, etc., A., ii, 60.

Sellier, G., detection of boric acid in foods, A., ii, 554.

Semichon, L., physiological significance of the urate cells in melliferous insects, A., ii, 600.

Semmler, Friedrich Wilhelm, oximes of pulegone, A., i, 222.

Senderens, Jean Baptiste. See Paul Sabatier.

Senier, Alfred, Percy Corlett Austin, and (Miss) Rosalind Clarke, the interaction of acridines with magnesium alkyl halides, T., 1469; P., 227.

Senn, Hans, electrolytic refining of lead in hydrofluosilicic acid solutions, A., ii, 389.

Senter, George, studies on enzyme action: effect of "poisons" on the rate of decomposition of hydrogen peroxide

by hæmase, A., i, 107. reaction-velocities in heterogeneous systems: with particular reference to enzyme actions, A., ii, 377.

rôle of diffusion in the catalysis of hydrogen peroxide by colloidal platinum, A., ii, 379.

Seyewetz, Alphonse, and Jean Bardin, action of sodium sulphite on acetaldehyde, A., i, 683.

titration of acetaldehyde, A., ii, 771.

Seyewetz, Alphonse. See also Auguste Lumière.

Seymour, William. See Frederick Levy Dunlap.

Shaffer, Philip, catalase, A., i, 956.

Shaffer, Philip. See also S. P. Beebe. Shaffer, Philip A. See Charles Loring Jackson.

Shattock, Samuel G., a prehistoric Egyptian calculus, A., ii, 843.

Shepherd, Earnest Stanley, aluminiumzinc alloys, A., ii, 588.

Shepherd, Earnest Stanley, and George

Burr Upton, tensile strength of coppertin alloys, A., ii, 587. Sheppard, Samuel Edward, the reversi-

bility of photographic development and the retarding action of soluble bromides, T., 1311; P., 223. Sheppard, Samuel Edward, and Charles Edward Kenneth Mees, the molecular condition in solution of ferrous oxalate, T., 189; P., 10.

theory of photographic processes; chemical dynamics of development,

A., ii, 294.

theory of photographic processes. II. Chemical dynamics of development, including the microscopy of the image, A., ii, 784.

Sherman, Henry Clapp, and Milton J. Falk, estimation of nitrogen in organic compounds, A., ii, 116.

influence of atmospheric oxidation on the constants of oils. II., A., ii,

Sherman, Henry Clapp, Albert Hahn, and Arthur J. Mettler, comparative experiments on chemical preservatives in milk, A., ii, 758.

Sherman, Henry Clapp. See also W. N. Berg.

Sherrill, Miles S., and Stanislaws Skowronski, mercury thiocyanate complexes, A., i, 265.

Shibata, Keisaku, chemotaxis of Isoetes spermatozoids, A., ii, 190.

Shimer, Porter W., a new filter, A., ii, 349.

Shimizu, Sumu. See Kōtarō Honda. Short, Frederick Charles. See Alexander Findlay.

Shukoff, Alexis A., and Peter J. Schestakoff, direct estimation of glycerol, A., ii, 289.

Shukoff, Iwan, organo-metallic compounds, A., i, 759.

Shutt, Frank Thomas, effect of rust on the straw and grain of wheat, A., ii, 476.

Sichler & Richter. See Molkereitechn. Inst. Sichler & Richter, Leipzig.

Sidgwick, Nevil Vincent, note on the interaction of metallic cyanides and organic halides, P., 120.
Sieber, (Madame) Nadine, glycolytic

principle in blood-fibrin, A., ii, 541. Siebert, Carl. See Wilhelm Biltz and

Daniel Vorländer.

Siebert, Erwin. See Carl Bülow. Siebert, Werner. See Alfred Stock.

Siegfried, Max [August], derivatives of amino-acids, A., i, 59.

caseinokyrine, A., i, 104.

glutokyrine, Á., i, 105.

Iysine, A., i, 297.

peptones, A., i, 727. union of carbon dioxide with amphoteric amino-substances, 332.

Siemens, A. See Otto Sackur.

Siemens & Halske Akt.-Ges., purification of tantalum, A., ii, 96.

Sieplein, Otto J. See Charles Frederic Mabery.

Sigmund, Wilhelm, physiological action of ozone, A., ii, 472, 476.

Sikes, Alfred Walter, the globulin of albuminous urine, A., ii, 843.

Silber, Paul G. See Giacomo Luigi Ciamician.

Silbergleit, Hermann, and Max Mosse, the power of human blood to decompose hydrogen peroxide, A., ii, 178. Silbermann, Martin. See Carl Neuberg.

Silberrad, Oswald, the constitution of

nitrogen iodide, T., 55.

the metallic derivatives of nitrogen iodide and their bearing on its constitution, T., 66.

Sill, Herbert Fowler, equilibrium between a nitrogen base and organic acids in various solvents, A., ii, 377.

Silvatici, S. See Nazareno Tarugi.

Simon, Charles Edmund, feeding on mono-amino-acids in cystinuria, A., ii, 741.

Simon, Heinrich. See August Michaelis. Simon, Louis Jacques, action of potassium permanganate on the salts of hydroxylamine (nitrate, phosphate, arsenate), A., ii, 242.

volumetric method of estimating hydr-

oxylamine, A., ii, 352.

Simon, M., selenocyanopropionic acid, A., i, 866.

Simon, M. See also Richard Stoermer. Simonet, Adolphe. See Léo Vignon.

Simonis, Hugo. See Alfred Salmony. Simons, Frank Darius. See Charles Albert Crampton.

Simonsen, John Lionel. See William

Henry Perkin, jun. Simpson, Edward Sydney, [chrysocolla

from Western Australia], A., ii, 176. **Simpson**, George C., atmospheric electricity [radioactivity] in high latitudes, A., ii, 662.

Sinnatt, Frank Sturdy, the estimation of picric acid additive compounds, P., 297.

Sirk, H., acceleration of the evolution of chlorine from potassium chlorate and hydrochloric acid by the presence of platinum, A., ii, 381.

Sisley, Paul. See Philippe Barbier. Sisson, Henry Arnott. See Leonard

Angelo Levy.

Sjollema, Bouwe, reduction of perchlorate by the wet method, A., ii, 21. employment of dyes in soil investiga-

tion, A., ii, 195.

isolation of the colloid substances of soils, A., ii, 195.

Skinner, Clarence A., Faraday's law in reference to the glow discharge in gases, A., ii, 797.

Skita, Aladar. See Georg Merling.

Skossarewsky, M., action of potassium hydroxide on a mixture of phenylacetylene and acetone; synthesis of phenylacetylenyldimethylcarbinol, A., ī, 774.

Skowronski, Stanislaws. See Miles S. Sherrill.

Skrabal, Anton, kinetics of the reaction between potassium permanganate and oxalic acid, A., ii, 17. "primary oxide" theory of oxidation,

A., ii, 18.

action of oxidising agents on hydriodic acid; reactions of hypoiodous acid, A., ii, 449.

kinetics of processes of oxidation, A., ii, 804.

Skraup, Zdenko Hanns, hydrolysis of proteids. II. Gelatin, A., i, 398. diamino-acids in casein and gelatin; a correction, A., i, 619.

Slade, Henry B., preparation of nucleic acid, A., i, 620.

Slater, (Miss) J. M. W., excited activity of thorium, A., ii, 368.

Slator, Arthur, the chemical dynamics of the reactions between sodium thiosulphate and organic halogen Part II. Halogencompounds. substituted acetates, T., 481; P., 121.

studies in fermentation. chemical dynamics of alcoholic fer-

mentation by yeast, P., 304.
Slatowratsky, N., and Gustav Tammann, do crystals soften in the neighbourhood of their melting point? A., ii, 807.

Slipper, H. J. See Arnold Frederik Holleman.

Slowtzoff, B., inanition studies. IV. In bees, A., ii, 45. In libella.

Sluiter, C. H., decomposition of the sodium derivative of isonitrosoacetophenone, A., i, 791.

Wislicenus's supposed isomeride of dibenzoylmethane, A., i, 796.

mechanism of the Beckmann intramolecular transformation, A., ii, 692.

Slyke, Lucius L. van, and Edwin Bret Hart, casein and paracasein in some of their relations to bases and acids, A., i, 498.

Smallman, Arthur Briton. See William Boog Leishman.

Smedley, (Miss) Ida, studies on the origin of colour; derivatives of fluorene T. 1249; P., 221.

Smiles, Samuel, an asymmetric synthesis of quadrivalent sulphur, T., 450; P., 92.

the action of a-halogen ketones on alkyl sulphides, P., 93.

Smirnoff, F. W., addition of hypochlorous acid to allene hydrocarbons. II., A., i, 172.

Smith, Alexander, two liquid states of sulphur, S_{λ} and S_{μ} , and their tran-

sition point, A., ii, 382.

nature of amorphous sulphur, and influence of foreign substances on the phenomena of supercooling observed when melted sulphur is suddenly chilled, A., ii, 382.

Smith, Alexander, Willis Boit Holmes, and Elliot S. Hall, amorphous sulphur. II. Two liquid states of aggregation of sulphur, SA and Sµ, and their transition point, A., ii, 580.

Smith, (Miss) Alice Emily. See Kennedy Joseph Previté Orton.

Smith, Bernard H. See John Kerfood Haywood.

Smith, Edgar Fahs, [with Roy D. Hall, (Miss) Mary Engle Pennington, and Clarence W. Balke], columbium and tantalum, A., ii, 828.

Smith, Edgar Fahs, [with George H. W. Hall, Market Balket], with George H.

Smith, Edgar Fahs, [with George H. West and (Miss) Lily Gavit Kollock], use of the rotating anode in electroanalysis. A., ii. 198.

analysis, A., ii, 198.

Smith, Edgar Fahs. See also Roy D.

Hall, (Miss) Lily Garit Kollock, and
Allen Rogers.

Smith, George McPhail, action of barium amalgam on solutions of sodium and potassium salts, A., ii, 164.

reciprocal replacement of metals in aqueous solutions, A., ii, 450.

Smith, Harry Monmouth, and W. H. McClelland, molecular depression constant of p-azoxyanisole, A., ii, 11.

Smith, Henry Llewellyn. See William Arthur Bone.

Smith, Herbert Procter, a modified form of the persulphate method of estimating manganese in iron and steel, A., ii, 66.

Smith, Letchworth, and Charles George Lewis Wolf, physiological action of azoimide, A., ii, 106.

Smith, Norman, the slow combustion of carbon disulphide, P., 311.

Smith, Ralph Ogden, rapid electrolytic estimation of lead, A., ii, 860.

electrolytic estimation of mercury [in cinnabar] with the use of a rotating anode, A., ii, 860.

Smith, Sydney Herbert. See James Charles Philip. Smits, Andreas, phenomena observed when the plait curve meets the solubility curve, A., ii, 234, 684.

hidden equilibria in the p-x-diagram of a binary system in consequence of the appearance of solid substances, A., ii, 683.

contribution to the knowledge of the px- and pT-lines for the case that two substances enter into a combination which is dissociated in the liquid and the gas phase, A., ii, 683.

Snell, John Ferguson. See Stanley R. Benedict.

Snowden, Ralph Cuthbert, electrolytic deposition of silver, A., ii, 452.

electrolytic precipitation of nickel on nickel, A., ii, 459.

Soden, [Eberhardt Hildebrand Wilhelm Ludwig] Hugo von, and Fritz Elze, ethereal oil of birch buds, A., i,

new terpene alcohol in myrtle oil, A.,

Sörensen, Sören Peter Lauritz, synthesis of α-amino-acids by means of ethyl phthaliminomalonate, A., i, 600.

phthaliminomalonate, A., i, 600. synthesis of amino-acids. V. α-Amino-δ-hydroxyvaleric acid, A., i, 749.

the question of uniform standardising substances for volumetric solutions, A., ii, 414.

Sörensen, Sören Peter Lauritz, and A. C. Andersen, use of sodium carbonate and sodium oxalate as the standard substances in acidimetry, A., ii, 415.

nitrogen estimations in lysine and analogous substances by Kjeldahl's method, A., ii, 553.

Soldaini, Arturo, products formed under various conditions by the action of halogens on d-lupanine, A., i, 371.

Soldi, Angelo. See Guido Pellizzari.
Sollmann, Torald, effect of blood on the kidney, A., ii, 180.

kidney, A., ii, 180. effects of isotonic solutions on the kidney, A., ii, 181.

perfusion experiments on excised kidneys, A., ii, 337.

Sollmann, Torald, and J. A. Hofmann, excretion of water in typhoid fever, A., ii, 272.

Solonina, Andrei A., action of ethyl sodioacetoacetate on dibromohydrocarbons, A., i, 112.

Solonina, Boris. See Herman Decker. Soloweitschik, Boris. See Carl Adam Bischoff.

Soltsien, Paul, detection of rancidity in butter, A., ii, 774.

Sommer, Rudolf, preparation of aromatic dihydroxyaldehydes, A., i, 141.

Souheur, Lorenz, preparation of vitreous arsenious oxide, A., ii, 633.

Southerden, Frank, a cheap Kipp's apparatus, A., ii, 20.

Spallino, Rosario. See Alberto Peratoner.

Speiser, Felix. See Hans Rupe.

Spencer, E. D. See H. Morris-Airey.
Spencer, James Frederick, electromotive behaviour of dilute amalgams, A., ii,

Spencer, James Frederick, and Richard
Abegg, electroaffinity differences between valency stages and their oxidation equilibria. II. Mutual relationships of the valency stages of thallium
and the oxidation power of oxygen,

A., ii, 369.

Spencer, James Frederick. See also Richard Abegg.

Spengler, Oskar. See Richard Emil Meyer.

Speransky, Alexandr W., vapour tension of solid solutions. II., A., ii, 230

Speyer, Edmund. See Martin Freund. Spieckermann, Alb. See Josef König.

Spiegel, Leopold [Julius], yohimbine.
II. Methylation of yohimboaic acid,
A., i, 816.

formation of complex proteids from

peptones, A., i, 954.

Spielmann, Percy E., analysis of graphitic silicon and siloxicon, A., ii, 610.

Spiess, Camille, presence of bile pigments in leeches, A., ii, 737.

Spindler, O. von, detection of boric acid [in foods], A., ii, 480.

Spitzer, Fritz, electromotive behaviour of copper and zinc in their solutions in alkali cyanides, A., ii, 501, 611.

Spitzer, Fritz. See also Erich Müller. Sponagel, Paul. See Fritz Ullmann.

Spring, Walthère [Victor], limits of visibility of fluorescence and the higher limit of the absolute weight of atoms, A., ii, 494.

limits of visibility of fluorescence and the maximum value of the absolute weight of the atom of hydrogen, A., ii, 565.

cause of the green tint of natural waters, A., ii, 695.

Sprinkmeyer, H., and H. Wagner, sesamé oil, A., ii, 775.

Staal, J. Ph., the chromogen of so-called scatole-red in normal human urine, A., ii, 843.

Stadler, Wilhelm. See Arthur Rosenheim.

Stadlin, Werner. See Emil Erlenmeyer, jun.

Stadlinger, Hermann. See Paul Lehmann.

Stähler, Arthur, titanium. I. Hydrates of titanium trihaloids, A., ii, 40.

red derivatives of hydrated vanadium trichloride, A., ii, 41.

volumetric estimation of hydroxylamine by means of tervalent titanium, A., ii, 116.

Stähler, Arthur, and Bruno Denk, zirconium halogen compounds, A., ii, 597.

Stähler, Arthur, and, in part, Heinz Wirthwein, titanium. II., A., ii, 595. Staehling, Ch. See Alfred Guyot.

Stahl, Hermann. See Otto Dimroth. Stanek, Vladimir, estimation of betaine

in the products of sugar factories, A., ii, 562.

an improved method for estimating nitrogen in amino-acids, A., ii, 856.

Staněk, Vladimir. See also Karl Andrlík and Alois Velich.

Stanford, R. V., new form of pyknometer, A., ii, 631.

Stapler, Adolf. See Felix Benjamin Ahrens.

Stappers, Léon, chloro-derivatives of propyl- and isopropyl-formals, A., i, 261.

Starling, Ernest Henry, chemical correlation of the functions of the body, A., ii, 735.

Starling, Ernest Henry. See also William Maddock Bayliss.

Stassen, C. See Georg Schroeter.

Statiropoulos, Johannes G. See Henry Lord Wheeler.

Staudinger, Hermann, ketens, A., i, 444.

action of ethyl sodiomalonate on ethyl ethoxysuccinate and ethyl ethoxybenzylmalonate, A., i, 736.

Stavenhagen, [Friedrich Rudolph Otto]
Alfred, oxidation of atmospheric nitrogen in the high tension arc, A., ii, 517.

Stavrolopoulos, Andreas. See Herman Decker.

Steel, Frederick William. See W. B. Hirt.

Steele, Bertram Dillon, halogen hydrides as conducting solvents. III. Transport numbers, A., ii, 222.

Steele, Bertram Dillon, Douglas McIntosh, and Ebenezer Henry Archibald, halogen hydrides as conducting solvents. IV., A., ii, 222.

Stefanini, Annibale. See Angelo Batelli. Stefanowska, (Mile.) M., increase in the weights of the organic and mineral substances of oats as a function of the age, A., ii, 194.

Steffens, Max. See Georg W. A. Kahlbaum.

Steiger, George, action of silver nitrate and thallous nitrate on certain natural silicates, A., ii, 707.

Steiger, George. See also Frank Wigglesworth Clarke.

Stein. See Fritz Ullmann.

Stein, Israel. See Carl Adam Bischoff. Stein, Richard. See Walter Dieckmann. Steindorff, Adolf. See Julius von

Braun.

Steiner, S. H. See Marston Taylor
Bogert.

Steinhausen, Jacob, enhanced lines, A., ii, 782.

Steinitz, Franz, and Richard Weigert, influence of carbohydrate diet on the composition of the child, A., ii, 180.

Steinkopf, Wilhelm, attempts to synthesise nitroacetouitrile, A., i, 122. preparation of mono- and di-bromoacetonitriles, A., i, 756.

Steinkopf, Wilhelm, and Wilhelm Frommel, preparation of methyl bromide, A., i, 501.

Steinlen, Rudolf L., crucible refrigerator, A., ii, 349.

Steinmann, Albert. See Edwin Ackermann.

Steinmetz, Hermann, transformation of polymorphic substances, A., ii, 685.

Steinwehr, Helmuth von. See Wilhelm Jaeger.

Stellbaum, Carl. See Heinrich Biltz. Stenger, Erich. See Julius Precht.

Stepanoff, A., removal of halogens from the benzene nucleus by the action of sodium and ethyl alcohol, A., i, 335.

Stepanoff, N. J. See Nicolai S. Kurna-koff.

Stephens, Frank George Coad. See Raphael Meldola.

Stern, Ernst, chemical kinetics of the benzoin synthesis (catalysis by cyanide ions), A., ii, 150.

Stern, Hermann. See Julius Tafel. Stern, (Mlle.) L. See Fr. Battelli.

Sternberg, Wilhelm, sense of taste in pharmacy and pharmacology, A., ii, 409.

Steudel, Hermann, thymonucleic acids. II., A., i, 398.

salts of the hexone bases with picrolonic acid, A., i, 461.

Stevens, Alviso Burdett, nitrogen in gums, A., i 574.

Stevenson, John, chemical and geological history of the atmosphere, A., ii, 239.

Stewart, Alfred Walter, the addition of sodium hydrogen sulphite to ketonic compounds, T., 185; P., 13, 78.

the velocity of oxime formation in certain ketones, T., 410; P., 84.

the transmutation of geometrical isomerides, P., 73; discussion, P., 74.

Stewart, George Neil, hæmolysinogenic and agglutininogenic action of laked corpuscles, A., ii, 47.

Stieglitz, Julius [Oscar], and Edith E.
Barnard, chloronium salts, A., i, 699.
Stieglitz, Julius, and R. W. Noble,

isocarbamides, A., i, 639.

Stiepel, C., estimation of glycerol in its solutions by means of the specific gravity, A., ii, 121.

Stiepel, Carl, preparation of betaine salts from molasses, A., i, 416.

Stiles, Percy Goldthwait, and William Herbert Beers, the masking of ionic

effects by organic substances, A., ii, 736. Stiles, Percy Goldthwait. See also Carl Spencer Milliken.

Stillich, Otto, rôle of sulphuric acid when acetylating with acetic anhydride, A., i, 318.

Stobbe, Hans, [with Ferdinand Gademann, Alfred Lenzner, and Robert Rose], butadiene compounds. VII. The colour of the fulgenic acids and fulgides, A., i, 857.

Stobbe, Hans, and Karl Leuner, butadiene compounds. VIII. Colourless alkylfulgides, A., i, 857.

Stock, Alfred [Eduard], decomposition of antimony hydride, A., ii, 96.

two modifications of the Töpler mercury air pump, A., ii, 514.

Stock, Alfred, and Werner Siebert,

preparation of yellow arsenic, A., ii, 25.
preparation of yellow arsenic by means

of the electric arc, A., ii, 315.

Stock, Alfred, and Kurt Thiel, phosphorus pentasulphide, A., ii, 703.

Stockem, Lorenz. See Heinrich Danneel. Stoermer, Richard [Heinrich Friedrich], and Theodor Biesenbach, elimination of carbon dioxide and carbon monoxide from α-phenoxycinnamic acids, A., i,

Stoermer, Richard, and Otto Kippe, condensation of benzaldehyde and etnyl phenoxyacetate. Claisen's cinnamic acid synthesis by means of sodium, A., i, 526, 777.

Stoermer, Richard, and M. Simon, geometrical isomerism of derivatives of diphenylethylene, A., i, 53.

See Hans TheodorStohmann, A.Bucherer.

Stokes, Henry Newlin. See William Francis Hillebrand.

See William Stokes, Joseph Arthur. Augustus Tilden.

Stoklasa, Julius, carbohydrate combustion in the animal organism, A., ii, 179.

lactolase, an enzyme causing the formation of lactic acid in plant cells, A.,

transformations of sodium nitrate in the soil of sugar-beet fields, A., ii,

Stoklasa, Julius, and Adolf Ernest, origin, amount, and importance of carbon dioxide in soils, A., ii, 607.

Stoklasa, Julius, and Eugen Vitek, influence of different carbohydrates and organic acids on the decomposition of nitrates by bacteria, A., ii, 342,

Stolle, Fr. See Francis Marre. Stolle, Robert, formation of heterocyclic compounds from hydrazine derivatives. XVIII. Action of ammonia on tetrabromobenzylideneazine, A., i, 249.

condensation of ethyl acetoacetate with phenylmethylpyrazolone and the products formed by the action of hydrazine and of phenylhydrazine

on dehydracetic acid, A., i, 838. Stollé, Robert, and Kurt Hofmann, hydrazinecarboxylic acid, A., i, 28. diaminoguanidine, A., i, 28.

Stollé, Robert, and Walter Kind, formation of heterocyclic compounds from hydrazine derivatives. XVI. Diazoles and bisdiazoles, A., i, 96.

Stollé, Robert, and Eduard Münch, formation of heterocyclic compounds from hydrazine derivatives. XV. The metallic derivatives of the condensation products of acylhydrazines with aldehydes and ketones and their behaviour towards acid chlorides and iodine, A., i, 94.

Stollé, Robert, Eduard Münch, and Walter Kind, formation of heterocyclic compounds from hydrazine derivatives. XVII. Diphenylosotetrazine and diphenylosotriazole, A., i, 97.

Friedrich, 1-phenyl-4-methyl-Stolz,

pyrazolone, A., i, 942. Stolz, Friedrich, [with Hans Meyer], \mathbf{a} nd alkylaminoacetyladrenaline catechol, A., i, 106.

Stoop, Franz. See Emil Erlenmeyer, jun.

Stoppani, E. See Arnaldo Piutti.

Stortenbeker, Willem, isomorphism of potassium and thallous salts, A., ii, 390.

detection of iodoform, A., ii, 424.

Stracke, G. J., insensibility of higher plants towards their own poisons, A., ii, 853.

Strauss, H., estimation of glycerol in soap-lyes, A., ii, 865.

Streintz, Franz, temperature-coefficient of the resistance of tantalum, A., ii, 432. Strengers, Th. See Ernst Cohen.

Stritter. Robert, occurrence in milk serum of substances which react with naphthalene-\$\beta\sulphonic chloride, A., ii, 869.

Richard P., virulence and Strong, immunising power of micro-organisms, A., ii, 843.

Strusiewicz, Boleslaus von, the nutritive value of amino-compounds, A., ii, 734.

Struthers, Robert de Jersey Fleming, some interactions of metallic cyanides with organic bases, P., 95.

Struthers, Robert de Jersey Fleming, and James Ernest Marsh, photographic radiation of some mercury compounds,

T., 377; P., 67. Struthers, Robert de Jersey Fleming. See also James Ernest Marsh.

Strutt, Robert John, radioactive minerals, A., ii, 787.

Stuart, William, etherisation as an aid in rhubarb forcing, A., ii, 756.

Stuchetz, Josef, substituted rhodanic acids and their aldehyde condensation products. IV., A., i, 933.

Stüber, W., estimation of potassium nitrate in meats and flesh products, A., ii, 765.

Stüber, W. See also K. Farnsteiner.

Stuer, Bernhard C., action of ammonia on sulphuryl chloride [and carbonyl chloride], A., i, 579.

Stuer, Bernhard C. See also Arthur Hantzsch.

Sturm, E. See Georg W. A. Kahlbaum. Stutzer, Albert, and W. Rothe, action of some soil micro-organisms on ammonium sulphate and sodium nitrate, A., ii, 546.

Sudborough, John Joseph, and Thomas diortho-substituted Davies, benzoic acid. Part VI. Conversion of methyl into ethyl esters, P., 87; discussion, P., 87.

Sudborough, John Joseph, and Thomas Campbell James, a-chlorocinnamic

acids, P., 86.

Sudborough, John Joseph, and David James Roberts, esterification constants of substituted acrylic acids, T., 1840; P., 86.

Sudborough, John Joseph, and Walter Thomas, simple method for the estimation of acetyl groups, T., 1752; P.,

Süchting, H., injurious action of crude potassium salts on potatoes, A., ii, 277.

Suida, Wilhelm, behaviour of coal-tar dyes towards starch, silicic acid, and silicates, A., i, 75.

influence of active groups in the textile fibres on the process of dyeing, A., i, 457.

Suida, Wilhelm. See also Р. Gelmo.

Sulima, A. Th. See E. S. London.

Sullivan, Eugene C., calcium sulphate in ammonium sulphate solution, A.,

chemistry of ore deposition; precipitation of copper by natural silicates, A., ii, 642.

Sulser, Jacob. See Stanislaus von

Kostanecki.

Suter, Moritz. See Carl Graebe.

Sutherst, Walter Frederick, weathered hay, A., ii, 649.

Suyver, J. F., transformations of the isomeric trithioaldehydes, 741.

Suzuki, Shigehiro, injurious effect of an excess of lime applied to the soil, A., ii, 347.

manuring \mathbf{with} kainite, Α., 348.

Suzuki, Umetaro. See Emil Fischer.

Suzzi, Filippo, use of mineral oil for the determination of the Maumené figure of oils, A., ii, 619.

Svedberg, The., electric preparation of

colloidal metals, A., ii, 817.
Svientoslavski, V. See Wladimir G. Schaposchnikoff.

Märcker-Bühring's Hanno,Svoboda, solution, Wagner's magnesium citrate mixture, and ferrous citrate magnesium mixture, A., ii, 419.

Swain, Robert E., urine of the coyote,

A., ii, 186.

Swellengrebel, N. H., plasmolysis and turgor-regulation of pressed yeast, A., ii, 473.

William Legge, Neumann's Symes, method of estimating chlorides, A., ii, 416.

Symmers, Douglas, organic phosphorus in urine, A., ii, 102.

Szabrański, Wladislaus. See Stanislaus von Kostanecki.

Szeki, Tiberius. See Rudolf Fabinyi. Szlagier, Anton von. See Stanislaus von Kostanecki.

Taboury, Félix, mixed phenolic sulphides, A., i, 56.

action of sulphur on the organomagnesium derivatives of p-bromoanisole and -phenetole, A., i, 644.

Tafel, Julius, polarisation observed during cathodic liberation of hydrogen, A., ii, 223.

Tafel, Julius, and Bruno Emmert, cause of the spontaneous depression of the cathode potential in the electrolysis of dilute sulphuric acid, A., ii, 569.

Tafel, Julius, and Paul Lavaczeck. thiopyrrolidone, A., i, 465.

Tafel, Julius, and Kurt Naumann, relation between cathode potential and electrolytic reducing action, A., ii,

Tafel, Julius, and Hermann Stern, ethyl diaminosuccinate, A., i, 417.

Takahashi, Teizō, can nitrite provide oxygen in anaërobic culture of Bacteria? A., ii, 340.

is germination possible in absence of air? A., ii, 343.

detection and estimation of fusel oil, A., ii, 358.

some new varieties of Mycoderma yeast, A., ii, 473.

Tambor, Josef. See Axel Blom.

Tamburello, Antonio, lactone of triacetic acid, A., i, 258.

Tamburello, Antonio. See also Alberto Peratoner.

Gustav [Heinrich Johann Tammann, Apollon], action of silicon on hydrated metatitanic acid, A., ii, 256.

employment of thermal analysis in abnormal cases, A., ii, 444.

See Tammann, Gustav. also Guertler, K. Hüttner, Max Levin, and N. Slatowratsky.

Tanatar, Sebastian M., perstannic acids and perstannates, A., ii, 325.

Tangl, Franz, [with Michael Korbuly, Stephan Weiser, and Arthur Zaitschek], feeding and metabolism of agricultural animals, A., ii, 757.

Tanret, Charles [Joseph], transformation of sugars showing multirotation, A., i, 327.

Tanret, Georges, gentiopierin, A., i, 655. gentiin, A., i, 714. gentiamarin, A., i, 803.

Tappeiner [(Edler) von Tappein], [Anton]Josef Franz] Hermann, [with A. Jodlbauer and Hans Lehmann], photodynamic and optical behaviour of anthraquinones, A., ii, 602.

Tappeiner, Hermann von. See also A. Jodlbauer.

Tarugi, Nazareno, formation and constitution of bleaching powder, A., ii,

red coloration of bleaching powder, A., ii, 163.

supposed existence of thiocyanate of iron and probable constitution of the hæmoglobin of the blood, A., i,

histological changes in wool-fibre by the prolonged action of water; chemical nature of the wax of corpses, A., ii,

aluminium as a preventive of acute and chronic mercury poisoning, A., ii, 205.

Tarugi, Nazareno, and S. Silvatici. volumetric estimation of iron, A., ii,

Mount Tassin, Wirt, the Vernon meteorite, A., ii, 399.

Tatlock, Robert Rattray, and Robert Tatlock Thomson, estimation of small proportions of bromine and chlorine in iodine, A., ii, 281.

Tattersall, George. See William Henry Perkin, jun.

Taurel, assay of glycerol, A., ii, 121.

Taurke, Fritz, organic silicon compounds, A., i, 422.

Taurke, Fritz. See also Hans Riesenfeld. Taylor, Francis. See Thomas Stewart Patterson.

Taylor, Levi Shoemaker. See Harmon Northrup Morse.

Taylor, William White, new method of preparing esters, A., i, 852.

WilliamTeeple, John Edgar. SeeRidgely Orndorff.

Teichner, Herbert, constitution of the

hydroxyazo-compounds, A., i, 952.

Teichner, Herbert, and Hugo Weil, preparation of 2-hydroxy-1:4-naphthaquinone, A., i, 909.

Telesnin, L., fermentation-coefficient of dead yeast (zymin) on various substrata, A., ii, 342.

Teletoff, Johann. See Carl Adam Bischoff.

Telle, Fernand, bromine absorption of fats, A., ii, 362.

Tempany, Harold A. See Francis Watts.

Terlinck, Egide, dehydration of a-isodypnopinacolin. I., A., i, 129.

Terroine, E. F. See H. Bierry.

Terry, Oliver P. See Charles Hugh Neilson.

Teruuchi, Yutaka. See Emil Abderhalden.

Theodor, Hermann, amount of water in butters of various origin, and their Reichert-Meissl numbers, A., ii, 361.

Theodorovits, K. See Lothar Wöhler. Wilhelm. See Theopold, Kunckell.

Thesmar, Georges. See Luc. Baumann. Thiel, Kurt. See Otto Ruff and Alfred

Thiele, [Friedrich Karl] Johannes, and W. Peter, aliphatic iodochlorides and iodosochl∘rides, A., i, 735.

Thiele, Reinhold. See Conrad Willgerodt.

Thierfelder, Hans, cerebron, A., i, 105, 621. Thierry, Maurice de, new apparatus for the determination of melting points, A., ii, 627.

Thill, J., improvement of Drown and Shimer's method of estimating silicon in irons, A., ii, 62.

Thoni, Johannes. See Ed. von Freudenreich.

Thomae, Carl, compounds of ketones with ammonia; methyl ethyl ketone ammonia, A., i, 509.

of ´ p-aminotriphenylderivatives methane, A., i, 586.

compounds of ketones with ammonia; diethyl ketone ammonia, A., i, 684.

compounds of ketones with ammonia; benzophenone ammonia benzophenone), A., i, 718.

Thomas, Herbert Henry, epidote from Inverness-shire, A., ii, 537.

Thomas, (Miss) M. B., and Humphrey Owen Jones, optically active nitrogen compounds, A., i, 263.

Walter.See John Joseph Thomas, Sudborough.

Thompson, Gustave W., estimation of acetic acid in white lead, A., ii, 556.

Thompson, Herbert Bryan. See Alexander McKenzie.

Thompson, Kenworthy J. See Arthur Hantzsch.

Thompson, William Henry, metabolism of arginine, A., ii, 268, 839.

effect of chloroform and ether on renal activity, A., ii, 273.

Thoms, Hermann, use of potassium bismuth iodide for the estimation of alkaloids, A., ii, 561.

Thomsen, [Hans Peter Jürgen] Julius, theory of the heat of combustion and the heat of formation of hydrocarbons in the gaseous state, A., ii,

relative value of the calorimetric methods used in the determination of the heat of combustion of volatile organic substances, A., ii, 435.

Thomsen, [Hans Peter Jürgen] Julius, numerical results of a systematic investigation of the heats of combustion and formation of volatile organic compounds, A., ii, 571.

relative value of calorimetric methods, A., ii, 801.

[thermochemical studies], A., ii, 801.

Thomsen, Th. Sv., estimation of fat in milk deficient in fat, A., ii, 773.

Thomson, Joseph John, emission of negative corpuscles by the alkali metals, A., ii, 791.

rate of recombination and the size of gaseous ions, A., ii, 797.

Thomson, Robert Tatlock. See Robert Rattray Tatlock.

Thorne, Norman C., precipitation of barium bromide by hydrobromic acid, A., ii, 118.

Thorpe, Jocelyn Field, the constitution of glutaconic acid, T., 1669; P., 239.

Thorpe, Jocelyn Field. See also Ernest Francis Joseph Atkinson, Francis Vernon Darbishire, and Harold Rogerson.

Thorpe, Thomas Edward, the analysis of samples of milk referred to the Government Laboratory in connection with the Sale of Food and Drugs Acts, T., 206; P., 63.

Thugutt, Stanislaus Józef, origin of sodalite in syenites, A., ii, 175.

reactions for distinguishing calcite and dolomite, A., ii, 421.

Thunberg, Torsten, micro-respirometric investigations, A., ii, 44.

gas exchange in some lower animals and its dependence on partial pressure of oxygen, A., ii, 728.

Tichborne, Charles Robert Clarke, a method in qualitative analysis for determining the presence of certain metallic oxides, A., ii, 556.

Tichwinsky, Michael M., interaction of zinc ethyl and benzenediazonium chloride. III., A., i, 92.

action of zinc ethyl on phenylazoethane, A., i, 93.

Tichwinsky, Michael M., and L. Wolochowitsch, acetylation of dihydrophenazine, A., i, 383.

Tiffeneau, Marc, methoethenylbenzene [phenylmethylethylene] oxide, A., i, 523.

Tiffeneau, Marc. See also Auguste Béhal and Ernest Fourneau.

Tigerstedt, Carl, phosphorus metabolism in man, A., ii, 332.

Tijmstra, Sijbe, jun., Marckwald's asymmetric synthesis of optically active valeric acid, A., i, 257.

introduction of carboxyl groups into phenol by the action of carbon dioxide. I. Salicylie acid, A., i, 439.

ionic velocities, A., ii, 499.

Tijmstra, Sijbe, jun. See also Cornelis Adriaan Lobry de Bruyn.

Tilden, William Augustus, presidential address, T., 546; P., 104.

the relation of specific heat to atomic weight in elements and compounds, T. 551: P. 104

T., 551; P., 104.

Tilden, William Augustus, and Harry
Burrows, pinene isonitrosocyanide
and its derivatives, T., 344; P., 94.

Tilden, William Augustus, and Joseph Arthur Stokes, the action of magnesium methyl iodide on pinene nitrosochloride, T., 836; P., 183.

Tillmans, Josef. See A. Olig.

Timoféeff, Wladimir F., heats of formation of mixtures and of non-aqueous solutions, A., ii, 678.

Tingle, Alfred, phenyliso-oxazolone, A., i, 930.

Tingle, John Bishop, and William Edwin Hoffman, jun., condensation compounds of camphoroxalic acid and amines, A., i, 799.

Tinkler, Charles Kenneth. See James Johnston Dobbie.

Titherley, Arthur Walsh, benzoyl derivatives of salicylamide, P., 288.

Titherley, Arthur Walsh, and William Longton Hicks, labile isomerism among benzoyl derivatives of salicylamide, T., 1207; P., 219.

Tobilewitsch, Nasar. See Carl Adam Bischoff.

Tobler, Ludwig, digestion of proteids in the stomach, A., ii, 642.

Tochtermann, Leon, action of thionyl chloride on thiobenzamide, A., i, 595.

Tollens, Bernhard [Christian Gottfried], estimation of glycuronic acid, A., ii, 559.

Tollens, Bernhard, and A. D. Maurenbrecher, the diphenylhydrazones of larabinose and of xylose, A., i, 262.

Tollens, Bernhard. See also W. B. Ellett and W. Mayer.

Tollens, Karl, action of cresol in comparison with phenol, A., ii, 339.

Tolloczko, Stanislaw. See Ludwik

Bruner.
Tolman, Lucius Moody, detection of archil, cudbear, and other lichen colours, A., ii, 215.

Tommasi, Donato, a new isomeric modification of aluminium hydroxide, A., ii, 712.

Tommasina, Thomas. See Ed. Sarasin. Tornani, Ercole. See Giuseppe Bruni.

Torrese, R., reactions for distinguishing between nicotine and cicutine, A., ii,

Torrey, Henry Augustus, and H. Hardenbergh, dissociation of phenoquinone and quinhydrone, A., i, 218.

Torrey, Henry Augustus, and W. H. Hunter, action of potassium iodide on bromanil and chloranil, A., i, 217.

Tóth, Julius, apparatus for determining the differences shown by tobaccos when burnt [smoked] A., ii, 216.

Touplain. See Fréd. Bordas.
Tousley, Nelson Elbridge, and Moses Gomberg, certain tri-p-tolylmethane derivatives, A., i, 43.

Tower, Olin Freeman, constitution of certain organic salts of nickel and cobalt as they exist in aqueous solution, A., i, 410.

action of nitrogen on water-vapour at high temperatures, A., ii, 814.

Townsend, John Sealy Edward, and H. E. **Hurst**, genesis of ions by the motion of positive ions and a theory of the sparking potential, A., ii, 7.

Toyonaga, Masato, behaviour of sodium fluoride towards blood, A., ii, 332. amount of lime in different animal organs, A., ii, 335.

Trannoy, René. See Camille Matignon. Traquair, John. See Charles Frederick Cross.

Isidor, theories on osmosis, Traube, solubility, and narcosis, A., ii, 13.

Traube. $\check{W}ilhelm$, $\gamma\delta$ -dihydroxypropylmalonic acid, A., i, 13. 2-aminoadenine (2:6-diaminopurine),

A., i, 101.

Traube, Wilhelm, and A. Schönewald, electrolytic oxidation of ammonia, A., ii, 242.

Traubenberg, Heinrich (Freiherr) Rausch von, Hall effect of bismuth at high temperatures, A., ii, 502.

Trautz, Max, chemiluminescence, A., ii,

Trautz, Max, and P. Schorigin, crystalloluminescence and triboluminescence, A., ii, 494.

Travers, Morris William, and Alfred G. C. Gwyer, comparison of the platinum scale of temperature with the normal scale at temperatures between 444° and - 190°, with notes on constant temperatures below the melting point of ice. A., ii, 372.

Travers, Morris William. See also Francis Lawry Usher.

Treboux, O., nutrition of green plants with nitrogen, A., ii, 276.

Trechzinsky, R. M. See Nicolai A. Pushin.

Trenkner, Carl. See Alexander Gut-

Trevor, Joseph Ellis, certain heats of dilution, A., ii, 231.

dependence of free energy on temperature, A., ii, 372.

Trevor, Joseph Ellis. See also James M. Bell.

Tribot, J., heat value of nervous and muscular tissues in guinea pigs of

different age, A., ii, 542.

Tribot, J., and H. Chrétien, a colloidal iron hydroxide obtained by electrodialysis, and some of its properties, A., ii, 166.

Trieschmann, Armin. See Paul Pfeiffer. Trillat, J. Auguste, the formation of formaldehyde in the combustion of tobacco, A., ii, 53.

presence and formation of formaldehyde in various combustions, A., i, 325.

presence of formaldehyde in the atmosphere of towns, A., i, 325.

Trillat, J. Auguste, and Sauton, [occurrence of ammonia in contaminated milk], A., ii, 490.

Trillat, J. Auguste, and Turchet, new process for detecting ammonia; application for characterising the purity of waters, A., ii, 282.

Trimbach, R., action of methyl and ethyl chloro-oxalates on cyanoacetic esters, A., i, 323.

action of methyl and ethyl chlorooxalates on acetylacetone, A., i, 565.

Tröger, [Karl] Julius [Ludwig], and Waldemar Hille, amides, nitriles, and thioamides of arylsulphonacetic acids, A., i, 336.

Tröger, Julius, and Paul Vasterling, action of alkyl haloids on the sodium. derivatives of arylsulphonacetonitriles, A., i, 870.

Tröger, Julius, and Franz Volkmer, action of potassium ethyl xanthate on monohalogen substituted fatty acids and their derivatives, A., i, 15. action of phenylhydrazine on arylthiosulphonated ethyl acetoacetate, A.,

i, 89. formation of additive compounds from hydroxylamine and arylsulphon-

acetonitriles, A., i, 356. Trovanelli, Arturo. See Giuseppe Bruni. Trozki, Saul. See Carl Adam Bischoff.

Truchot, P., test for molybdenum, A., ii, 614.

estimation of titanic acid in minerals, A., ii, 614.

Truffaut, Georges. See Alexandre Hébert. Tscharno, J. S. See Theodor Posner.

Tschelinzeff, Wladimir, theory of the Grignard reaction and a new method for the preparation of organomagnesium compounds, A., i, 40.

oforgano-magnesium compounds into Grignard-Baeyer oxonium compounds and thermochemical investigation of this reaction, A., ii, 802.

Tschermak, Gustav, preparation of silicic acids by the decomposition of natural silicates, A., ii, 816.

Tscherne, Rudolf. See Josef Herzig. Tschernobeeff, D., estimation of perchlorates and chlorates in saltpetre,

A., ii, 416. heat of formation of silicates, A., ii,

Tschirch, [Wilhelm Oswald] Alexander, the exudation of resins, A., ii,

easy way of distinguishing English from Chinese rhubarb, A., ii, 659.

Tschirch, Alexander, and U. Cristofoletti, root of Rheum Rhaponticum, A., ii, 851.

Tschirch, Alexander, and P. A. A. F. Eijken, rhizomes of Rheum palmatum and Rheum officinale cultivated in Berne, A., ii, 605.

Tschirch, Alexander, and O. Hoffbauer,

aloes, A., i, 913.

Tschirch, Alexander, and O. Müller, the albans and fluavil of Sumatra gutta-percha, A., i, 453.

albans of Mikindani-caoutchouc from German East Africa, A., i, 453.

gutta-percha from Guinea, A., i, 452. German

Tschirch, Alexander, and Paul, euphorbium, A., i, 538.

Tschirch, Alexander, and E. Schereschewski, chicle gum, A., i, 685.

balata, A., i, 713.

Tschisehikoff, A. See Oscar Lutz.

Tschitschibabin, Alexei E., Ullmann and Borsum's "hexaphenylethane"; tervalency of carbon, A., i, 125.

structural formula for triphenylmethyl, A., i, 270.

new syntheses [of esters] with magnesium organo-compounds, A., i, 283.

Tschugaeff, Leo A., xanthogen reaction and its application to the terpene and camphor series. II., A., i, 71.

Tschugaeff, Leo A., preparation of xanthogen compounds, A., i, 166. complex compounds of α -dioximes, A., i, 743.

complex compounds of organic imides; succinimide copper derivatives, A.,

triboluminescence. II., A., ii, 132. a new delicate reagent for nickel, A., ii, 613.

schugaeff, Leo A., and N. A.Schloesinger, attempt to synthesise Tschugaeff, hæmopyriole, A., i, 231.

Tubandt, Carl, estimation of sodium ethoxide with menthone, A., ii, 424.

nickelic salts, A., ii, 459.

alkaline cobaltous solutions, A., ii,

Türk, Hans. See Carl Dietrich Harries. Tullo, F. W., influence of different sugar solutions on the temperatures at which various yeasts are killed, A., ii, 412.

Tulloch, Forbes Mason Grantt. William Boog Leishman.

Turchet. See J. Auguste Trillat.

Turnau, Richard, abnormal salts of betaines and pyridinecarboxylic acids, A., i, 546

Turner, William Ernest Stephen. Alexander Findlay.

See Frederick Belding Tutin, Frank. Power.

Tutton, Alfred Edwin Howard, the relation of ammonium to the alkali metals. A study of ammonium magnesium and ammonium zinc sulphates and selenates, T., 1123; P., 177.

topic axes, and the topic parameters of the alkali sulphates and selenates, T., 1183; P., 217.

υ.

Ubbelohde, Leo, the true dropping point and an apparatus for determining it, A., ii, 658.

Ubbelohde, Leo. See also David Holde. Übel, Max, apparatus for preparing hydrogen or carbon dioxide, A., ii, 239.

Ujhelyi, Imre, [the amount of fat in] goats' milk, A., ii, 772.

Ulbricht, Richard, pot experiments [on the action of lime and magnesia] on barley, A., ii, 277.

Ullmann, Fritz, and J. S. Ankersmit, new naphthazine syntheses from oaminoazo-compounds, A., i, 553.

Ullmann, Fritz, and L. Frentzel, action of cuprous chloride on aryldiazonium salts, A., i, 308.

 Ullmann, Fritz, and Hermann Kipper, chloromethoxybenzoic acid, A., i, 596.
 Ullmann, Fritz, and Alfred Lehner, benzophenonesulphone, A., i, 289.

Ullmann, Fritz, and Anna Mourawiew-Winigradoff, phenylchrysofluorene, A., i, 642.

Ullmann, Fritz, Paul Sponagel, [and, in part, Stein], phenylation of phenols, A., i, 644.

Ullmann, Fritz, and Marguerite Zlokasoff, arylsalicylic [aryloxybenzoic] acids and their conversion into xanthones, A., i, 597.

Ulpiani, Celso, synthesis of nitro-esters, A., i, 9.

constitution of the fulminuric acids,

A., i, 750.
Ulpiani, Celso, and Masaniello Cingolani,
biochemical mechanism of the fer-

mentation of uric acid, A., ii, 190. Ulpiani, Celso, and G. A. Rodano, electro-synthesis among the cyano-desirations.

derivatives, A., i, 260.

Underhill, Frank Pell, experimental diabetes A ii 187, 844

diabetes, A., ii, 187, 844.
Underhill, Frank Pell, and Oliver E.
Closson, physiological behaviour of
methylene-blue and methylene-azure,
A., ii, 471.

Underhill, Frank Pell. See also Lafayette Benedict Mendel.

Upton, George Burr. See Earnest Stanley Shepherd.

Urbain, Edouard, L. Saugon, and A. Feige, saponification of cocoanut oil by cytoplasm, A., i, 108.

Urbain, Georges, yttrium earth related to gadolinium, A., ii, 35.

purification of gadolinium; atomic weight of gadolinium, A., ii, 250. new spectrum of gadolinium, A., ii, 458.

isolation of terbium, A., ii, 711.

Urban, J. See Karl Andrlik.

Usher, Francis Lawry, and Morris William Travers, the interaction of sulphuretted hydrogen and arsenic pentoxide in presence of hydrochloric acid, T., 1370; P., 223.

Utescher, Kurt. See Wilhelm Biltz.

Utz, Franz, decomposition of gallotanic acid, A., i, 135.

estimation of nitric acid in waters, A., ii, 283.

volatility of lactic acid with water vapours, A., ii, 361.

detection of hydrogen peroxide in milk, A., ii, 415.

Utz, Franz, new test for formalin in milk, A., ii, 560.

V.

Vaillant, P., influence of concentration on the magnetic properties of solutions of cobalt, A., ii, 503.

Vaillant, Victor, action of carbonyl chloride on the copper derivative of benzoylacetone and on dithiobenzoylacetone, A., i, 460.

Valenta, Eduard, rosin spirit, pine wood oils, and turpentines, A., ii, 657.

Valenti, L., meconic acid, A., i, 788.
Valentiner, [Richard Wilhelm] Siegfried, and Rudolf Schmidt, new method of preparation of neon, krypton, and xenon, A., ii, 704.

Valentiner, Siegfried. See also Ernst Dorn.

Valeur, Amand [Charles]. See Charles Moureu.

Vallée, C., action of phenylcarbimide on sulphonic acids, A., i, 771.

Vallety, estimation of copper and free matte in dross, A., ii, 483.

Vandevelde, Albert Jacques Joseph, resistance of the corpuscles of feetal blood, A., ii, 836.

blood, A., ii, 836.
influence of concentration of bloodcorpuscles and the form of the reagent vessel on hæmolysis by chemical reagents, A., ii, 836.

Vaney, C., and F. Maignon, variations in dextrose, glycogen, fat, and albumin in the course of the metamorphoses in the silk-worm, A., ii, 406.

influence of sex on the nutrition of *Bombyx mori* in the last periods of its metamorphosis; localisation of glycogen, fat, and soluble albumin in the course of nymphosis, A., ii, 467

Vaňha, Johann, Otto Kyas, and Josef Bukovansky, influence of the composition of barley on the development, quality, and productivity, and on the transmission of these properties, A., ii, 755.

Vanino, Ludwig, gold hydrosols, A., ii,

supposed solubility of aurous oxide in water, A., ii, 172.

Vanino, Ludwig, and J. Gans, Bologna phosphorus[phosphorescentsulphides], A., ii, 248.

Varenne, Eugène, and L. Godefroy, anethoglycol [γ-p-methoxyphenylpropane-βγ-diol], A., i, 282.

Varet, Raoul, mercury formates, A., ii, 504.

Vasterling, Paul. See Julius Tröger.

Vaubel, [Johann] Wilhelm, action of ammonium nitrite, and ammonium nitrate (or of nascent hydrogen, and of nitrous oxide) on aromatic compounds, A., i, 189.

relation between the size of the molecular complex and the temperaturecoefficient of expansion in different states of aggregation, A., ii, 74.

Vaubel, Wilhelm, and Eberhardt Bartelt, estimation of boric acid, A., ii,

Vaubel, Wilhelm, and Otto Scheuer, benzylethylaniline and benzylideneaniline, A., i, 274.

source of error in the estimation of acetone by the iodoform process, A.,

Vaughan, Victor Clarence, contribution

to cell chemistry, A., ii, 189. Vecchiarelli, V. See Federico Giolitti.

Veiel, O. See Otto Fischer. Veitch, Fletcher Pearre, estimation of potassium in soils, plants, and fertilisers, A., ii, 204.

Veley, Victor Herbert, hydrolysis of ammonium salts, T., 26.

Veley, Victor Herbert, and John Job Manley, refractive indices of sulphuric acid at different concentrations, A., ii, 781.

Velich, Alois, betaine, A., ii, 106.

Velich, Alois, and Vladimir Staněk, chemico-physiology of betaine. A., ii, 266.

See Italo Bel-Venditori, Domenico. lucci.

Veraguth, Hans. See Richard Willstätter.

Verley, Albert, alkyl ethers of p-allylphenol, A., i, 127.

Vernon, Horace Middleton, universal presence of erepsin in animal tissues, A., ii, 100.

the ereptic power of tissues as a measure of functional capacity, A., ii, 841.

Verschaffelt, Eduard, measure for the action of poisons on plants, A., ii, 853.

Vesely, Victor, 2:2-dinaphtha-1:1-imine

[aa-di-β-naphthacarbazole], A., i, 236. Viard, Georges [Marie Joseph], composition of homologues of "Schweinfurt's

green," A., i, 8.
Victor, Ernst, tin analysis, A., ii, 287.

Vidal, Raymond, the presence and action of mercaptan groups in direct sulphur dyes, A., i, 306.

Vidal, Raymond, the constitution of nitrosophenols and the conception of ortho-, meta-, and para-positions, A., i, 521.

Vigneron, estimation of quinine in cinchona barks, A., ii, 363.

Vignon, G. See François Couturier.

Vignon, Léo, limits of coupling of diazobenzene with aniline, A., i, 250.

detection of free yellow phosphorus in phosphorus sulphide, A., ii, 479.

Vignon, Léo, and Adolphe Simonet, diazoamino-compounds derived from diphenylamine and the homologues of aniline and the naphthylamines, A., i, 397.

secondary diazoamino-compounds, A., i, 494.

Vigouroux, Émile, reduction of oxides, a new method of preparing the binary compound, SiMn₂, by means of aluminium, A., ii, 822

Vila, Antony, and M. Piettre, spectroscopy of blood and of oxyhænioglobin, A., i, 621; ii, 402.

fluorides of oxyhæmoglobin, A., i, 847. Vila, Antony. See also M. Piettre.

Ville, Jules [Joseph Mathieu], and Eugène Derrien, modification of the spectrum of methæmoglobin under the action of sodium fluoride, A., i, 399.

methæmoglobin and its fluorine compound, A., i, 500, 622,

Ville, Jules. See also Charles Astre. **Villemontée**, P. Gouré de, liquid dielectrics, A., ii, 624.

Vincent, E., tetanus and quinine, A., ii,

Vincent, [Thomas] Swale, and W. A. Jolly, functions of thyroid and parathyroid glands, A., ii, 101.

Virgili, Juan Fages, estimation of arsenic as magnesium pyroarsenate, A., ii, 652, 858.

Visser, Arie Wilkert, autocatalysis and the transformation of γ-hydroxyacids, with and without addition of other acids, conceived as an ion re-

action, A., ii, 511. reaction velocity and chemical equili-

brium in homogeneous systems and their bearings on cases of enzyme action, A., ii, 577.

Visser, H. L., estimation of dextrose in urine, A., ii, 359.

Vitali, Dioscoride, alkaloid salts of methylarsonic acid (arrhenalic acid), A., i, 657.

interference of mercuric chloride with the formation of arsenic, antimony, and phosphorus hydrides, A., ii,

Vítek, Eugen. See Julius Stoklasa.

Vitoria, Edouard, trichloroisopropyl

alcohol, A., i, 110.

Vittenet, [Alfred Elienne] Henri, a new cause of dissociation of mercuric chloride and its influence on the antiseptic properties of solutions of corrosive sublimate, A., ii, 35.

Vittenet, Henri, and Chenu, a new cause of dissociation of mercuric chloride,

A., ii, 711.

Viullemin, A. See C. Hartwich.

Voelcker, John Augustus, [pot-culture experiments on the influence of the iodides and oxides of manganese, potassium, sodium, and lithium on wheat and barley], A., ii, 754.

Völtz, W., influence of different proteids, asparagine, and lecithin in nitrogenous metabolism, A., ii, 403.

Voerman, Gerardus Leonardus, anhydrides of saturated dibasic acids and Baeyer's tension theory, A., i, 13.

Baeyer's tension theory, A., i, 13.

Voerman, Gerardus Leonardus. See also

Emil Baur and Jacobus Henricus

van't Hoff.

Vogdt, K. See Volkmar Kohlschütter.
Vogel, Ignaz, assimilation of free elementary nitrogen by micro-organisms,
A., ii, 646, 750.

Vogel, Ignaz. See also Max Gerlach. Vogel, Rudolf, gold-lead alloys, A., ii,

gold-tin alloys, A., ii, 640.

Voghera, Mario. See Mario Giacomo Levi.

Voigt, Ernst. See Alexander Naumann. Voigt, Karl, tube apparatus for drying in a current of carbon dioxide, A., ii, 551.

Volhard, Justus. See Albin Köhler. Volkmer, Franz. See Julius Tröger. Voller [Carl] August properties of

Voller, [Carl] August, properties of radium in small quantities, A., ii, 663.

Vollers, H., improved Gooch crucibles, A., ii, 855.

Vondráček, Rudolf, influence of metals on the hydrolysis of sucrose, A., ii, 151.
Vondráček, Rudolf. See also Emil

Votoček.
Vongerichten, Eduard, derivatives of morphenol, A., i, 542.

Vongerichten, Eduard, and Carl Weilinger, aminocodeine, A., i, 542.

Voorhees, Edward Burnett, and Jacob G. Lipman, experiments on the accumulation and utilisation of atmospheric

tion and utilisation of atmospheric nitrogen in the soil, A., ii, 477.

Vorländer, Daniel, [with Olto Rolle, Carl Siebert, and Paul Weissheimer], addition of acids and salts to αβ-unsaturated ketones, A., i, 792.

LXXXVIII. ii.

Vortmann, Georg, and A. Metzl, estimation of antimony as trisulphide and the separation of antimony from tin, A., ii, 655.

Voswinkel, Arnold, condensation products from tannin, formaldehyde, and carbamide or carbamates, A., i, 805.

Votoček, Emil, and Rudolf Vondráček, the so-called scammonose, A., i, 74.

mutual replacement of sugar residues in hydrazones, A., i, 377.

Vranceano, P. See H. Guillemard.

W.

Waals, Johannes Diderik van der, shape of the sections of the surface of saturation normal to the x-axis in case of a three-phase pressure between two temperatures, A., ii, 683.

the (T, x) equilibria of solid and fluid phases for variable values of the pressure, A., ii, 683.

Wada, Tsunashirō, [naëgite, a new mineral], A., ii, 177.

Wade, John, the influence of water and alcohols on the boiling point of esters.
I. A modification of Markownikoff's method of preparation, T., 1656; P.,

Wadmore, John Mello, notes on sodium alum, P., 150; discussion, P., 150.

Waegner, Anton, neodymium oxide, A., ii. 35.

Waentig, Percy, chemistry of phosphorescing sulphides of the alkaline earths, A., ii, 365.

Waerden, H. van der. See D. J. Hissink. Wagenknecht, Walter. See Alexander Gutbier.

Wagner, H. See H. Sprinkmeyer. Wagner, Hans. See Theodor Zincke.

Wagner, Paul, Robert Dorsch, H. Ruths, and Georg Hamann, potassium manuring, A., ii, 551.

Wagner, Waldemar. See Ernst Schmidt.
 Wahl, André [R.], ethyl acetylisonitrosoacetoacetate, Λ., i, 408.

constitution of diketobutyric ester phenylhydrazones, A., i, 474.

Wahl, André. See also Louis Bouveault. Wahle, Karl. See August Michaelis.

Wakeman, Alfred John, nitrogen distribution in the liver of the sturgeon, A., ii, 467.

chemical changes in the liver in phosphorus poisoning, A., ii, 470.

hexone bases of liver tissue, A., ii, 841.

Walbaum, Heinrich [Wilhelm], and O. Hüthig, occurrence of a dihydro-cuminol in ginger grass oil, A., i, 53.

ginger grass oil, A., i, 603.

Walbum, L. See Thorvald Madsen.

Walden, Paul, the rotation of optically active substances, A., ii, 130.

Walden, Percy Talbot, acid oxalates of ammonium, A., i, 679. Waldvogel, Richard, conditions for the

formation of acetone [in the body], A., ii, 735.

Walker, (Mrs.) Annie Purcell. James Walker.

Walker, C. E. See J. E. Farmer.

Walker, James, theory of amphoteric electrolytes. II., A., ii, 138.

Walker, James, and John Johnston, tetramethylammonium hydroxide, T., 955; P., 210.

Walker, James, and (Mrs.) Annie Purcell Walker, tetraethylsuccinic acid, T., 961; P., 210.

Walker, James Wallace, and (Miss) Mary Violette Dover, the iodides of copper, T., 1584; P., 232.

Walker, James Wallace, and Frederick Murray Godschall Johnson, the interaction of alcohols and phosphorous halides, T., 1592; P., 232.

the electrical conductivities of some salt solutions in acetamide, T., 1597; P., 233.

Wallach, Otto, terpenes and ethereal oils, A., i, 709.

Wallach, Otto, [with Erich Böcker and W. Fritzsche], terpenes and ethereal oils. LXX. Compounds of the thujone series, A., i, 147.

Wallach, Otto, [with Hugo Köhler], terpenes and ethereal oils; constitution of eucarvone and its reduction pro-

ducts, A., i, 450. Wallach, Otto, [with Petros Rhousso-

poulos], cyclic bases from methylheptenone, A., i, 818.

Wallach, Otto. See also Hans Landolt. Wallée, E. See Alexandre Étard.

Waller, Augustus Désiré, photo-electrical effects in frog's eyeball, A., ii, 545.

Waller, Augustus Désiré, and Bertram James Collingwood, estimation of inspired and expired chloroform, A., ii, 424.

Wallerant, Frédéric [Félix Auguste], potassium and ammonium nitrates and the law of Bravais, A., ii,

isodimorphism, A., ii, 237, 380.

Bernhard [Ludwig Johann Walter, Heinrich], new radiation produced in atmospheric air by the rays from radiotellurium, A., ii, 567.

Walter, Heinrich. See Rudolf Wegscheider.

See Emil Knoeven-Walter, Leonhard.

Walther, Reinhold [Freiherr] von, and R. Bamberg, derivatives of o-amino-mxylyl-p-toluidine, A., i, 298.

Warburg, Emil [Gabriel], ozonising of oxygen and atmospheric air by the discharge from metallic points, A., ii, 516.

Warburg, Otto, hydrolysis of leucine ethyl ester by the pancreatic ferment, A., i, 176.

Warburg, Otto. See also Emil Fischer. Warcollier, G., cause of the presence of abnormal amounts of starch in bruised apples, A., ii, 753.

Ward, Henry A., the Billings meteoric iron, A., ii, 263.

Warin, Jules, estimation of the active principles of alder bark, A., ii, 363. estimation of the active principles of alder bark and Cascara sagrada and their extracts, A., ii, 659.

Warschawsky, J., respiration and fer-mentation of the different varieties of

dead yeast, A., ii, 342. Wartenberg, H. von. See Theophile Fischer and Walther Nernst.

Watson, Chalmers, influence of meat diet on the thyroid and parathyroids, A., ii, 271.

Watson, Edwin Roy, silver dioxide and silver peroxynitrate, P., 297.

Watteville, Charles de, flame spectra, A., ii, 2.

Watts, Francis, and Harold A. Tempany, the inversion of cane sugar in the presence of milk constituents, A., ii, 425.

polarimetric determination of sucrose, A., ii, 656.

Weaver, J. T. See Clifford D. Holley. Weber, Carl Otto, coagulation and solubility of caoutehoue, A., i, 363.

Weber, Frederick Parkes, a case of leucæmia, A., ii, 48.

Weber, Otto. See Eberhard Rimbach. Webster, Charles Stuart Stanford, luminescope for comparing substances under the influence of radium rays, A., ii, 71.

triboluminescence, A., ii, 786.

Wedekind, Edgar [Léon Waldemar Otto], introduction of nitrogen into the santonin molecule, and the physiological behaviour of certain santonin derivatives, A., i, 134.

Wedekind, Edgar [Léon Waldemar Otto], action of allyl iodide on tetrahydroquinoline, A., i, 234.

asymmetric nitrogen. XIX., A., i, 520.

the reduction of zirconium oxide and the spontaneous formation of zirconium nitride, A., ii, 596.

Wedekind, Edgar, [and K. Fetzer], preparation and properties of manganese boride, A., ii, 322. reduction of thorium oxide by boron

and silicon, A., ii, 718.

Wedekind, Edgar, and Emanuel Fröhlich, resolution of phenylbenzylmethylpropylammonium bases into

their optical antipodes, A., i. 878.

Wedekind, Edgar, and Anton Koch, the oxonium nature of santonin, A., i, 211.

the behaviour of halogens towards santonin, A., i, 212.

isoartemisin (δ-hydroxysantonin), A., i, 529.

Wedemann, Wilhelm. See Eduard Buchner.

Weedon, William Stone, and Howard Waters Doughty, diphenylsulphoneo-carboxylic acid and related compounds, A., i, 345.

Weehuizen, F., phenolphthalin as reagent for hydrogen cyanide, A., ii, 489.

Wegscheider, Rudolf [Franz Johann], heats of solution and of dilution, A., ii, 505.

phase rule, A., ii, 508.

Wegscheider, Rudolf, and Erich Bondi, esterification of unsymmetrical di- and poly-basic acids. XIII. Ester-acids of 4-substituted phthalic acids, A., i, 895.

Wegscheider, Rudolf, and Heinrich Walter, specific gravities of sodium earbonate and sodium hydroxide solutions, A., ii, 521.

Weidenkaff, Erich. See Carl Paal. Weidmann, William O. See John Charles Olsen.

Weigert, Fritz. See Robert Luther.

Weigert, Richard. See Franz Steinitz. Weik, isoform, a new antiseptic, A., ii, 847.

 Weil, Albert Otto. See Roland Scholl.
 Weil, Hugo, elementary analysis by Dennstedt's method, A., ii, 202.

Weil, Hugo. See also Karl Dürrschnabel, Rudolf Lambrecht, and Herbert Teichner.

Weiler-Ter-Meer. See Chemische Fabrik vorm. Weiler-Ter-Meer.

Weilinger, Carl. See Eduard Vongerichten.

Weinland, Ernst, invertin in blood, A., ii, 730.

metabolic changes during the metamorphosis of the meat-fly (Calliphora vomitoria), A., ii, 734.

excretion of ammonia by the larvæ of Calliphora, A., ii, 740.

Weinland, Rudolf Friedrich, and Wilhelm Knöll, chlorinated and brominated molybdates, brominated molybdites and their corresponding acids, A., ii, 323.

Weinland, Rudolf Friedrich, and Hermann Lewkowitz, hydrofluorides of some anilides and substituted anilines, A., i, 518.

Weinland, Rudolf Friedrich, and Hans Schmid, halogen double salts of quadrivalent antimony, A., ii, 258. chlorinated antimonates; metachloro-

antimonic acid, A., ii, 326.

Weinland, Rudolf Friedrich, and Karl
Schmid, a simple method for the formation and preparation of alkyl haloids,
A., i, 557, 850.

Weinschenk, Arthur, reaction of aromatic azo-compounds with aromatic amines differing from the induline synthesis, A., i, 724.

Weis, Edmund, the condensation product of formylisobutyraldol with acetaldehyde, A., i, 17.

Weiser, Stephan. See Franz Tangl.

Weisl, Siegmund, p-hydroxydeoxybenzoin, A., i, 904.

Weiss, L., and O. Aichel, reduction of metallic oxides by means of the cerite metals, A., ii, 164.

Weissheimer, Paul. See Daniel Vorländer.

Weizmann, Charles, and Ernest Basil Falkner, ethyl β-naphthoylacetate, P., 307.

Weizmann, Charles. See also Jan Quiller Orchardson.

Welde, Robert. See Georg Merling.

Wells, Harry Gideon, the transport of iodised fat in phosphorus poisoning, A., ii, 745.

Wells, Robert J. See John B. Ekeley.
Wells, Roger Clark. See Theodore
William Richards.

Wendt, Georg von, metabolism (albuminous and saline) in man, A., ii, 840.

Wentzki, O., estimation of urea, A., ii, 214.

new method for the estimation of mixtures of chlorides, iodides, and bromides, A., ii, 478.

Wenzel, Friedrich. See Eduard Pflüger.
Werner, Alfred, construction of the periodic system, A., ii, 308, 514.

- Werner, Alfred, and Ernst Berl, hexahydroxylaminecobalt salts, A., 323.
- Werner, Alfred, and Theodor Detscheff, Beckmann's rearrangement in oximes of ketone-alcohols of the benzoin type, A., i, 225.
- Werner, Alfred, and Rudolf Feenstra, saturated series of dicobaltammine compounds, A., ii, 323.
- Werner, Alfred, and Adolf Grün, triamminecobalt salts; a new case of hydrate isomerism, A., ii, 93.
- Werner, Alfred, and Alfred Piguet, Beckmann's rearrangement by means of benzenesulphonic chloride in the presence of alkali or pyridine, A., i, 66.
- Werner, Alfred, and Adam Alexander Wolberg, dibromotetra-amminecobalt salts, A., ii, 322.
 - bromoaquotetra-amminecobalt salts, A., ii, 528.
- West, Augustus P. See Harry Clary Jones.
- West, George H. See Edgar Fahs Smith.
- West, Rodney. See George Bell Frankforter.
- Westdeutsche Thomasphosphat-Werke, G.M.B.H., synthetical preparation of
- ammonia, A., ii, 314.

 Westhausser, F., estimation of phosphoric acid in Thomas slag, A., ii,
- Westhaver, J. B., behaviour of anodes of iridium, platinum, and rhodium in the electrolysis of dilute sulphuric acid, A., ii, 226.
- Weston, Robert Spurr, [colorimetric] estimation of nitrogen as nitrites in waters, A., ii, 352.
- Wetzel, H. See Ivan Koppel.
 Weyberg, Z., basic alumino-silicates containing haloids, A., ii, 89.
 - the sodalite series, A., ii, 98.
 - action of barium and strontium chlorides on kaolin at high temperatures, A., ii, 262.
- Weyrich, E., suprarenine [epinephrine], the substance of the suprarenal glands which causes increase of the pressure of the blood, A., i, 152.
- Wheeler, Alwin Sawyer, estimation of methoxyl groups in some lignocelluloses, A., i, 574.
- Wheeler, Charles Edwin. See Harold Meakin.
- Wheeler, Henry Lord, and Howard Stanley Bristol, pyrimidines: action of potassium thiocyanate on certain imide chlorides. IX., A., i, 483,

- Wheeler, Henry Lord, and Howard Stanley Bristol, [with Samuel Hopkins Clapp and Treat Baldwin Johnson], pyrimidines. VIII. Structure of certain derivatives, A., i, 482.
- Henry Lord, and George Wheeler, Samuel Jamieson, synthesis of iodogorgonic acid, A., i, 350.
- Wheeler, Henry Lord, and Johannes G. Statiropoulos, some urazole and iminothiodiazoline derivatives, A., i, 720.
- Wheeler, Homer Jay, Burt Laws Hartwell, and G. E. Adams, function of the sodium when used in sodium nitrate, A., ii, 650.
- Whitcomb, William H. See Arthur Amos Noyes.
- White, Alfred Holmes, and Edward De-Mille Campbell, improvements in gas analysis apparatus, A., ii, 607.
- White, Alfred Holmes, and Wm. Melville, decomposition of ammonia at high temperatures, A., ii. 384.
- White, Edmund, tragacanth and acacia; comparative viscosity of the simple and mixed mucilages, A., i, 685.
- Wichelhaus, [Karl] Hermann, action of phosphorus on organic compounds. II., A., i, 432.
- See Stanislaus von Widmer, Albert. Kostanecki.
- Widnmann, Eduard. See Andreas Lipp. Wiechowski, Siegfried, condensation of naphthalaldehydic acid with m-tolyl methyl ketone, pinacolin, and acenaphthenone, A., i, 707.
- Wiechowski, Wilhelm, contractility of intracranial vessels, A., ii, 401. hippuric acid synthesis, A., ii, 846.
- Wiegner, G. See Heinrich Ley. Wieland, Heinrich, cyanogen bromide and hydroxylamine. II., A., i, 420.
- Wieland, Heinrich, and Siegfried Bloch, ψ-nitrosites of unsaturated ketones, A., i, 706.
- Wielen, P. van der, peppermint oil from Java, A., i, 223.
- Wiggers, Carl J., action of adrenaline on cerebral vessels, A., ii, 846.
- Wigham, Joseph Theodore. See Henry H Dixon.
- Wilde, P. de, gold in sea water, A., ii,
- Wilderman, Meyer, galvanic cells produced by the action of light, A., ii,
- Wilke, Ernst. See Georg Bredig. Wilke-Dörfurt, Ernst. See Wilhelm
- Biltz. Will, Hermann, and F. Schöllhorn, production of hydrogen sulphide by yeast, A., ii, 547.

Willcox, O. W., reactions of ethyl chlorosulphonate, A., i, 45.

Willcox, William Henry, examination of gastric contents, A., ii, 837.

Willgerodt, [Heinrich] Convad [Christoph], and Hans Bogel, di-p-benzaldehydeiodonium hydroxide and its derivatives, A., i, 901.

p-iodobenzaldehyde, p-iodobenzophenone, and derivatives of the latter containing polyvalent iodine, A., i,

901.

- Willgerodt, Conrad, [and, in part, Paul Frischmuth], derivatives of iodoquinolines with multivalent iodine, A., i, 547.
- Willgerodt, Conrad, [with Paul Frischmuth, Albert Landenberger, and Reinhold Thiele], derivatives of pdichloro-, p-dibromo-, and v-m-dibromo-iodobenzenes with polyvalent iodine, A., i, 580.

Willgerodt, Conrad, and Hans Harter, p-ethylphenylhydrazine, and picryland op-dinitrophenyl-p-ethylphenylhydrazines and their derivatives, A.,

i, 551.

Willgerodt, Conrad, and Franz Herzog, picryl-, op-dinitrophenyl-, and 5-chloro-2-nitrophenyl-2:4:5-trimethyl-phenylhydrazines and their derivatives, A., i, 549.

Willgerodt, Conrad, and Willy Lindenberg, p-xylylhydrazine, and picryl-, op-dinitrophenyl-, and 5-chloro-2-nitrophenyl-p-xylylhydrazines, A., i, 550.

Willgerodt, Conrad, and Reinhold Rieke, derivatives of the iodobenzaldehydes containing uni- and ter-valent iodine, A., i, 442.

Willgerodt, Conrad, and Friedrich Schmierer, iodoso-, iodoxy-, and iodonium compounds from s-iodo-xylene, A., i, 425.

ene, A., i, 425. Williams, R. H., methods for estimating formaldehyde, A., ii, 488.

Williams, Walter Scott, valuation of tannic acid, A., ii, 772.

Williamson, Alexander William, obituary notice of, T., 605.

Willson, Howard Samuel, isolation of Bacillus typhosus from infected water, A., ii, 748.

Willstätter, Richard, and Ludwig Kalb, quinonoid derivatives of diphenyl II., A., i, 361.

Willstatter, Richard, and Wilhelm Marx, oxidation of sparteine, A., i, 544.

Willstätter, Richard, and Adolf Pfannenstiel, quinoneimines. III., A., i, 69. Willstätter, Richard, and Adolf Pfannenstiel, o-benzoquinone, A., i, 144. quinonedimethylimine (quinonoid compounds. IV.), A., i, 669. oxidation of o-phenylenediamine, A.,

i, 723.

Willstätter, Richard, and Rudolf Pummerer, pyrone. II., A., i, 457.

Willstätter, Richard, and Wolfgang von Schmaedel, derivatives of cyclobutane, A., i, 514.

Willstätter, Richard, and Hans Veraguth, cyclo-octenes, A., i, 515.some derivatives of ψ-pelletierine, A., i, 543.

Wilson, Ernest, alternate current electrolysis, A., ii, 673.

Wilson, John. See John Ernest Mason. Wilson, T. M., clinical measurement of electrical conductivity, A., ii, 263.

Windaus, Adolf, cholesterol. IV., A., i, 128.

formation of saccharins from hexoses, A., i, 510.

Windaus, Adolf, and Franz Knoop, transformation of dextrose into methyliminazole, A., i, 381.

Windaus, Adolf. See also Franz Knoop. Windisch, Karl, estimation of boric acid, A., ii, 554.

Windisch, Karl, and Theodor Roettgen, estimation of the volatile acids in wine, A., ii, 212, 361.

Windisch, Wilhelm, and H. Boden, influence of calcium sulphate on the decomposition of starch and albumin in the mashing process, A., ii, 188.

Winkelmann, Adolf [August], influence of temperature and pressure on the absorption and diffusion of hydrogen in palladium, A., ii, 397.

diffusion of nascent hydrogen through iron, A., ii, 682.

Winkler, Ludwig Wilhelm, preparation of pure ethyl alcohol, A., i, 850.

Winokurow, Eugen. See Carl Adam Bischoff.

Winteler, F., assay of high-grade nitric acid, A., ii, 553.

Winter, Heinrich, yellow and red arsenic trisulphide, A., ii, 245.

Winter, William Phillips, sodamide and certain of its reaction products, A., ii, 30.

Winterberg, Heinrich. See C. J. Rothberger.

Winternitz, Milton Charles. See Walter Jones.

Winterstein, Ernst [Heinrich], isolation of lysine, A., i, 726.

proteids obtained from Ricinus seeds, A., i, 727. Winterstein, Ernst, and Enrico Pantanelli, amino-acid obtained by the hydrolysis of the proteids of lupin seeds, A., i, 687.

Winterstein, Ernst. See also Ernst Schulze.

Winther, Chr., rotation of optically active substances, A., ii, 493.

Winton, A. L., and E. Monroe Bailey, estimation of vanillin, coumarin, and acetanilide in vanilla extract, A., ii, 620.

Wintrebert, L., some osminitrites and an osmium nitrite, A., ii, 261.

Wirthwein, Heinz. See Arthur Stähler. Wislicenus, Hans, analysis of tannin materials with exfoliated alumina, A., ii. 363.

Wislicenus, Johannes, memorial lecture on (Perkin), T., 501; P., 17.

Wilhelm, intramolecular Wislicenus, migration of acyl groups, A., i, 170.

Wislicenus, Wilhelm, and Henry Wren, syntheses of arylnitromethanes and of stilbene derivatives, A., i, 284.

Wislicenus, Wilhelm. See also Otto Dimroth.

Waslaw. See HermanWislocki. Decker.

Wissell, Ludwig von, analysis of curdled milk, A., ii, 774.

Withers, W. A., and George Stronach Fraps, nitrification of different fertilisers, A., ii, 110.

nitrification of ammonia fixed by chabazite, A., ii, 111. nitrifying power of typical North

Carolina soils, A., ii, 111. Witte, Kurt. See Joh. Howitz.

Wittenberg, Fritz. See Emil Erlen-

meyer, jun. Wittmann, Johann, solanin, A., i, 456.

Wodzinsky, Gabriel von. See Carl

Adam Bischoff. Wöhler, Lothar, molecular weight of

fulminic acid, A., i, 419. Wöhler, Lothar, and James König, the

oxides of palladium, A., ii, 722. Wöhler, Lothar, and K. Theodorovits, the formation of mercury fulminate,

A., i, 418. Wöhler, Paul, preparation of metallic

calcium in the laboratory, A., ii, Wöhlk, Alfred, new reaction for lactose

(and maltose), A., ii, 122. Wölfi, Valentin. See Karl A. Hof-

mann. Wohlers, Hans Emil. See Ernst Her mann Riesenfeld.

Wohlgemuth, Julius, hydrolysis of the liver proteid, A., i, 103.

nucleo-proteid of the liver. IV., A., i, 620.

the source of substances containing sulphur in animals, A., ii, 182.

the urine in phosphorus poisoning, A., ii, 338, 470.

localisation of ferments in the hen's egg, A., ii, 541.

the behaviour of stereoisomerides in the animal organism. II. Inactive amino-acids, A., ii, 543.

Wohltmann, Ferdinand, action of sodium chloride on crops, A., ii, 759.

Wohltmann, Ferdinand, and Schneider, new apparatus for determining the ammonia-absorption power of soils, A., ii, 649.

Woinitsch-Sianoschensky, S. See Michael I. Konowaloff.

Wolberg, Adam Alexander. See Alfred Werner.

Wolbring, Wilh. See Max Busch.

Wolf, Charles George Lewis, effect on blood-pressure of proteolytic products, A., ii, 264.

Wolf, Charles George Lewis. See also Letchreorth Smith.

Wolff, Hermann, salts of cerium, A., ii, 457.

Wolff, Jules, estimation of maltose or dextrose in presence of starch paste, A., ii, 487.

[approximate] estimation of reducing sugars and dextrins in presence of starch and soluble starch, A., ii, 558.

separation of starch coagulum and amylocellulose, A., ii, 866.

Wolff, Jules, and Auguste Fernbach, diastasic coagulation of starch, A., i. 312.

circumstances which influence the physical condition of starch, A., i, 510.

Wolff, Jules. See also Auguste Fernbach. Wolff, Ludwig, azine of ethyl acetoacetate, A., i, 839.

Wolochowitsch, L. See Michael M. Tichwinsky.

Wolpert, Heinrich, combustible gaseous carbon compounds in the air, A., ii, 160.

Wood, James. See Francis Robert Japp. Wood, Robert Williams, scintillations produced by radium, A., ii, 664.

fluorescence of sodium vapour and the resonance radiation of electrons, A., ii, 783.

Wootton, William Ord. See Gilbert Thomas Morgan.

Worden, Edward C., and John Motion, preparation of volumetric solutions, A., ii, 280.

Worley, Frederick P., bromine in solutions of potassium bromide, T., 1107; P., 209.

Wren, Henry. See Wilhelm Wislicenus.

Wright, Ralph Garrigue. See Marston Taylor Bogert.

Wrochem, J. von, apparatus for the determination of the specific gravity of solid substances in powder or in a granular form, A., ii, 506.

Würfel, Walter. See Friedrich Wil-

helm Küster.

Würker, Walter. See Theodor Zincke. Wulffius, Hellmuth. See Carl Adam Bischoff.

Wynne, William Palmer. See James Stuart Hills.

Y.

Yamano, Y., can aluminium salts enhance plant growth? A., ii, 344.

Young, George, C-phenyl-s-triazole, T.,

625; P., 131.

and Samuel Irwin Young, George, Crookes, contributions to the chemistry of the amidines. 2-Aminothiazoles and 2-imino-2:3-dihydrothiazoles; 2iminotetrathiazoles and 2-amino-4:5dihydrothiazoles, P., 307.

Young, Stewart Woodford, and W. E. Burke, composition and solubility of the hydrates of sodium thiosulphate,

A., ii, 32.

Young, Stewart Woodford, and J. Pearce Mitchell, supercooled fusions and solutions of sodium thiosulphate, A.,

Young, Sydney, boiling points of homologous compounds, A., ii, 231.

Young, William John. See Arthur Harden.

Z.

Zacharias, P. D., theory of dyeing, A., i, 74, 293.

Zachoder, (Mlle.). See H. Cantoni. Zahn, Otto. See Albin Köhler.

Zaitschek, Arthur. See Franz Tangl. Zakrzewski, C. See H. Kamerlingh Onnes.

Zalackas, C., antidote to nicotine, A., ii, 339.

Zaleski, Jean, compounds of mesoporphyrin with iron and manganese, A., i, 105.

Zaleski, W., proteid formation in ripening seeds, A., ii, 549.

proteolytic enzyme of ripening seeds, A., ii, 549.

Zambonini, Ferruccio, crystallised slag from Hettstedt; composition of melilite, A., ii, 834*.*

Zanetti, Joaquin E. See Gregory Paul Baxter.

Zart, A. See Max Conrad.

Zecchini. Filippo, relation between electrolytic dissociation and refractive power, A., ii, 661.

Zellner, Julius, fly agaric (Amanita muscaria). II., A., ii, 550.

Zengelis, Constantin, detection and estimation of minute quantities of mercury, A., ii, 65.

vaporisation of solid substances at the ordinary temperature, A., ii, 143.

Zerban, Fritz, radioactivity of thorium, A., ii, 170.

Zerban, Fritz. See also Charles Baskerville.

Zernik, F., stovaine, A., ii, 491. Zielstorff, Willy [Adalbert Karl], action of calcium cyanamide, A., ii, 477.

Zienkowski, Franz. See Stefan Moycho. Zincke, [Ernst Carl] Theodor, dinitrophenylpyridinium chloride and its transformation products. III., A., i, 467.

Zincke, Theodor, [with Max Buff and Wilhelm Emmerich], action of nitric acid on the halogen derivatives of palkylphenols. II. Action of nitric acid on the bromo-derivatives of pcresol, A., i, 879.

Zincke, Theodor, [with Ernst Ellenberger, Adolf Kuchenbecker, Philipp Malkomesius, and Anton Maué], action of nitric acid on aminosulphonic acids; nitroamines, diazo-compounds, and indazoles, A., i, 486.

Zincke, Theodor, and Gottfried Mühlhausen, additive compounds of hydrogen bromide and aromatic carbonyl

compounds, A., i, 289.

Zincke, Theodor, and Siegmar Münch, action of bromine and chlorine on phenols: substitution products, ψbromides and \psi-chlorides. XII. ψ-Bromo-p-dihydroxystilbene, stilbene-quinone, and their products, A., i, 55.

Zincke, Theodor, and Hans Reinbach, action of nitric acid on tri- and tetra bromo-p-ethylphenols, A., i, 882.

Zincke, Theodor, and Hans Wagner, action of bromine and chlorine on phenols; substitution-products, bromides and ψ -chlorides; tetrachlorop-dihydroxytolane A. i 342

Zincke, Theodor, and Walter Würker, action of secondary aromatic amines on dinitrophenylpyridinium chloride, A., i, 241.

dinitrophenylpyridinium chloride and its transformation products. IV. The action of aliphatic amines on dinitrophenylpyridinium chloride, A., i, 923.

Zinsser, Adolf, extent to which fats are decomposed in the stomach, A., ii, 732.
Zipser, Arthur. See Rudolf Andreasch.
Zlokasoff, Marguerite. See Fritz Ullmann.
Zöhls, Arthur. See Fritz (Edler) Konek von Norwall.

Zopf, Wilhelm, compounds from lichen, A., i, 212, 789.

Zoppellari, Ivo, relation of electrolytic dissociation to refractive power; non-electrolytes in solution, A., ii, 493

Zortman, Israel Hyman. See Julius Berend Cohen.

Zrzawy, Julius, modified gas-burettes, A., ii, 55.

Zschimmer, Eberhard, physical properties of glass as functions of the chemical composition, A., ii, 709.

Zucchi, S., iron in diabetic urine, A., ii, 469.